District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

Printed Name/Title

State of New Mexico Energy Minerals and Natural Resources

June 1, 2004 r drilling and production facilities, submit to

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐ Type of action: Registration of a pit or below-grade tank \(\Bigcup \) Closure of a pit or below-grade tank \(\Bigcup \) BP AMERICA PROD. CO. (505)-326-9200 Telephone: e-mail address: Address: 200 ENERGY COURT, FARMINGTON, NM 87410 Facility or well name: JOHNSTON LS #1 API#: 30-045- 07550 U/L or Qtr/Qtr N Sec 11 T 28N R 9W County: SAN JUAN Latitude 36.67204 Longitude 107.76127 NAD: 1927 ☐ 1983 🏿 Surface Owner Federal 🖾 State ☐ Private ☐ Indian ☐ <u>Pit</u> Below-grade tank Type: Drilling ☐ Production ☐ Disposal ☒ COMPRESSOR Volume: Workover ☐ Emergency ☐ Construction materia STEEL TANK Double-walled, with leak If the explain why not. Lined Unlined Liner type: Synthetic Thickness Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) **Ranking Score (Total Points)** 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. 33 Additional Comments: PIT LOCATED APPROXIMATELY FT. N62E FROM WELL HEAD. PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft. N/A Cubic yards: I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit of below grade tank has been/will be constructed or closed according to NMOCD guidelines \, a general permit \, or an alternative OCD-approved plan \, \, 10/04/05 Date: Jeff Blagg – P.E. # 11607 Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. DEFUTY CL & GAS INSPECTOR, DIST. 62 Approval:

CLIENT: BP	P	.о. вох		INEERING DOMFIELD 2-1199	•	13	CATION NO	14571
FIELD REP	ORT:	PIT CL	OSURI	E VERIFI	CATIO	N PAG	GE No:	of
LOCATION: NAME: N	JOHNSTO	N 25	WELL #:	(TYPE	compressor			9-29-05
QUAD/UNIT: N SEC	: il TW	P: 28N RNG	9W PM	NM CNTY: 5	T ST: NM		E FINISHED:RONMENTAL	9-29-05
QTR/FOOTAGE: 99	O FSL X	1700 FWL	CON	TRACTOR; HOL	(ONDFIRE)		CIALIST:	TCB
EXCAVATION API	PROX	<u> </u>	_ <i>NA</i> _ F	Г. х <u>//A</u> FT	DEEP. CUE	BIC YAR	DAGE:	_ <u>O</u>
DISPOSAL FACILITY:		NA		REMEDIA			CLOSE F	
LAND USE: RANGE				NM 04202				PC
FIELD NOTES & R				OXIMATELY 33				
DEPTH TO GROUNDWATER	100			5000 PF	NEAREST SU	RFACE WA	TER:	
NMOCD RANKING SCORE:				: PF	OVM CALIB. RI	FAD = S	of ppm	
SOIL AND EXCA	VATION	DESCRIPT	ION:		OVM CALIB. G.	AS = _/	ppm_	
					TIME: (210	am/pi	m DATE:	4/29/05
SOIL TYPE: (SAND) SIL	LTY SAND / LiteTi		LAY / CLAY	/ GRAVEL / OTHI	ER			
COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE								
CONSISTENCY (NON COHE PLASTICITY (CLAYS): NON					HIGHLY PLASTIC			
DENSITY (COHESIVE CLAY	S & SILTS): S	SOFT / FIRM / STI	FF / VERY STI	FF / HARD			(TLOSED)
MOISTURE: DRY /SLIGHT	LY MOISTY MO	OIST / WET / SAT : YES (NO) EXP	URATED / SUF LANATION -	PER SATURATED				
HC ODOR DETECTED: YES	S/NO EXPLA	NATION -						
SAMPLE TYPE: GRAB / CO	MPOSITE - #	OF PTS	– 2 i	BR Steel	tonk Bor	ical in	Ground	1. Use
					tank ×		ري) _{اين ل} ي ⁻	auple.
		· ,\alpha	10 evide	nce of Co. FIELD 418.1 CALC	tomination			
SCALE SA	MP. TIME	SAMP. ID	LAB NO.			DILUTIO	NREADING	G CALC. (ppm)
			2.0.110.	(g)				э ставо (ррш)
O _f FT								
N PIT PER	IMETER	₹				PIT	PROFI	LE
				OVM EADING				
		,	SAMPLE	FIELD HEADSPACE				
	Sav	Plan)	1@ 2	(ppm) ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・				
	, (g car	2 @ 3 @					
		~ L	4 @ 5 @					
	/	/ (8'BG)	3 60			••		
<u></u>	<i></i>	()			Ne	T AF	PULLA	BLE
Ţ,'	0]						
بسلا								
Je	1		SAMPLE	SAMPLES ANALYSIS TIME	_			
TV Notes	auk _{with} a		ريخ ال	ANALYSIS TIME				
weil	puk Deilersiva LG BG)			455ED)	_			
P.D. = PIT DEPRESSION; B.G.	= BELOW GR							
T.H. = TEST HOLE; ~ = APPRO					a Con low			
C	ALLOUT: _			ONSITE: _	9/29/05			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	10-04-05
Laboratory Number:	34516	Date Sampled:	09-29-05
Chain of Custody No:	14571	Date Received:	09-30-05
Sample Matrix:	Soil	Date Extracted:	10-03-05
Preservative:	Cool	Date Analyzed:	10-04-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Johnson LS 1 Compressor.

Analyst

Misture m Watter