District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗵				
	(707) 207 2044	1.01.		
•	(505) 326-9841 e-mail address: <u>LH2</u>	asely(a) br-inc.com		
Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Facility or well name: Huerfano Unit 161E API #:		T H Sec 18 T 26N R 9W		
	36.49052 Longitude -107.82393	NAD: 1927 🖾 1983 🗌		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal D	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil			
Workover	Construction material: Fiberglass			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.			
Pit Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
ingit water elevation of ground water.)	100 feet or more	(0 points) 0		
W. III. 1	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0		
water source, or less than 1000 feet from all other water sources.)	I th 200 C	(20		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	(0 points) 10		
	Ranking Score (Total Points)	10		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location: (check the onsite box if		
your are burying in place) onsite offsite offsite, name of facility. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes of If yes, show depth below ground surface. If and attach sample results.				
		Testitis.		
(5) Attach soil sample results and a diagram of sample locations and excavations.				
Additional Comments.				
The soils tested clean and no soil remediation was required.				
		S. OML		
		150 00 00 00 No.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines 🗷, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍.				
Date: 5/31/00				
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or				
regulations.				
SAME A MIN A A SAME				
Approval:	LAUN U 6 201			
Approval: Printed Name/Title Signature Signat				
L				

·						
CLIENT: Burlington	Env	IROTECH INC.	a	LOCATION NO:		
Lesourus	579	INTAL SCIENTISTS & ENGINEE. 8 U.S. HIGHWAY 64-3014		C.O.C. NO:		
FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615						
FIELD REPOF	PAGE No: 1 of 1					
LOCATION: NAME: Huer	DATE STARTED: 5/19/06 DATE FINISHED: 5/19/06					
QUAD/UNIT: H SEC:	ENVIRONMENTAL MPM					
QTR/FOOTAGE: 1830' N 940'E CONTRACTOR: Bailey's SPECIALIST: MPM						
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:						
DISPOSAL FACILITY: NA REMEDIATION METHOD:						
LAND USE:						
FIELD NOTES & REMAR						
DEPTH TO GROUNDWATER: 0			 			
NMOCD RANKING SCORE: 10		RE STD: 1000 PPN		CHECK ONE : PIT ABANDONED		
SOIL AND EXCAVATION	IN DESCRIPTION:			STEEL TANK INSTALLED		
Slight oiler prese	the the box	discalacation		-1		
from site.		o sto oraniz	1/25en7 : 10s	so, removed		
	,					
*		FIELD 418.1	CALCULATIONS			
				LUTION READING CALC. ppm		
SCALE	0826 31 Belsus	1 5	20	0.112 777		
0 FT						
PIT PERIM	ETER	OVM RESULTS	PIT	PROFILE		
N Poil	SAMF					
1 2+	13'3		1			
	<u>2</u> 3 4					
4	5		- -			
Moker						
Septición Septic						
SUPLES SAMPLES SAMPLE ANALYSIS TIME						
191	AST SAMPLE	AB SAMPLES ANALYSIS TIME		·		
			-			
			X= Sample	Point		
TRAMPI NOTES						
TRAVEL NOTES: ONSITE:						



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-008

Sample No.:

1

Date Reported:

Date Sampled:

5/19/2006

Sample ID:

Discrete, 3' Below BG Tank

5/19/2006

Sample Matrix:

Soil

Date Analyzed:
Analysis Needed:

5/19/2006 TPH-418.1

Preservative:

Parameter

Condition:

Cool and Intact

	Det.
Concentration	Limit

Total Petroleum Hydrocarbons

777

(mg/kg)

5.0

(mg/kg)

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfano Unit 161E

Analyst

Review

un Crabt