District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone: (505) 326-9841 Operator: Burlington Resources e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Culpepper Martin No. 102 30045273040000 API#: __ U/L or Qtr/Qtr __K__Sec __21__T_32N__R 12W Latitude 36.96934 Longitude -108.10394 NAD: 1927 X 1983 ☐ County: San Juan Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐ Below-grade tank Type: Drilling Production Disposal Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass Lined Unlined Double-walled, with leak detection? Yes \(\square\) If not, explain why not. Liner type: Synthetic Thickness No. Tank in place prior to Rule 50. Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 10 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 20 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [X], a general permit [...], or an (attached) alternative OCD-approved plan [...]. Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: JUN 0 6 2**00**8 _ Signature _ Printed Name/Title

CLIENT: Bulington Lesures	Environm Environm 579 Farmi	VIROTECH INC. ENTAL SCIENTISTS & ENGINEERS 6 U.S. HIGHWAY 64-3014 INGTON, NEW MEXICO 87401 HONE: (505) 632-0615		C.D.C. ND:	
FIELD REPOR LOCATION: NAME: Cleape QUAD/UNIT: K SEC:	Martin WELL 21 TWP: 32N RNG	#: 107 PIT:		DATE STARTED: 5/19/06 DATE FINISHED: 5/15/06	
QTR/FOOTAGE: 1175' FSL 1696' FWL CONTRACTOR: LAR ENVIRONMENTAL SPECIALIST: MPM EXCAVATION APPROX. FT. x FT. x FT. DEEP. CUBIC YARDAGE: PREMEDIATION METHOD: LEASE: FEE FORMATION: The service of the service					
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 72 FT. 180 FROM WELLHEAD. DEPTH TO GROUNDWATER: 10 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10 NMOCD RANKING SCORE: 20 NMOCD TPH CLOSURE STD: 100 PPM SOIL AND EXCAVATION DESCRIPTION: PIT ABANDONED STEEL TANK INSTALLED					
2 locations of wellped. (Colpaper Martin SRC #1c). No visible signs of contamination present. No soil removed from site. FIELD 418.1 CALCULATIONS					
SCALE 0 FT		. LAB No: WEIGHT (g)	20	LUTION READING CALC. ppm 1 0-0046 31.9	
PIT PERIME Rominale Primas Vistagenet Bot Bot Puter	SAM 10 13'B 2 3 4	RESULTS PLE FIELD HEADSPACE PID (PPM) W PPM LAB SAMPLES	PIT	PROFILE	

.. 0.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-062

Sample No.:

1

Date Reported:

Date Sampled:

5/19/2006

Sample ID:

Discrete, 3' Below BG Tank Soil 5/19/2006

Sample Matrix: Preservative:

Cool

Date Analyzed:
Analysis Needed:

5/19/2006 TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

31.9

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Culpepper Martin No. 102

Analyst

Review