

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No


Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
 Address: 200 ENERGY COURT, FARMINGTON, NM 87410
 Facility or well name: HORTON LS #2 API #: 30-045- 20673 U/L or Qtr/Qtr M Sec 29 T 32N R 11W
 County: SAN JUAN Latitude 36.95202 Longitude 108.01637 NAD: 1927 1983 Surface Owner Federal State Private Indian

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>BLOW</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility BP CROUCH MESA LF. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 105 FT. S86W FROM WELL HEAD.
PIT EXCAVATION: WIDTH 15 ft., LENGTH 15 ft., DEPTH 13 ft.
 PIT REMEDIATION: CLOSE AS IS: , LANDFARM: , COMPOST: , STOCKPILE: , OTHER EXCAVATE
 Cubic yards: 95



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .

Date: 12/13/05

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 8 Signature [Signature] Date: FEB 28 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC.	LOCATION NO: <u>B1723</u>
	P.O. BOX 87, BLOOMFIELD, NM 87413	COCR NO: <u>15185</u>
(505) 632-1199		

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 2

LOCATION: NAME: <u>HORTON LS</u> WELL#: <u>2</u> TYPE: <u>BLOW</u>	DATE STARTED: <u>12-6-05</u>
QUAD/UNIT: <u>M SEC: 29 TWP: 32N RNG: 11W PM: SJ CNTY: NM ST: SJ</u>	DATE FINISHED: <u>12-9-05</u>
QTR/FOOTAGE: <u>1100 FSL x 1050 FWC</u> ^{SWISW} CONTRACTOR: <u>PXS (MAMO)</u>	ENVIRONMENTAL SPECIALIST: <u>FCB</u>

EXCAVATION APPROX. 15 FT. x 15 FT. x 10 FT. DEEP. CUBIC YARDAGE: 70 ±

DISPOSAL FACILITY: BP CROVER MESA L.F. REMEDIATION METHOD: EXCAVATE

LAND USE: RANGE - BLM LEASE: NM-073139 FORMATION: PC

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 105 FT. SBW FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = <u>53.7</u> ppm	
OVM CALIB. GAS = <u>100</u> ppm	RF = 0.52
TIME: <u>1210</u> am (pm)	DATE: <u>12/6</u>

SOIL TYPE: SAND / SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: Light tan

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED


DISCOLORATION/STAINING OBSERVED YES / NO EXPLANATION - Gray / BLACK

HC ODOR DETECTED YES / NO EXPLANATION - Moderate

SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5


ADDITIONAL COMMENTS: 12" x 12" x 3" Deep Evapn Pit. Excavated IMPACTED SOILS TO 10" depth (EQUIP LIMITS) & Sample

FIELD 418.1 CALCULATIONS



SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)


PIT PERIMETER



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-Point Composite @ 10"	200

PIT PROFILE



LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5-Point	TPH	1155
	BTEX	
	CL-	
	<u>PASSE</u>	

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: _____ ONSITE: 12/6/05

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1773</u>
		COCR NO: <u>14600</u>

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 2 of 2

LOCATION: NAME: <u>HORTON LS</u> WELL #: <u>2</u> TYPE: <u>BLOW</u>	DATE STARTED: <u>12-6-05</u>
QUAD/UNIT: <u>M SEC: 29 TWP: 32N RNG: 11W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>12-9-05</u>
QTR/FOOTAGE: <u>1100 FSL x 1050 FUL SW/SW</u> CONTRACTOR: <u>PXS (MAM)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. 15 FT. x 15 FT. x 13 FT. DEEP. CUBIC YARDAGE: 25 ADDITIONAL

DISPOSAL FACILITY: BP CROWN MESA LF REMEDIATION METHOD: EXCAVATE

LAND USE: RANGE-BLM LEASE: NM-073139 FORMATION: PC

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 105 FT. S86W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >100 NEAREST SURFACE WATER: >100

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 500.1 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 52.8 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 1240 am/pm DATE: 12-9-05

SOIL TYPE: (SAND / SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SANDSTONE @ 13"

SOIL COLOR: LITETAN

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - Lite Gray 10"-13"

HC ODOR DETECTED: (YES) NO EXPLANATION - Moderate


SAMPLE TYPE: GRAB (COMPOSITE) # OF PTS. 5

ADDITIONAL COMMENTS: USE TRACKHOE TO EXTEND REMEDIATION BY EXCAVATION. HIT FIRM BEDROCK SANDSTONE @ 13"

BEDROCK BOTTOM CLOSED

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)




OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-POINT	236
COMPOSITE @ 13"	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5-POINT	TRI	1300
	BTA	
	CL-	

PASSED



P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; - = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: ONSITE: 12-9-05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 10'	Date Reported:	12-08-05
Laboratory Number:	35369	Date Sampled:	12-06-05
Chain of Custody No:	15185	Date Received:	12-06-05
Sample Matrix:	Soil	Date Extracted:	12-07-05
Preservative:	Cool	Date Analyzed:	12-08-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,360	0.2
Diesel Range (C10 - C28)	273	0.1
Total Petroleum Hydrocarbons	1,630	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Horton LS 2 Blow Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 13'	Date Reported:	12-13-05
Laboratory Number:	35441	Date Sampled:	12-09-05
Chain of Custody No:	14600	Date Received:	12-12-05
Sample Matrix:	Soil	Date Extracted:	12-12-05
Preservative:	Cool	Date Analyzed:	12-13-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	798	0.2
Diesel Range (C10 - C28)	74.9	0.1
Total Petroleum Hydrocarbons	873	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Horton LS 2 Blow Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 10'	Date Reported:	12-08-05
Laboratory Number:	35369	Date Sampled:	12-06-05
Chain of Custody:	15185	Date Received:	12-06-05
Sample Matrix:	Soil	Date Analyzed:	12-08-05
Preservative:	Cool	Date Extracted:	12-07-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	270	1.8
Toluene	2,410	1.7
Ethylbenzene	2,630	1.5
p,m-Xylene	12,600	2.2
o-Xylene	4,820	1.0
Total BTEX	22,730	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Horton LS 2 Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 13'	Date Reported:	12-13-05
Laboratory Number:	35441	Date Sampled:	12-09-05
Chain of Custody:	14600	Date Received:	12-12-05
Sample Matrix:	Soil	Date Analyzed:	12-13-05
Preservative:	Cool	Date Extracted:	12-12-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	78.5	1.8
Toluene	1,750	1.7
Ethylbenzene	2,090	1.5
p,m-Xylene	10,560	2.2
o-Xylene	3,910	1.0
Total BTEX	18,390	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Horton LS 2 Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW


Chloride


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 10'	Date Reported:	12-08-05
Lab ID#:	35369	Date Sampled:	12-06-05
Sample Matrix:	Soil	Date Received:	12-06-05
Preservative:	Cool	Date Analyzed:	12-08-05
Condition:	Cool and Intact	Chain of Custody:	15185

Parameter	Concentration (mg/Kg)
Total Chloride	4.5

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Horton LS 2 Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Chloride


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 13'	Date Reported:	12-13-05
Lab ID#:	35441	Date Sampled:	12-09-05
Sample Matrix:	Soil	Date Received:	12-12-05
Preservative:	Cool	Date Analyzed:	12-12-05
Condition:	Cool and Intact	Chain of Custody:	14600

Parameter	Concentration (mg/Kg)
Total Chloride	22.6

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Horton LS 2 Blow Pit.


Analyst


Review

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No


Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: HORTON LS #2 API #: 30-045- 20673 U/L or Qtr/Qtr M Sec 29 T 32N R 11W
County: SAN JUAN Latitude 36.95202 Longitude 108.01637 NAD: 1927 1983 Surface Owner Federal State Private Indian

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> SEPARATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	0
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 21 FT. N45E FROM WELL HEAD.
PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.
PIT REMEDIATION: CLOSE AS IS: , LANDFARM: , COMPOST: , STOCKPILE: , OTHER (explain)
Cubic yards: N/A



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .

Date: 12/08/05

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. IV Signature [Signature] Date: FEB 28 2006

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81723</u> COCR NO: <u>15185</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: HORTON LS WELL#: 2 TYPE: SEPARATOR
 QUAD/UNIT: M SEC: 29 TWP: 32N RNG: 11W PM: SJ CNTY: NM ST: SJ
 QTR/FOOTAGE: 1100 FSL x 1050 FWL CONTRACTOR: PXS (MAMO)

DATE STARTED: 12-6-05
 DATE FINISHED: 12-6-05
 ENVIRONMENTAL SPECIALIST: JCB

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0
 DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS
 LAND USE: RANGE - BLM LEASE: NM-073139 FORMATION: PC

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 21 FT. N45E FROM WELLHEAD.
 DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000
 NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:


OVM CALIB. READ. = 53.7 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 1210 am/pm DATE: 12/6

SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER
 SOIL COLOR: Light Tan
 COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE COHESIVE / HIGHLY COHESIVE
 CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE
 PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
 DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
 MOISTURE: DRY SLIGHTLY MOIST MOIST / WET / SATURATED / SUPER SATURATED
 DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - CLOSED
 HC ODOR DETECTED: YES NO EXPLANATION -
 SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. 5
 ADDITIONAL COMMENTS: 10' x 10' x 1' Deep Earth Pit. Use Backhoe to Dig into Pit & Sample. No evidence of contamination.


FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)


SCALE



PIT PERIMETER



PIT PROFILE



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-Point Composite @ 4'	0.0

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5-Point	TPH	1130
	BTEX	
	CL-	
	<u>PROSED</u>	

↙ to well
 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: ONSITE: 12/6/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 4'	Date Reported:	12-08-05
Laboratory Number:	35370	Date Sampled:	12-06-05
Chain of Custody No:	15185	Date Received:	12-06-05
Sample Matrix:	Soil	Date Extracted:	12-07-05
Preservative:	Cool	Date Analyzed:	12-08-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Horton LS 2 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 4'	Date Reported:	12-08-05
Laboratory Number:	35370	Date Sampled:	12-06-05
Chain of Custody:	15185	Date Received:	12-06-05
Sample Matrix:	Soil	Date Analyzed:	12-08-05
Preservative:	Cool	Date Extracted:	12-07-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Horton LS 2 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Comp. @ 4'	Date Reported:	12-08-05
Lab ID#:	35370	Date Sampled:	12-06-05
Sample Matrix:	Soil	Date Received:	12-06-05
Preservative:	Cool	Date Analyzed:	12-08-05
Condition:	Cool and Intact	Chain of Custody:	15185

Parameter


Concentration (mg/Kg)


Total Chloride

5.8

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Horton LS 2 Sep Pit.


Analyst


Review