District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No [Type of action: Registration of a pit or below-grade tank \(\Boxed{\square}\) Closure of a pit or below-grade tank \(\Boxed{\square}\) Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: Address: 2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401 Facility or well name: SCHWERDTFEGER 8 #2 API#: 30-045- 28884 U/L or Otr/Otr L Sec 8 T 27N R 11W __Longitude 108.03155 County: SAN JUAN Latitude 36.58753 NAD: 1927 ☐ 1983 🏿 Surface Owner Federal 🖾 State ☐ Private ☐ Indian ☐ Pit Below-grade tank Type: Drilling Production Disposal Volume: Type-ef-fluid: Workover Emergency Lined Unlined FIBERGLASS Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility _. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: PIT LOCATED APPROXIMATELY 20 N11E FROM WELL HEADS FT. PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft. PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain) Cubic yards: n/a U100.3 NO TPH ANALYSIS CONDUCTED I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma, \) a general permit \(\sigma, \) or an alternative OCD-approved plan \(\sigma. \) 06/09/04 **Jeff Blagg – P.E. # 11607** Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. WHITE OF A CAS INSPECTOR DIST. EM Approval: Printed Name/Title

CLIENT:	NO	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199					CATION NO: OCR NO:	CT057	
FIELD REPORT: PIT CLOSURE VERIFICATION									
LOCATION: NAME: SCHWERDT PEGER 8 WELL#: 2 TYPE: BLOW							E STARTED:	6/9/04	
QUAD/UNIT: L SEC: 8 TWP: 27N RNG: 11W PM: NM CNTY: 5J ST: NM							E FINISHED:		
QTR/FOOTAGE: 1855 5/1125 W NWEW CONTRACTOR: HOT (HEBER) ENVIRONMENTAL NU									
EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA									
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS									
LANDUSE: LANGE - NAPT LEASE: 57080382 FORMATION: FT									
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 25 FT. NI/E FROM WELLHEAD.									
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000									
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM									
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. READ OVM CALIB. GAS: TIME: //: 20							ppm ppm	RF = 0.52	
SOIL TYPE:	ND / SILTY SAI	ND / SILT / SILTY	CLAY / CLAY /	GRAVEL / OTH			MI DATE	0,7707	
SOIL COLOR: PALE TO: DRIFELL. GRANGE									
COHESION (ALL OTHERS): <u>(NON COHESIV</u> E/ SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>⟨COSÞ</u> /⟨ETRIPP/ DENSE / VERY DENSE									
PL ASTICITY (GLAYS) : NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC									
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED									
DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION -									
HC ODOR DETECTED: YES /NO EXPLANATION -									
SAMPLE TYPE: GRAD! COMPOSITE - # OF PTS									
AMPLYZES WERE CONDUCTED.									
	FIELD 418.1 CALCULATIONS								
SCALE	SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTIO	NREADING	CALC. (ppm)	
								,	
O F	FT								
PIT PERIMETER A						PIT	PIT PROFILE		
	Sar	y' B.T.B.	1	VM					
~4 B.11.0			READING SAMPLE FIELD HEADSPACE (ppm)						
ORIGINAL BERN 106 C									
P.D. ~ 1			2 @ 3 @						
8.6.		7,	4 @						
TONK LOC		1,	5 @		\dashv	NOT ,	APPLICA	BLE	
T.B. ~ 2					_			•	
8.6.									
16-)-									
LAB SAMPLES									
Pump J	ACK D	HEUD MENT	JAMPLE AI	NALYSIS TIME					
L		HEHU							
P.O. = DIT DEPOS	SION: P.G PELC	W GRADE; B = BELOW							
T.H. = TEST HOLE;	~ = APPROX.; T.B.								
TRAVEL NOTES: CALLOUT: 6/9/04-morn. ONSITE: 6/9/04-morn.									