District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address:
Address: 2700 FARMINGTON AVE., BLDG. K, SUITE 1, FARMINGTON, NM 87401
Facility or well name: PIPKIN, E. H. #34 API #: 30-045- 32032 U/L or Qtr/Qtr J Sec 12 T 27N R 11W
County: SAN JUAN Latitude 36.58753 Longitude 107.95186 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit	**Below-grade tank**		
Type: Drilling ☐ Production ☐ Disposal ☒ DEHYDRATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____mil Clay ☐ Pit Volume _____bbl	Volume: _____bbl Type of fluid: Construction material: N/A Double-walled, with leak detection? Yes ☐ If not, explain why not.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	10
	Ranking Score (Total Points)		10

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility_____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 132 FT. N37E FROM WELL HEAD.
PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft. .
PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)
Cubic yards: n/a
MOSTLY BEDROCK Bedrock

RECEIVED MAR 2006 OIL CONS. DIV. DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. **I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.**

Date: 03/10/04

PrintedName/Title Jeff Blagg – P.E. # 11607 Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. #3 Signature Denny Foust Date: MAR 27 2006

VNL 3004532032 36.58753 / 107.95186

CLIENT: XTO

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: CT040
COCR NO: 11668

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: PIPKIN E.H. WELL #: 34 TYPE: OERY
QUAD/UNIT: J SEC: 12 TWP: 27N RNG: 11W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 1785'S/1625'E NW/SE CONTRACTOR: CORE F.S. (COREY)

DATE STARTED: 3/9/04
DATE FINISHED:
ENVIRONMENTAL SPECIALIST: NV

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS
LAND USE: RANGE - BLM LEASE: SF 078019 FORMATION: FT

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 132 FT. N37E FROM WELLHEAD.
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: <1000'
NMOCD RANKING SCORE: 10 NMOCD TPH CLOSURE STD: 1000 PPM

OVM CALIB. READ. = 53.3 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 2:40 am/(pm) DATE: 3/5/04

SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE: SAND / (SILTY SAND) / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)
SOIL COLOR: DK. YEL. ORANGE/VERY PALE ORANGE BEDROCK - OLIVE GRAY
COHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): ~~LOOSE~~ / FIRM / DENSE / VERY DENSE
~~PLASTICITY (CLAYS)~~: NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
~~DENSITY (COHESIVE CLAYS & SILTS)~~: SOFT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: DRY / SLIGHTLY MOIST / MOIST / (WET) (SATURATED) / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - SATURATED SOIL/BEDROCK W/IN PIT (OLIVE GRAY)
HC ODOR DETECTED: (YES) / NO EXPLANATION - ENTIRE PIT & OVM SAMPLE.
SAMPLE TYPE: (GRAB) / COMPOSITE - # OF PTS. —
ADDITIONAL COMMENTS: COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - VERY HARD, SLIGHTLY FRIABLE TO COMPETENT. MOSTLY BEDROCK

CLOSED

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

SCALE 0 FT

PIT PERIMETER



P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 3'	435
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
(1) @ 3'	TPH (8015B)	1357
"	BTEX (8021B)	"
BOTH PASSED		

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES: CALLOUT: 3/5/04 - AFTER. ONSITE: 3/9/04 - AFTER. (SCHEDULED)

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 3'	Date Reported:	03-10-04
Laboratory Number:	28064	Date Sampled:	03-09-04
Chain of Custody No:	11668	Date Received:	03-10-04
Sample Matrix:	Soil	Date Extracted:	03-10-04
Preservative:	Cool	Date Analyzed:	03-10-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	**483**	**0.2**
Diesel Range (C10 - C28)	**1,490**	**0.1**
Total Petroleum Hydrocarbons	**1,970**	**0.2**

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pipkin, E. H. #34 Dehydrator Pit Grab Sample.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 3'	Date Reported:	03-10-04
Laboratory Number:	28064	Date Sampled:	03-09-04
Chain of Custody:	11668	Date Received:	03-10-04
Sample Matrix:	Soil	Date Analyzed:	03-10-04
Preservative:	Cool	Date Extracted:	03-10-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	**5.0**	**1.8**
Toluene	**1,090**	**1.7**
Ethylbenzene	**517**	**1.5**
p,m-Xylene	**1,790**	**2.2**
o-Xylene	**998**	**1.0**
Total BTEX	**4,400**	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	**96 %**
	1,4-difluorobenzene	**96 %**
	Bromochlorobenzene	**96 %**

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pipkin, E. H. #34 Dehydrator Pit Grab Sample.**

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865