District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes X No ...

| Type of action: Registration of a pit of  | r below-grade tank 🔲 Closure of a pit or below-grade   | e tank 🔀   |  |  |
|---|--|--|--|--|
| Onergion DD America Production Company Talanham   | e. (505)326-0200 e mail address.   |  |  |  |
| Operator: BP America Production Company Telephone  Address: 200 Energy Ct, Farmington, NM 87401   | e:e-mail address:  |  |  |  |
|   | 20045 11272 U/L or Qtr/Qtr A   | Sec 210 T32N R 1/W   |  |  |
|   | Longitude  |  |  |  |
| Surface Owner: Federal  State Private Indian  | Songitude  |  |  |  |
| Pit   | Below-grade tank   |  |  |  |
| Type: Drilling  Production  Disposal  | Volume:bbl Type of fluid:  |  |  |  |
| Workover  | Construction material:   |  |  |  |
| Lined Unlined   | Double-walled, with leak detection? Yes  If not, explain why not.  |  |  |  |
| Liner type: Synthetic Thicknessmil Clay   |  |  |  |  |
| Pit Volumebbl   |  |  |  |  |
|   | Less than 50 feet  | (20 points)  |  |  |
| Depth to ground water (vertical distance from bottom of pit to seasonal   | 50 feet or more, but less than 100 feet  | (ÎO points)  |  |  |
| high water elevation of ground water.)  | 100 feet or more   | ( 0 points)  |  |  |
|   | Yes  | (20 points)  |  |  |
| Wellhead protection area: (Less than 200 feet from a private domestic   | No   | ( 0 points)  |  |  |
| water source, or less than 1000 feet from all other water sources.)   |  |  |  |  |
| Distance to surface water: (horizontal distance to all wetlands, playas,  | Less than 200 feet   | (20 points)  |  |  |
| irrigation canals, ditches, and perennial and ephemeral watercourses.)  | 200 feet or more, but less than 1000 feet  | (10 points)  |  |  |
|   | 1000 feet or more  | ( 0 points)  |  |  |
|   | Ranking Score (Total Points)   |  |  |  |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's  | s relationship to other equipment and tanks. (2) Indica  | te disposal location: (check the onsite box if   |  |  |
| your are burying in place) onsite  offsite  If offsite, name of facility_   |  |  |  |  |
| remediation start date and end date. (4) Groundwater encountered: No 🗌 Y  |  |  |  |  |
| (5) Attach soil sample results and a diagram of sample locations and excavat  | •  |  |  |  |
| Additional Comments:  |  |  |  |  |
|   |  | 100 Marie 100 Ma |  |  |
| See Attached Documentation  |  |  |  |  |
|   |  |  |  |  |
|   |  |  |  |  |
|   |  |  |  |  |
| !   |  |  |  |  |
| I hereby certify that the information above is true and complete to the best  |  |  |  |  |
| has been/will be constructed or closed according to NMOCD guideline   | es 🔀, a general permit 🗀, or an (attached) alternat  | tive OCD-approved plan 🔲.  |  |  |
| Date: 11/01/2005  | 1  |  |  |  |
| Printed Name/Title Jeffrey C. Blagg, Agent Signat   | ure Tilly C. Oligy   |  |  |  |
| Date: 11/01/2005  Printed Name/Title Jeffrey C. Blagg, Agent Signat  Your certification and NMOCD approval of this application/closure does r | not relieve the operator of liability should the contents  | of the pit or tank contaminate ground water or   |  |  |
| otherwise endanger public health or the environment. Nor does it relieve the regulations.   | he operator of its responsibility for compliance with a  | ny other federal, state, or local laws and/or  |  |  |
| - regulations.  |  |  |  |  |
| Approval. EZFUTY CIL & GAS INSPECTOR, DIST.   | , ,  | ./.  |  |  |
| Printed Name/Title  |  | Dat DEC 1 9 2005   |  |  |
|   | War Comment of the Co |  |  |  |

30045 11272 **BLAGG ENGINEERING, INC.** B1081 LOCATION NO: P.O. BOX 87, BLOOMFIELD, NM 87413 10365 COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: SEP LOCATION: NAME: BARNES DATE STARTED: WELL #: TYPE: DATE FINISHED: SEC: 26 TWBZN RNG: 11W PM: NM CNTY: S.T ST: NM **ENVIRONMENTAL** WEWE CONTRACTOR: FT. x /5 FT. x FT. DEEP. CUBIC YARDAGE: NONE REMEDIATION METHOD: DISPOSAL FACILITY: 07610 RANGE - 8cm FORMATION: LAND USE: LEASE: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY FROM WELLHEAD. NEAREST SURFACE WATER: \_>/のひ >100 NEAREST WATER SOURCE: >1000 DEPTH TO GROUNDWATER: NMOCD TPH CLOSURE STD: \_5000 PPM NMOCD RANKING SCORE: OVM CALIB. READ. = (29.5) ppm SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = <u>2ラン</u>ppm RF = 0.52TIME: /4/5 am/pm DATE: SOIL TYPE: SAND (SILTY SAND) SILT (SILTY CLAY) CLAY / GRAVEL / OTHER SOIL COLOR: DAGE DEANGE Gray Streaks worker COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE (COHESIVE) HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST MOIST WET / SATURATED / SUPER SATURATED CLOSED DISCOLORATION/STAINING OBSERVED: YES INO EXPLANATION -HC ODOR DETECTED (YES) NO EXPLANATION - V. MINUT SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. ADDITIONAL COMMENTS: U.S. FIELD 418.1 CALCULATIONS SCALE SAMP. TIME SAMP. ID mL FREON DILUTION READING CALC. (ppm) LAB NO. WEIGHT (g)

|  | ŀ                              |          |  |                     |          |       |       | 1 |
|--|--------------------------------|----------|--|---------------------|----------|-------|-------|---|
| 0 FT   |                                |          |  |                     |          |       |       |   |
| N PIT PE   | RIMETE                         | R        | ,  |                     |          | PITF  | ROFIL | E |
| P.D. = PIT DEPRESSION;<br>T.H. = TEST HOLE; ~ = AF | - Ø<br>- 15′<br>B.G. = BELOW G | PD; 3(2) | REA SAMPLE ID 1 @ 7 2 @ 3 @ 4 @ 5 @  LAB S. SAMPLE ID AI CO 7 TO | AMPLES NALYSIS TIME | ~~       | T API |       |   |
| TRAVEL NOTES:                                      | CALLOUT:                       | 10/17/02 | 080  | ONSITE:             | 10/17/02 | - 133 | 50    |   |
|  |                                |          |  |                     | 7 /      |       |       |   |



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

| Client:              | Blagg / BP       | Project #:          | 94034-010         |
|----------------------|------------------|---------------------|-------------------|
| Sample ID:           | Separator C @ 7' | Date Reported:      | 10-22-02          |
| Laboratory Number:   | 24064            | Date Sampled:       | 10-17-02          |
| Chain of Custody No: | 10365            | Date Received:      | 10-18 <b>-</b> 02 |
| Sample Matrix:       | Soil             | Date Extracted:     | 10-18-02          |
| Preservative:        | Cool             | Date Analyzed:      | 10-22-02          |
| Condition:           | Cool and Intact  | Analysis Requested: | 8015 TPH          |

| Parameter                    | Concentration<br>(mg/Kg) | Det.<br>Limit<br>(mg/Kg) |  |
|------------------------------|--------------------------|--------------------------|--|
| Gasoline Range (C5 - C10)    | ND                       | 0.2                      |  |
| Diesel Range (C10 - C28)     | ND                       | 0.1                      |  |
| Total Petroleum Hydrocarbons | ND                       | 0.2                      |  |

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Barnes 1.

Analyst C. Que

Review mucheten