District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌 Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀 Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 3004521171 U/L or Qtr/Qtr ( Facility or well name: Barnes NAD: 1927 🗌 1983 🗍 County: San Juan Latitude Longitude \_ Surface Owner: Federal 

State Private Indian Pit Below-grade tank Type: Drilling Production Disposal bbl Type of fluid: Volume: \_\_ Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness mil Clay Pit Volume \_\_\_\_\_bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic Nο ( 0 points) water source, or less than 1000 feet from all other water sources.) (20 points) Less than 200 feet Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility\_ . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗆 Yes 🗀 If yes, show depth below ground surface \_\_\_\_\_\_ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and Gelips Larther certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: BETUTY OIL & GAS INSPECTOR, DIST. (2) Printed Name/Title

	732771		
OC12	GG ENGINEERING, 87, BLOOMFIELD, (505) 632-1199		LOCATION NO: <u>60982</u>
FIELD REPORT: PIT CL	OSURE VERIFI	CATION	PAGE No: of
LOCATION: NAME: BARNES LS	WELL #: 12 TYPE:	ROW	DATE STARTED: 5/28/02
QUAD/UNIT: C SEC: 27 TWP: 32 P	RNG: 11W PM: NYM CN	TY: 5J ST: NM	DATE FINISHED:
QTR/FOOTAGE: 805/1/736 W NELW	CONTRACTOR: HIGH DESERT	r (HEBER)	SPECIALIST: NV
EXCAVATION APPROX _NA _ FT. x _N	<u>A</u> FT. x <u>vA</u> FT. 1	DEEP. CUBIC	YARDAGE: NA
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS			
LAND USE: RANGE - BLM			
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY _28 FT. N33W FROM WELLHEAD.			
DEPTH TO GROUNDWATER: 7100 NEAREST WATER SOURCE: 7/000 NEAREST SURFACE WATER: 21000			
NMOCD RANKING SCORE: D NMOCD TPH			
i		DVM CALIB. RE	AD. 52.8 ppm
SOIL AND EXCAVATION		OVM CALIB. GA	S = 100 ppm RF = 0.52
DESCRIPTION:			DPM DATE: 5/28/02
SOIL TYPE: SAND / SILT / SILT / CLAY / CLAY / GRAVEL / OTHER			
COHESION (ALL OTHERS) NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE			
CONSISTENCY (NON COHESIVE SOILS): LOOSE / (FIRM) / DENSE / VERY DENSE    PHASTICITY (CLAYS):  NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC			
PENCITY (CHUESIVE CLAVE & CHITC), SHET / FIRM / STIES / VEDY STIES / HADD			
MOISTURE: DRY SLIGHTLY MOIST / WET / SATURATED / SUPER SATURATED			
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - HC ODOR DETECTED: YES / NO EXPLANATION -			
SAMPLE TYPE: GRABY COMPOSITE - # OF PTS			
ADDITIONAL COMMENTS! STEEL TANK REMOURS PRIOR TO SAMPLING. NO TRH ANALYSIS WAS			
CONDUCTED.			
FIELD 418.1 CALCULATIONS			
SCALE SAMP. TIME SAMPLE I.D.	LAB No: WEIGHT (g)	mL. FREON DILL	ITION READING CALC. ppm
O FT			
PIT PERIMETER PIT PROFILE			
7.4;	OVM RESULTS		
	SAMPLE FIELD HEADSPACE		
β.ρ.ο.	1 @ 9 0.0		
	2 @ 3 @	_	
P.D.	4 @		
N6 -	5 @	_	100 -0 -
8.6.		~ ~ ~ ~	APPLICABLE
FORMER			
TANK LOC.		4	
-1/	I THE YAMPIEC		
BOTTOM ~ 6	LAB SAMPLES  SAMPLE ANALYSIS TIME		
B.G.	SAMPLE ANALYSIS TIME		
	SAMPLE ANALYSIS TIME	-	
B.G.  P.D. = PIT DEPRESSION; B.G. = BELOW GRADE	SAMPLE ANALYSIS TIME	-	
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX; B = BELOW	SAMPLE ANALYSIS TIME	5/28/02 - 1	