District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IY
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank		
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401	20045 21803	16 - 2111 - 1011
	3004521883_U/LorQtr/Qtr	
	Longitude	NAD: 1927 🗌 1983 🗍
Surface Owner: Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling Production M Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay _		
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 maints)
Wellhead protection area: (Less than 200 feet from a private domestic		(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
This was a surface when the size and distance to all surface de size and	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Barking Same (Tatal Baints)	
	Ranking Score (Total Points)	<u> </u>
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🗍 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
See Attached Documentation		
\$2 DEG 2009 21		
PRECENTED 3		
GL CONS. DW.		
DIST. 3		
The physical field that the information should be the host for the hos		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 11/01/2005 Printed Name/Title Jeffrey C Blagg Agent Signature July C - Sleep		
Printed Name/Title		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title Printed Name/Title	Signature Bol Poll	DEC 1 9 2005

3004521883 **BLAGG ENGINEERING, INC.** LOCATION NO: 81065 BP P.O. BOX 87, BLOOMFIELD, NM 87413 CLIENT: COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 9/19/02 LOCATION: NAME: CANEPUE DATE STARTED: 6С WELL#: (A) TYPE: ABAN . I DATE FINISHED: QUAD/UNIT: I SEC: 18 TWP: 36 RNG: 100 PM: NM CNTY: 5J ST: HM ENVIRONMENTAL QTR/FOOTAGE:1775 5 1075 E NEISE CONTRACTOR: HIGH DESERT (HEBER SPECIALIST: EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: REMEDIATION METHOD: 0N - 51TE. DISPOSAL FACILITY: LAND USE: RANGE - BLM mv LEASE FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 180 FT. 547ω FROM WELLHEAD. DEPTH TO GROUNDWATER: >/00 NEAREST WATER SOURCE: _ >/000 NEAREST SURFACE WATER: >/000 / NMOCD TPH CLOSURE STD: 5000 PPM NMOCD RANKING SCORE: 53.6 ppm OVM CALIB. READ. =___ SOIL AND EXCAVATION DESCRIPTION: RF = 0.52OVM CALIB. GAS = /00 ppm TIME: 12:25 am/pm) DATE: SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER DK YELL TO GRAYISH ORANGE COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE PLASTIC / CCLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED MOISTURE: DRY (SLIGHTLY MOIST) WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -HC ODOR DETECTED: YES / NO EXPLANATION -SAMPLE TYPE: GRABY COMPOSITE - # OF PTS. -ADDITIONAL COMMENTS: NO TPH ANDLYSIS WAS CONDUCTED **FIELD 418.1 CALCULATIONS** SCALE DILUTION READING CALC. (ppm) SAMP. TIME SAMP. ID mL FREON LAB NO. WEIGHT (g) FT AN PIT PROFILE PIT PERIMETER OVM READING KPIPING HEAD FIELD HEADSPACE SAMPLE 100 8 BERN 2@ 3 @ 4@ 0 5@ NOT APPLICABLE LAB SAMPLES ANALYSIS TIME 801 0935 T. H. ~41 B.P.D. P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES: 9/18/02-MORN. 9/18/02-morn. CALLOUT: ONSITE: