District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Key GC A# IA API#: 30045 22438 U/L or Qtr/Qtr C Sec 27 T32N R 10W Longitude NAD: 1927 1983 1 County: San Juan Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: bbl Type of fluid: Workover ☐ Emergency ☐ Construction material: Double-walled, with leak detection? Yes \sum If not, explain why not. Lined Unlined Liner type: Synthetic Thickness mil Clay Pit Volume (20 points) Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic (0 points) No water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite O offsite I If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation ه دې د ځا I hereby certify that the information above is true and complete to the best of my knowledge and belief. I harther certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Date: 11/01/2005 Jeffrey C. Blagg, Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: EEVIT CZ & GAS INSPECTOR, DIST. (2) Signature BM BM Da DEC 1 9 2005 Printed Name/Title

		API	300457	22438			a a sa	en ja ki ki ki ki da katalahan da pangan
CLIENT: BF	>	BLA P.O. BOX		•	NM 874			9062
FIELD RE	PORT	T: PIT CI	LOSURE	VERIF	CATION	PAGE	E No:	of
LOCATION: <u>name</u> quad/unit: C	SEC: 2	7 TWP: 32N	RNG: 10W	PM: NMCN	TY: 55 ST: /	UM DATE	FINISHED: _	
QTR/FOOTAGE:								
EXCAVATION APPI								
DISPOSAL FACII								
land use: FE.							_	
FIELD NOTES &								
DEPTH TO GROUNDWA						JRFACE WAT	rer:	<i>DO</i>
NMOCD RANKING SCO			CLOSURE STD	PPI	1 □∨M CALII	R READ /	29-7 nom	
SOIL AND EXC	1	<u>ON</u>			DVM CALIF	3. GAS = Z	SJ ppm	RF = 0.52
DESCRIPTION:					TIME: 080			
SDIL TYPE: SAND SDIL COLOR:			SILTY CLAY	/ CLAY / GR	RAVEL / OTH	IER		
COHESION (ALL OT	ERS> N	ON COHESIVE				IGHLY COH	IESIVE	
CONSISTENCY (NON PLASTICITY (CLAYS	1					PLASTIC /	HIGHLY P	LASTIC
DENSITY (COHESIVE	CLAYS	& SILTS): SDF	D/ FIRM / S	TIFF / VERY	STIFF / HA	ARD	wsed	
MOISTURE: DRY /(DISCOLORATION/ST						RATED V	- Sep	
HC DDOR DETECTED	: YES /	(NO) EXPLANA	TION -					
SAMPLE TYPE: GI	RAB)/ CD NTS: E	MPOSITE - # 01 ARTHEN 1917	PTS. USE	BACKHUE	TO TREN	CH ACA	iuss Pi	<i></i>
						<u> </u>		
			FIE	ELD 418.1 CA	ALCULATION	S		
SCALE	SAMP. TI	ME SAMPLE I.D	. LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
OFT								
9) TO TO T	0.01311.1	
PIT F	PERIM	ETER	7 0	VM	<u> </u>	PIT PI	ROFILE	الْ
		,		ULTS				
	18		SAMPLE ID	FIELD HEADSPACE PID (ppm)	7			
		1	1 e 5	0.2				
			3 @		_			
SAMPLE I		11	4 @ 5 @		<u> </u>		a : =:	_
	_	118				T AP	PUCABL	€
-	 							
	1	((
				AMDL 50	1			
TH				AMPLES ALYSIS TIME	-			
		PD	C@5' TF	1040	2			
			An-	5ED)	_		•	
P.D. = PIT DEPRESS T.H. = TEST HOLE;	SION: B.G.	= BELOW GRADE			-			
TRAVEL NOTES:	- = APPI	$\frac{ROX.; B = BELOW}{1.5 - 27 - 0.7}$	1115		5-22-02	1076		

revised: 02/27/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg - BP	Project #:	94034-010
Sample ID:	Comp. C @ 5'	Date Reported:	05-24-02
Laboratory Number:	22811	Date Sampled:	05-22-02
Chain of Custody No	9062	Date Received:	05-22-02
Sample Matrix:	Soil	Date Extracted:	05-23-02
Preservative:	Cool	Date Analyzed:	05-24-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Keys GC A 1A.

Analyst C. Cefre.

(Mister Maeter

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865