<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit of	r below-grade tank Closure of a pit or below-grade	le tank 🔀			
Operator: BP America Production Company Telephon Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: Forance # 1 A API#:	300452252/ U/L or Qtr/Qtr J	Sec <u>30T 30N R 8 W</u>			
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🔲			
Surface Owner: Federal State Private Indian					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness mil Clay					
Pit Volumebbl					
Doubt to around victor (victical distance from bottom of sit to account	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	.100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if			
your are burying in place) onsite offsite If offsite, name of facility_					
remediation start date and end date. (4) Groundwater encountered: No 🗌 Y					
(5) Attach soil sample results and a diagram of sample locations and excavat					
Additional Comments:	18 19 20	73			
	\$ 5 m	7			
See Attached Documentation	DEC 2005	<u>, </u>			
	RECEIVED	7.55 9. 587			
	E OL CONS. D				
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. I further cestify that the Section of my knowledge and belief. I further cestify that the Section of the control of the section	eabove-described pit or below-grade tank ive OCD-approved plan .			
Data: 11/01/2005	A .				
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signate	I My C. She,				
Printed Name/Title					
otherwise endanger public health or the environment. Nor does it relieve the regulations.					
Approval: DEPUTY ON & GAS INSPECTOR, DIST. (39	1 ,/				
, ···	Signature Brook SM	_ DEC 1 9 2005			
Printed Name/Title	Signature / Magh /	Date:			

				 		
86			NEERING	•	LOCATION NO	B1063
CLIENT: BP		87, BLO (505) 632		, NM 87413	COCR NO:	10235
	<u> </u>	300) 002	-1100			
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATION	PAGE No:1	L of!
LOCATION: NAME: FLORE	ANCE ()	WELL#:	(IA TYPE	COMPR.	DATE STARTED:	9-13-2
QUAD/UNIT: J SEC: 30	TWP: 30N RNO	S: BW PM: A	M CNTY: S	J ST: NM	DATE FINISHED: _	9-13-02
QTR/FOOTAGE: 1960 3/	1490'E 1	いい/se contr	ACTOR: FLIN	r (curve(1)	ENVIRONMENTAL SPECIALIST:	ICB
EXCAVATION APPROX			۲ <u>ک</u> FT	. DEEP. CUBIC	YARDAGE:	O
DISPOSAL FACILITY:	NA	T	REMEDIA	TION METHOD:	CLOSE	AS (S
LANDUSE: RANGE -	Bim		ANM07341		RMATION:	MV
FIELD NOTES & REMAR	RKS: PIT LOC	ATED APPROX	MATELY 96	FT. SZ	4º₩ FROM	WELLHEAD.
DEPTH TO GROUNDWATER: >/			•	NEAREST SURFA		ĭ
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PF	РМ		
		IOM:			D. = 131.8 ppm	
SOIL AND EXCAVATION	JN DESCRIPT	ION.			= <u>250</u> ppm	
SOIL TYPE: SAND SILTY SAI	ND / SII T / SII TV (GRAVEL / OTH		ampon DATE:.	9-13-2 Cabbles
SOIL COLOR:	- Lellow	7A~		······································	200 ~ 000	
COHESION (ALL OTHERS): NON C CONSISTENCY (NON COHESIVE SO	<u> </u>			COHESIVE		
PLASTICITY (CLAYS): NON PLAST				HIGHLY PLASTIC		·
DENSITY (COHESIVE CLAYS & SILT MOISTURE: DRY / SLIGHTLY MOIS					CLOSE	
DISCOLORATION/STAINING OBSER			R SATURATED			
HC ODOR DETECTED: YES INO	XPLANATION -					
SAMPLE TYPE: GRAB COMPOSIT ADDITIONAL COMMENTS:	E + OF PTS	FIT W/	STEEL TO	ANK. USE	BACKHOE	70
	move TAN	ik & s	SAMRE			
		FIF	LD 418.1 CALC	I II ATIONS		
SCALE SAMP. TI	ME SAMP, ID	LAB NO.	WEIGHT (g)	1	UTION READING	G CALC (npm)
			(8)			Jeruse (pp.ii)
0 FT						
PIT PERIMET	ΓER	7		F	PIT PROFIL	_E
Springe, Bp)	9		VM (DING			
	10	SAMPLE	FIELD HEADSPACE	+		
6	_ vell	1@ g	(ppm)	_		
T.	$\lambda \sim$	2 @ 3 @				
	TK	4 @				
6' 8	(6'36)	5 @		NOT	APPLICA	.e. =
	iA	<u> </u>			,,,,	04
	.; I					
				-		
						Č
			AMPLES			
PD	TH - N	SAMPLE A	NALYŞIS TIME	1		
PD (6'86)	TH (86)	SAMPLE AN	NALYŞIS TIME	1		
(6'B6)	(e/86)	1 @B' T	NALYŞIS TIME	1		
P.D. = PIT DEPRESSION; B.G. = BELOV T.H. = TEST HOLE; ~ = APPROX.; T.B.	(ロアBG) N GRADE: B = BELOW	1 @B' T	NALYŞIS TIME	1		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	#1 @ 8'	Date Reported:	09-17-02
Laboratory Number:	23824	Date Sampled:	09-13-02
Chain of Custody No:	10235	Date Received:	09-13-02
Sample Matrix:	Soil	Date Extracted:	09-16-02
Preservative:	Cool	Date Analyzed:	09-17-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
	(53)	(99/
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance 11A Compressor.

Mister Malter

Review 1 - J8