District I
1625 N. French, Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗵					
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LHa</u>	asely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: Culpepper Martin 8A API #:	30045233340000 U/L or Qtr.	/Qtr <u>I</u> Sec <u>19</u> T <u>32N</u> R <u>12W</u>			
County: San Juan Latitude	36.968353 Longitude <u>-108.13009</u>	NAD: 1927 🛛 1983 🔲			
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water	and Incidental Oil			
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined U	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _	No. Tank in place prior to Rule 50.				
	No. Tank in place prior to Rule 30.				
Pit Volumebbl	Less than 50 feet	(20 moints)			
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points) 20			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
Distance A collection of a superior of the sup	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	30			
	Ranking Score (Total Forms)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite 🔲 offsite 🗋 If offsite, name of facility _	(3) Attach a general description of remedial action	taken including remediation start date and end			
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	w ground surfaceft. and attach sample	results.			
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.	THE PROPERTY OF THE PARTY OF TH			
Additional Comments:		12 12 10 10 17			
Soil tested clean, no soil remediation required		A CO			
		CO JUL 2000			
		The state of the s			
		RO OM OF 3 27			
		to our lines a sign			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 7/12/06					
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: Printed Name/Title Signature Dranch Date UL 1 3 2006					
Printed Name/Title Signature Branch D-M Date UL 1 3 2006					

CLIENT: 92115-046-06	ENVIROTECH INC.	LOCATION NO:
	ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 67401 PHONE: (505) 632-0615	C.O.C. NO:
FIELD REPO	RT: CLOSURE VERIFICATION	PAGE No: of
	PRIR MARTIN WELL #: 84 PIT: SEP 19 TWP: 324 RNG: 12W PM: NAMM CNTY: 55 ST:NAM	DATE STARTED: 6/15/06
	CONTRACTOR: LAP	ENVIRONMENTAL GWC
į į	FT. x FT. x FT. DEEP. CUBIC REMEDIATION METHOL	
	LEASE: FOR	
FIELD NOTES & REMA	RKS: PIT LOCATED APPROXIMATELY 86' FT. 1	15° FROM WELLHEAD.
NMOCD RANKING SCORE:3	IIN III VERIRINI	CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED
*	FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FREON DIL	
SCALE	1000 Bottom 3 Beiles BGT 5.0 20	4 5 16
O FT		
PIT PERIM	RESULIS	PROFILE
	SAMPLE FIELD HEADSPACE PID (ppm) 1 Loy for 2.0 2 3 4 TAM 5 LAB SAMPLES SAMPLE ANALYSIS TIME	131
TRAVEL NOTES: CALLOU	T. ONSITE:	

.



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

15-Jun-06

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	221	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-065

Sample No.:

1

Date Reported:

6/19/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

6/15/2006

Sample Matrix:

Soil

Date Analyzed:

6/15/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Culpepper Martin No. 8A

Instrument callibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review