District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank []				
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401				
	30045 236 73 U/L or Qtr/Qtr 5	Sec 7 T3/N RIDW		
•				
	Longitude	NAD: 1927 🗌 1983 🗍		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover ☐ Emergency ☐	orkover			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thickness mil Clay				
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	` • ·		
	100 reet of more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
water source, or less triair root feet from an other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks (2) Indica	te disposal location: (check the onsite how if		
your are burying in place) onsite offsite foffsite, name of facility_				
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	Yes ∐ If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.			
Additional Comments:	- 18 19 20 21 35 m	3		
See Attached Documentation		73		
	DEC 2005	3		
	RECEIVED	23		
	= OL CONS. DA	. 2		
	DIST. 3	-3		
	DIST. 3	3		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further/certify that the above-described bit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines 🔼, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲.				
Date: 11/01/2005	4.			
Printed Name/Title Jeffrey C. Blagg, Agent Signature				
Your certification and NMOCD approval of this application/closure does not relieve/the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval:				
DEC 1 9 /IIIh				
Printed Name/Title	Signature V Wards V and V	Date:		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	12-05-02
Laboratory Number:	24357	Date Sampled:	12-04-02
Chain of Custody No:	10289	Date Received:	12-05-02
Sample Matrix:	Soil	Date Extracted:	12-05-02
Preservative:	Cool	Date Analyzed:	12-05-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hutchin LS #2 Blow Pit Grab Sample.

Analyst C. Que

Mister of Walters
Review