District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	or below-grade tank Closure of a pit or below-gra			
Operator: BP America Production Company Telephon				
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Tones A LS#5A API#: 30045 238/2 U/L or Qtr/Qtr C Sec 13 T 28N R 8:W				
	Longitude			
	Longitude	NAD. 1927 1965		
	Surface Owner: Federal State Private Indian			
Pit	Below-grade tank			
Type: Drilling Production Disposal Volume:bbl Type of fluid: Workover Emergency Construction material:				
Workover	Double-walled, with leak detection? Yes If not			
Lined Unlined Thickness will Clay T	Double-wailed, with leak detection? Tes [] If not	t, explain why not.		
Liner type: Synthetic Thickness mil Clay				
Pit Volumebbl	7	[00		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	1000 leet of more	(орошо)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if		
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general d	lescription of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No []	Yes If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava	200200	1272		
Additional Comments:		(Z)		
See Attached Documentation	DEC 20	05 S		
500 Picturios Documentation	E DECEM	الحالي المالية		
	W COM	5.00 2		
		1.9		
OID OID I				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Detai, 11/01/2005				
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature				
Printed Name/TitleSignatureSig				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
	M	DEC 1 9 2005		
Approval: © GAS INSPECTICA, DIST. (III	simum Bd Dall	-		
Printed Name/Title	Signature Bh YM	Date:		

CLIENT:	<i>Ρ</i> Ρ	BLAC .O. BOX 8	37, BLO	NEERING, OMFIELD, 332-1199	NM 874			1: <u>80 998</u> 1: <u>907 9</u>
FIELD R	EPORT:	PIT CL	OSURE	VERIF:	ICATION	PAG	E No:	/ of/
LOCATION: NAM QUAD/UNIT: C QTR/FDDTAGE	SEC: 13	TWP: 2810	RNG: るい	PM: NM CN	TY:ZJ ST:V	IM DATE	STARTED: _ FINISHED: _ RONMENTAL IALIST:	
EXCAVATION APF								
DISPOSAL FAC	ILITY:	01-51	TE	REMEDIA	ATION ME	THOD:	COZE AS	2 12
FIELD NOTES								
DEPTH TO GROUND								
NMOCD RANKING SC	DRE: 0	_ NMOCD TPH	CLOSURE STD:	5000 PPI				
SOIL AND EX	CAVATION	•			DVM CALIE			RF = 0.52
DESCRIPTION	:				TIME: 12:3			
SOIL TYPE: SAND	/SILTY SA	ND/ SILT /	SILTY CLAY	/ CLAY / GF	RAVEL / OTH	ER		
COHESION (ALL DI	THERS) (NON	COHESIVE /	SLIGHTLY CO	DHESIVE / CO	JHEZIVE / H	IGHLY COH	HESIVE	
CONSISTENCY (NON						N ACTIC (N 45715
PLASTICITY (CLAY								_
MOISTURE: DRY /	SLIGHTLY M	TZIOM \ TZIO)/ WET / S	ATURATED /	SUPER SATUR		Crozec	り
DISCOLORATION/ST				ANATION				
SAMPLE TYPE: C	GRAB COMP							
ADDITIONAL COMME	ENTS:	· · · · · · · · · · · · · · · · · · ·						
				51.52.446.4.6	A COMPANY			
SCALE	SAMP TIME	SAMPLE I.D.		ELD 418.1 CA			READING	CALC nom
	SAMIT. THE	SAWII EL 1.D.	DAB 110.	WEIGHT (9)	INC. TREON	DILOTION	INDADII40	CALC. PPITI
O FT				-				
PIT	PERIME	TER		•	F	PIT PI	ROFILE	
)			VM				**************************************
P.D	~8 ·		SAMPLE SAMPLE	ULTS FIELD HEADSPACE				
~ 3′	BERM		1 6 8	PID (ppm)	-	•		
8.6.		\	2 @ 3 @					
	>	291	4 @					
7.H; ~			5 e		No	T AP	PLICABLE	=
B.P.D.		\ <u> </u>					·	-
					\dashv			
	DEHY				4			
170				AMPLES	1			
HEAD			ן ט (ן	(80158) 124	2			
				K(80218) "	1			
D D DIM DODGE	STON D C	DELOW CO: S-	BOTH	PASSED				
P.D. = PIT DEPRES					┧,			
TRAVEL NOTES:	CALLOUT:	6/12/02	- morn.	_ ONSITE:	6/12/02-	AFTER	•	
1								

revised: 02/27/02

bei1005C.skd



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Oliombi	Blace / DD	Danis at the	04004.040
Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	06-13-02
Laboratory Number:	23041	Date Sampled:	06-12-02
Chain of Custody No:	9079	Date Received:	06-12-02
Sample Matrix:	Soil	Date Extracted:	06-13-02
Preservative:	Cool	Date Analyzed:	06-13-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	87.9	0.2
Diesel Range (C10 - C28)	142	0.1
Total Petroleum Hydrocarbons	230	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jones A LS #5A Dehydrator Pit Grab Sample.

Analyst C. Office

Mister of Warden



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	06-13-02
Laboratory Number:	23041	Date Sampled:	06-12-02
Chain of Custody:	9079	Date Received:	06-12-02
Sample Matrix:	Soil	Date Analyzed:	06-13-02
Preservative:	Cool	Date Extracted:	06-13-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	2.7	1.8	
Toluene	ND	1.7	
Ethylbenzene	24.7	1.5	
p,m-Xylene	247	2.2	
o-Xylene	54.1	1.0	
Total BTEX	329		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery		
	Fluorobenzene	94 %		
	1,4-difluorobenzene	94 %		
	Bromochlorobenzene	94 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Jones A LS #5A Dehydrator Pit Grab Sample.

Analyst C. Chreen

Mistre m Walter
Review