<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure					
Is pit or below-grade tan	k covered by a "general plan"? Yes 🔀 No	de toule 🖼			
Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gra	de tank 🗷			
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:				
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: JAQUEZ GC F#1 API#: 3	30045 2 <i>5894</i> U/L or Qtr/Qtr <u>C</u>	Sec <u>34T 32 N R 10 W</u>			
	Longitude				
Surface Owner: Federal State Private Indian					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _					
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points)			
	Yes	(20 mainte)			
Wellhead protection area: (Less than 200 feet from a private domestic		(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks (2) Indic.	ate disposal location: (check the onsite box if			
your are burying in place) onsite offsite If offsite, name of facility		•			
remediation start date and end date. (4) Groundwater encountered: No 🗌		ft. and attach sample results.			
	10°20°20	it. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	AN A				
Additional Comments:	4P				
Additional Comments: See Attached Documentation DEC 2005					
E OIL COMS. DIV. 23					
C DIST. 8					
	23456				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the s 🔼, a general permit 🗌, or an (attached) alterna	he above-described pit or below-grade tank tive OCD-approved plan □.			
Date: 11/01/2005	1.				
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signat	ure lefty C. Slag,				
Your certification and NMOCD approval of this application/closure does reputation otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents				
Approval: Printed Name/Title	Signature Bol Boll	DEC 1 9 2005			

VUL API 30	04525884	
P.O. BOX 87	ENGINEERING, INC. , BLOOMFIELD, NM 8 505) 632-1199	
FIELD REPORT: PIT CLO	SURE VERIFICATION	ON PAGE No: 1 of 1
LOCATION: NAME: JAQUEZ GC WE	LL #: 1 TYPE: BLOW	DATE STARTED: 5-22-02
QUAD/UNIT: C SEC: 34 TWP: 32N RN	G: IOW PM: NICHTY: > 3 S	ENVIRONMENTAL TO
QTR/FOOTAGE: 1120/2/1450/2 NEW DC		
EXCAVATION APPROX		
DISPOSAL FACILITY: NA	REMEDIATION	METHOD: CLOSE AS IS
		A FORMATION: DK
FIELD NOTES & REMARKS: PIT LOCATION		
DEPTH TO GROUNDWATER: (100) NEAREST WATER		T SURFACE WATER:
NMOCD RANKING SCORE: 20 NMOCD TPH CLC	ISURE STD: 100 PPM	ALIB. READ. 129-7 ppm
SOIL AND EXCAVATION		ALIB. GAS = 250 ppm RF = 0.52
DESCRIPTION:	TIME: O	840 am/pm DATE: 5-22-02
SOIL TYPE: SAND / SILTY SAND / SILT / SIL SOIL COLOR: Gray Tak	TY CLAY / CLAY / GRAVEL /	OTHER
COHESION (ALL DTHERS) NON COHESIVE / SLI	GHTLY COHESIVE / COHESIVE)	/ HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): LOOSE / PLASTICITY (CLAYS): NON PLASTIC / SLIGHTL'		
DENSITY (COHESIVE CLAYS & SILTS): SOFT /		HARD
MOISTURE: (DRY)/ SLIGHTLY MOIST / MOIST / DISCOLORATION/STAINING OBSERVED: YES / N		TURATED CLOSED
HC ODOR DETECTED: YES / NO EXPLANATION		
SAMPLE TYPE: (GRAB) / COMPOSITE - # OF PT ADDITIONAL COMMENTS: FARTHEN PUT	S. BACKHOE TO	Die Test Truch.
ADDITIONAL COMMENTS: 27527112: 1		
	FIELD 418.1 CALCULAT	Inne
SCALE SAMP. TIME SAMPLE I.D. L		ON DILUTION READING CALC. ppm
	J.B. No. WEIGHT (g) INC. THE	SIN BIZOTION INC. SPIN
O FT		
PIT PERIMETER		PIT PROFILE
	OVM RESULTS	
1	SAMPLE FIELD HEADSPACE ID PID (ppm)	
	e 8 2.7	
2	<u>e</u>	
SAMPR 4	e	
1 5	<u>e</u>	
		NOT APPLICABLE
		•
TH	LAB SAMPLES	
1 YY -	DE TAH 1005	
	ONSEE	
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE	THOSE OF THE PROPERTY OF THE P	
T.H. = TEST HOLE; ~ = APPROX.; B = BELOW		
CALLOUT: 5-ZZ-UZ	טודט ONSITE: <u>5-22-</u>	0945



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg - BP	Project #:	94034-010
Sample ID:	Blow C @ 8'	Date Reported:	05-24-02
Laboratory Number:	22810	Date Sampled:	05-22-02
Chain of Custody No:	9061	Date Received:	05-22-02
Sample Matrix:	Soil	Date Extracted:	05-23-02
Preservative:	Cool	Date Analyzed:	05-24-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jaquez GC F #1.

Analyst C. Cefurer

(hristin my Wooden