<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Operator: BP AMERICA PROD. CO.	Telephone: (505)-326-9200 e-	mail address:	
Address: 200 ENERGY COURT, FARMINGTON.	•		
Facility or well name: SCHWERDTFEGER A LS #9A	API #: 30-045- 26636 U/L or Q	tr/Otr I Sec 31	T 28N R 8W
County: SAN JUAN Latitude 36.61481 Longitude 10			
Edition 2005	11.15. 1527	, o 2 doi: 1. 2 doi: 10	
Pit	Below-grade tank		
Type: Drilling Production Disposal ABANDON	Volume:bbl_Type of fluid:		
Workover ☐ Emergency ☐	Construction material:	<b>\</b>	
Lined Unlined 🛛	Double-walled, with leak ditection? Yes I If	nt, explain why not.	
Liner type: Synthetic Thickness mil Clay [			
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	0
high water elevation of ground water.)	100 feet or more	( 0 points)	
1	Voc	(30 ========	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	0
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)	v
District of the state of the st	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	0
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)	U
	Ranking Score (Total Points)		0
	Ranking Score (Total Folius)		U
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Inc	dicate disposal location: (c	check the onsite box if
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	. (3) Attach a gener	al description of remedial	action taken including
remediation start date and end date. (4) Groundwater encountered: No 🖂	Yes If yes, show depth below ground surface _	ft. and attack	sample results. (5)
Attach soil sample results and a diagram of sample locations and excavation	18.		20 70 70 m
Additional Comments: PIT LOCATED APPROXIMATEL	Y 102 FT. N27W FROM V	VELL HEAD. 🦽	(Comments)
PIT EXCAVATION: WIDTH N/Aft., LENGTH	N/Aft., DEPTH N/Aft.	(A)	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
PIT REMEDIATION: CLOSE AS IS: ☑, LANDFARM: ☐, C	COMPOST: □, STOCKPILE: □, OTHER □	(explain)	TED ZUUD
Cubic yards: N/A		.>	DALCONS. DIM
ि प्राथम र			
		- Se	
I hereby certify that the information above is true and complete to the best	of my knowledge and belief I further certify the	5,5	41.
has been/will be constructed or closed according to NMOCD guideling			
11/07/05			
Date:			
PrintedName/Title Jeff Blagg - P.E. # 11607	Simon Joffen C.	serge	
Timed tame Title	Signature		- <u>.</u>
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.			
	_		
Approval: CIPUTY ON & GAS INSPECTOR, DIST. Signature Sale Date: FEB 2 8 2006			
Printed Name/TitleS	ignature Day Day	Date:	.u ∠ o ∠UUb
1 Indian Chief	THE WITH	Date.	



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

ı			
Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4.5'	Date Reported:	11-07-05
Laboratory Number:	34907	Date Sampled:	11-02-05
Chain of Custody No:	14488	Date Received:	11-03-05
Sample Matrix:	Soil	Date Extracted:	11-07-05
Preservative:	Cool	Date Analyzed:	11-07-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Schwerdtfeger A LS #9A Abandon Pit Grab Sample.

Minture Malter Analyst

Review (



## Chloride

	· ·			
Client:		Blagg / BP	Project #:	94034-010
Sample ID:		1 @ 4.5'	Date Reported:	11-09-05
Lab ID#:		34907	Date Sampled:	11-02-05
Sample Matrix:	;	Soil	Date Received:	11-03-05
Preservative:	ŧ	Cool	Date Extracted:	11-07-05
Condition:		Cool and Intact	Date Analyzed:	11-08-05
	1		Chain of Custody:	14488

Parameter	Concentration (mg/L)

**Total Chloride** 

30.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Schwerdtfeger A LS #9A Abandon Pit Grab Sample.

May Brull
Analyst

Review Westers