

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct. Farmington, NM 87401</u>		
Facility or well name: <u>Stewart LS #8</u> API #: <u>3004509125</u> U/L or Qtr/Qtr <u>N</u> Sec <u>28</u> T <u>30N</u> R <u>10W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.



Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: SENIOR OIL & GAS INSPECTOR, DIST. #3

Printed Name/Title _____ Signature Bruce H. Roth Date: DEC 19 2005

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80951</u> C.O.C. NO: <u>9879</u>																																														
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																														
LOCATION: NAME: <u>STEWART LS</u> WELL #: <u>B</u> TYPE: <u>BLOW</u>		DATE STARTED: <u>4-11-02</u> DATE FINISHED: <u>4-11-02</u>																																														
QUAD/UNIT: <u>N SEC: 28 TWP: 30N R1G: 10W PM: NM CNTY: SS ST: NM</u>		ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																														
QTR/FOOTAGE: <u>1060 FSL 1650 FWL</u> ^{JEISW} CONTRACTOR: <u>FLINT</u>																																																
EXCAVATION APPROX. <u>12</u> FT. x <u>12</u> FT. x <u>3</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																																
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																
LAND USE: <u>RANGE - Blm</u> LEASE: <u>NM-03566</u> FORMATION: <u>DK</u>																																																
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>123</u> FT. <u>S35°E</u> FROM WELLHEAD.																																																
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>100</u> NEAREST SURFACE WATER: <u>>100</u>																																																
NMDCD RANKING SCORE: <u>0</u> NMDCD TPH CLOSURE STD: <u>5000</u> PPM																																																
SOIL AND EXCAVATION DESCRIPTION:		DVM CALIB. READ: <u>130.0</u> ppm DVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u> TIME: <u>1635</u> am/pm DATE: <u>4-11-02</u>																																														
SOIL TYPE: <u>(SAND)</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>SS Bedrock @ 7'</u>																																																
SOIL COLOR: <u>ORANGE TAN</u>																																																
COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																																																
CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE)</u> / FIRM / DENSE / VERY DENSE																																																
PLASTICITY (CLAYS): <u>(NON PLASTIC)</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																																
DENSITY (COHESIVE CLAYS & SILTS): <u>(SOFT)</u> / FIRM / STIFF / VERY STIFF / HARD																																																
MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED																																																
DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>3'-7'</u>																																																
HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>STRONG</u>																																																
SAMPLE TYPE: <u>(GRAB)</u> / COMPOSITE - # OF PTS. <u>1</u>																																																
ADDITIONAL COMMENTS: <u>USE BACKHOLE TO Dig Test hole</u> <u>BEADCOLOR Bottom</u> <u>SS Bedrock</u>																																																
FIELD 418.1 CALCULATIONS																																																
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>								SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																									
PIT PERIMETER		OVM RESULTS		PIT PROFILE																																												
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 7'</td><td>774</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 7'	774	2 @		3 @		4 @		5 @												NOT APPLICABLE																						
				SAMPLE ID	FIELD HEADSPACE PID (ppm)																																											
1 @ 7'	774																																															
2 @																																																
3 @																																																
4 @																																																
5 @																																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>C07</td><td>TPH/GTEX</td><td>1630</td></tr> <tr><td colspan="3" style="text-align: center;"><u>BOTH PASSED</u></td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	ANALYSIS	TIME	C07	TPH/GTEX	1630	<u>BOTH PASSED</u>																																								
SAMPLE ID	ANALYSIS	TIME																																														
C07	TPH/GTEX	1630																																														
<u>BOTH PASSED</u>																																																
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX.; B = BELOW																																																
TRAVEL NOTES: CALLOUT: <u>4-11-02 1100</u> ONSITE: <u>4-11-02 1600</u>																																																

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 7'	Date Reported:	04-15-02
Laboratory Number:	22501	Date Sampled:	04-11-02
Chain of Custody No:	9819	Date Received:	04-12-02
Sample Matrix:	Soil	Date Extracted:	04-15-02
Preservative:	Cool	Date Analyzed:	04-15-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4,260	0.2
Diesel Range (C10 - C28)	206	0.1
Total Petroleum Hydrocarbons	4,470	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Stewart LS 8.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 7'	Date Reported:	04-15-02
Laboratory Number:	22501	Date Sampled:	04-11-02
Chain of Custody:	9819	Date Received:	04-12-02
Sample Matrix:	Soil	Date Analyzed:	04-15-02
Preservative:	Cool	Date Extracted:	04-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1,010	1.8
Toluene	811	1.7
Ethylbenzene	351	1.5
p,m-Xylene	1,540	2.2
o-Xylene	1,520	1.0
Total BTEX	5,230	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Stewart LS 8.


Analyst


Review