District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No □

Type of action: Registration of a pit or below-grade tank \square Closure of a pit or below-grade tank \boxtimes

	50000 U/L or Qtr/Qtr_L Sec 018 '	ddress: <u>LHasely@br-</u>		
County San Juan Latitude 36.97/77 Lot	ngitude_107.50548 NAD: 1927 🗵 1983 🗆	1_032N K 000W	<u>L</u>	
Surface Owner: Federal □ State □ Private ☒ Indian □	10.100			
Pit Type: Drilling □ Production ⊠ Disposal □ Workover □ Emergency □ Lined □ Unlined □ Liner type: Synthetic □ Thicknessmil Clay □ Pit Volumebbl	Below-grade tank Volume: _60 _bbl Type of fluid: Produced Water and Incidental Oil Construction material: _Fiberglass Double-walled, with leak detection? Yes ☐ If not, explain why not. No - Tank was installed prior to Rule 50.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	0	
	Ranking Score (Total Points)		0	
If this is a pit closure: (1) Attach a diagram of the facility showing onsite box if your are burying in place) onsite \Box offsite \Box If offsite, remediation start date and end date. (4) Groundwater encountered: N	name of facility (3) Attach a general desc	ription of remedial act	ion taken including	
		A SE	kattach)samble result	
(5) Attach soil sample results and a diagram of sample locations and			75	
5) Attach soil sample results and a diagram of sample locations and Additional Comments:	excavations.		71.10 - 20.01	
5) Attach soil sample results and a diagram of sample locations and Additional Comments: Tank Location – 60 feet, 45 degrees from the wellhead.	excavations.		105 500g	
(5) Attach soil sample results and a diagram of sample locations and Additional Comments:	excavations.	alysis attached	101 500g	
 (5) Attach soil sample results and a diagram of sample locations and Additional Comments: Tank Location – 60 feet, 45 degrees from the wellhead. Soil sample collected 3 feet below bottom of tank. Soils tested clean 	excavations. ean and no soil remediation was required. Lab and	alysis attached	101 300g	
5) Attach soil sample results and a diagram of sample locations and Additional Comments: Tank Location – 60 feet, 45 degrees from the wellhead. Soil sample collected 3 feet below bottom of tank. Soils tested clean below certify that the information above is true and complete to the below-grade tank has been/will be constructed or closed according	excavations. ean and no soil remediation was required. Lab and the control of th	alysis attached	JUL 2008	
5) Attach soil sample results and a diagram of sample locations and Additional Comments: Tank Location – 60 feet, 45 degrees from the wellhead. Soil sample collected 3 feet below bottom of tank. Soils tested clean between the complete to the collected sample constructed or closed according to the constructed sample collected sample constructed or closed according to the constructed sample collected sample constructed or closed according to the constructed sample collected sample	excavations. ean and no soil remediation was required. Lab and the control of th	alysis attached	JUL 2006	
(5) Attach soil sample results and a diagram of sample locations and Additional Comments: Tank Location – 60 feet, 45 degrees from the wellhead.	ean and no soil remediation was required. Lab and the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and to NMOCD guidelines , a general permit to the best of my knowledge and belief. I further cert and the best of my knowledge and belief and the best of th	ify that the above-des	cribed pit or cernative OCD	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-003
Sample ID:	Allison Unit 20	Date Reported:	11-11-04
Laboratory Number:	31170	Date Sampled:	11-01-04
Chain of Custody No:	13108	Date Received:	11-08-04
Sample Matrix:	Soil	Date Extracted:	11-10-04
Preservative:	Cool	Date Analyzed:	11-11-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

BG Tank.

DID = 0.6



Dec C. Cerman

Review Wasters