District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is nit or below-grade tank covered by a "general plan"? Yes M No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	ade tank	
Operator: BP America Production Company Telephon	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401			
Facility or well name: Mudge B#13 A API#:	30045 23/77 U/L or Qtr/Qtr <u>—</u>	Sec <u>20T 2/N_R !! (U)</u>	
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🔲	
Surface Owner: Federal 🔲 State 🔲 Private 🗂 Indian 🗍			
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined [Unlined [Double-walled, with leak detection? Yes If no	h leak detection? Yes 🔲 If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
nigh water elevation of ground water.	100 feet or more	(0 points)	
W. W	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)		(00	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if	
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general of	description of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No 🔲	Yes I If yes, show depth below ground surface	ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava	tions. (17 18 19 20)		
Additional Comments:	45/0	(3)	
See Attached Documentation	DEA.	(2)	
Doo reactive population	RECEIVED	A	
	E OIL CONS DE	8	
	CO DET. S	y. 23	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline			
Date: 11/01/2005			
Printed Name/Title Jeffrey C. Blagg, Agent Signature			
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents		
Approval: Printed Name/Title Signature Branch Sell Date: DEC 1 9 2005			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy 3 @ 4'	Date Reported:	12-12-02
Laboratory Number:	24402	Date Sampled:	12-09-02
Chain of Custody No:	10460	Date Received:	12-11-02
Sample Matrix:	Soil	Date Extracted:	12-11-02
Preservative:	Cool	Date Analyzed:	12-12-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	131	0.2
Diesel Range (C10 - C28)	322	0.1
Total Petroleum Hydrocarbons	453	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Mudge B #13A.

Analyst

Mister of Wollers
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy 3 @ 4'	Date Reported:	12-12-02
Laboratory Number:	24402	Date Sampled:	12-09-02
Chain of Custody:	10460	Date Received:	12-11-02
Sample Matrix:	Soil	Date Analyzed:	12-12-02
Preservative:	Cool	Date Extracted:	12-11-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	. 178	1.7	
Ethylbenzene	108	1.5	
p,m-Xylene	873	2.2	
o-Xylene	427	1.0	
Total BTEX	1,590		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Mudge B #13A.

Analyst C. Cy

Muster M Walter Review