<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

Pit or Below-Grade Tank Registration or Closure

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

1220 South St. Francis Dr. office Santa Fe, NM 87505

Is pit or below-grade tan Type of action: Registration of a pit o	nk covered by a "general plan"? Yes 🔀 N or below-grade tank 🔲 Closure of a pit or below-g	Jo ∐ grade tank ⊠	
	ne: <u>(505)326-9200</u> e-mail address:		
Facility or well name: MU dep B # 13 A API #:	2004 2.3/77 W/ or Otr/Otr I	Ser 20 T Z/A) RILLE	
	Longitude		
County: San Juan Latitude Lat	Longrouc	10AD. 1927 [1 1905 [1	
	I Delaw and sault		
Pit	Below-grade tank	İ	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined Unlined Thistoner will Clay T	Double-walled, with leak detection? Yes If	not, explain why not.	
Liner type: Synthetic Thicknessmil Clay _	-		
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
mgn water electron of greater matery	100 feet or more	(0 points)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
Titigation canadi, anonos, and percinita and epitement in the canadi	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Inc	dicate disposal location: (check the onsite box if	
your are burying in place) onsite offsite If offsite, name of facility_			
remediation start date and end date. (4) Groundwater encountered: No []			
		it. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava	dions.		
Additional Comments:			
See Attached Documentation			
·			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline			
Date:11/01/2005	1		
Printed Name/Title Jeffrey C. Blagg, Agent Signat	ture Jeffy C. Slig	•	
Your certification and NMOCD approval of this application/closure does			
otherwise endanger public health or the environment. Nor does it relieve regulations.			
Approval: CZVITY OIL & GAS INSPECTOR, DIST. CA		מממב ה שש	
Printed Name/Title	Signature BAD-ell	Date:Date:	

CLIENT: 3P	BLAGG ENGINEERING, INC.		LOCATION	1 NO: 81109				
CLIENT: P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			COCR NO	10460	>			
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: of						1		
LOCATION: NAME: MUD	GE B	WELL#: /	3A TYPE	PRUD.			ED: <u>12-9-0</u>	
QUAD/UNIT: I SEC: 20	TWP: 31N RNG	: 11W PM: /	VM CNTY: ST	J ST: NM	-		ED: <u>12-9-0</u>	77
QTRIFOOTAGE: 16205 10	80'E N	EISE CONTR	ACTOR: HF) GH	Desert (He	500	ENVIRONMEN SPECIALIST:	ITAL ICI	3
EXCAVATION APPROX								
DISPOSAL FACILITY:	NA_	<i>71</i> U	REMEDIA				SE AS (<u>s</u>
	-Bum							
FIELD NOTES & REMAR								AD.
DEPTH TO GROUNDWATER: 20					JRFAC	E WATER: _	71000	. [
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD: _	SOUC P			_ /2		
SOIL AND EXCAVATION	ON DESCRIPT	ION:		OVM CALIB. F				0.52
							TE: 12-9-02	
SOIL TYPE: SAND SILTY SA			GRAVEL / OTH	ER DENS	E 5	ANDSTUR	IE @ 4	<i>B</i> 6-
SOIL COLOR: COHESION (ALL OTHERS): NON C	ORANGE OHESIVE (SLIGHTLY		HESIVE / HIGHLY	COHESIVE				
CONSISTENCY (NON COHESIVE S	OILS): LOOSE FIRM	/ DENSE / VERY	DENSE					1
PLASTICITY (CLAYS): NON PLAST DENSITY (COHESIVE CLAYS & SILT				/ HIGHLY PLASTI	С			l
MOISTURE: DRY (SLIGHTLY MOIS	MOIST LWET / SAT	URATED / SUPE	R SATURATED				CLOSED	
DISCOLORATION/STAINING OBSE	(VED: (ES) NO EXP	LANATION -	MINOR (GRAY ST	REA	HING		
HC ODOR DETECTED: YES) NO E SAMPLE TYPE: GRAB/COMPOSIT		CODERATE						
ADDITIONAL COMMENTS:	JSE BACK							
BOTTOM -	DENSE BED	RUCK SA	NDSTONE	0, 4	<u> </u>	<u> </u>		
		FIE	LD 418.1 CALC	ULATIONS				
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	1	DILU	TIONREA	DING CALC. (1	ppm)
0 1, FT								
N PIT PERIME	ΓER	٦ _			<u> P</u>	IT PRO	FILE	
	•		VM \DING					
10		SAMPLE	FIELD HEADSPACE					
		1@ 4	(ppm) 26.0					
	}	3@ 4	<u>59.9</u>					
Λ (\widehat{z})		4 @						A
A	10 A	5@		A	`			<u>, , , </u>
				3	1		J	1,,-
$\sqrt{3}$	111			□ • • •		_	<i></i>	4
7	- V							
TO PD LAB SAMPLES								
THE SAMPLE ANALYSIS TIME								
2 4 BL 3ANDSTONE								
Passed								
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW _T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM								
TRAVEL NOTES: CALLOUT: 12/9/02 0800 ONSITE: 12/9/02 1345								



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Prod. 2 @ 4'	Date Reported:	12-12-02
Laboratory Number:	24401	Date Sampled:	12-09-02
Chain of Custody No:	10460	Date Received:	12-11-02
Sample Matrix:	Soil	Date Extracted:	12-11-02
Preservative:	Cool	Date Analyzed:	12-12-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	14.8	0.2
Diesel Range (C10 - C28)	40.3	0.1
Total Petroleum Hydrocarbons	55.1	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Mudge B #13A.

Analyst

Priotini My Walter