District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No □

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank 🗵

Operator: Burlington Resources Tele Address: 3401 East 30th Street, Farmington, New Mexico, 87402	ephone: (505) 326-9841 e-mail a	ddress: LHasely@br-in	c.com	
Facility or well name: McClanahan No. 20 API #: 3004507	/4180000 U/L or Otr/Otr N Sec 013	T 028N R	010W	
County San Juan Latitude 36.65712 Longitude			737425263	
Surface Owner: Federal ⊠ State □ Private □ Indian □			4 1	
<u>Pit</u>	Below-grade tank		inr 3006 &	
Type: Drilling □ Production ☑ Disposal □	Below-grade tank Volume:60bbl Type of fluid: Produced Water and Incidental Oil Construction material:Fiberglass			
Workover □ Emergency □ Lined □ Unlined □	Double-walled with leak detection? Yes \square If not explain with not			
Liner type: Synthetic 🗆 Thicknessmil Clay 🗆 Pit Volumebbl	Volume: 60_bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass Double-walled, with leak detection? Yes If not, explain why not. No - Tank was installed prior to Rule 50.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	11.58 F37	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0	
Distance to surface water: (horizontal distance to all wetlands,	Less than 200 feet	(20 points)		
playas, irrigation canals, ditches, and perennial and ephemeral	200 feet or more, but less than 1000 feet	(10 points)		
watercourses.)	1000 feet or more	(0 points)	0	
	Ranking Score (Total Points)		0	
onsite box if your are burying in place) onsite \square offsite \square If offsite, remediation start date and end date. (4) Groundwater encountered: (5) Attach soil sample results and a diagram of sample locations and Additional Comments:	No 🗵 Yes 🗌 If yes, show depth below ground sur			
Tank Location – 95 feet, 90 degrees from the wellhead.				
Soil sample collected 3 feet below bottom of tank. Soils tested cl	ean and no soil remediation was required. Lab and	alysis attached.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \boxtimes , a general permit \square , or an (attached) alternative OCD approved plan \square .				
Date: 7/20/06	5011 ls			
Printed Name/Title <u>Ed Hasely, Environmental Advisor</u> Signatu Your certification and NMOCD approval of this application/closure ground water or otherwise endanger public health or environment. N federal, state, or local laws and/or regulations.	does not relieve the operator of liability should the	e contents of the pit or tar for compliance with any	nk contaminate other	
Approval: Printed Name/Title Signature Bundon band Date				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-003
Sample ID:	McClanahan #20	Date Reported:	08-13-04
Laboratory Number:	29997	Date Sampled:	08-10-04
Chain of Custody No:	12174	Date Received:	08-12-04
Sample Matrix:	Soil	Date Extracted:	08-13-04
Preservative:	Cool	Date Analyzed:	08-13-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

B. G. Tank.

PID=3.2

Analyst . Let

Mustine of Wasters
Review