

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Tank B

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com  
Address: 3401 East 30<sup>th</sup> Street, Farmington, New Mexico, 87402  
Facility or well name: San Juan 28-5 No. 202 API #: 3003924517 U/L or Qtr/Qtr H Sec 16 T 28N R 5W  
County: Rio Arriba Latitude N36d 39.805' Longitude W107d 21.492' NAD: 1927 ☒ 1983 ☐  
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: <u>40</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____ Tank in place prior to rule 50
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 10
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0
Ranking Score (Total Points) 10	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

BGT B

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8/2/06

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

DEPUTY OIL & GAS INSPECTOR, DIST. 00

Printed Name/Title \_\_\_\_\_

Signature [Signature]

Date: AUG 23 2006

CLIENT: Burlington Resources

ENVIROTECH INC.  
ENVIRONMENTAL SCIENTISTS & ENGINEERS  
5796 U.S. HIGHWAY 64-3014  
FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615

LOCATION NO: \_\_\_\_\_  
C.O.C. NO: \_\_\_\_\_

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: San Juan 28-5 WELL #: 202 PIT: \_\_\_\_\_  
QUAD/UNIT: H SEC: 16 TWP: 28N RNG: 5W PM: NMPM CNTY: Arriba ST: NM  
QTR/FOOTAGE: \_\_\_\_\_ CONTRACTOR: LOR

DATE STARTED: 12/30/05  
DATE FINISHED: 1/4/06  
ENVIRONMENTAL SPECIALIST: GWC/DY

EXCAVATION APPROX. 18' FT. x 16' FT. x 15' FT. DEEP. CUBIC YARDAGE: 150 yd<sup>3</sup>  
DISPOSAL FACILITY: On-site REMEDIATION METHOD: Landfarm  
LAND USE: \_\_\_\_\_ LEASE: \_\_\_\_\_ FORMATION: \_\_\_\_\_

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 95' FT. 290° FROM WELLHEAD.  
DEPTH TO GROUNDWATER: 10 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 0  
NMOC D RANKING SCORE: 10 NMOC D TPH CLOSURE STD: 1000 PPM

SOIL AND EXCAVATION DESCRIPTION: BGT B  
12/30 Contamination encountered beneath removed BGT. At 15' depth soil passes per NMOC D guidelines. Horizontal excavation will be necessary.  
1/4 Excavation complete. No remaining visible signs of contamination present.

CHECK ONE :  
☐ PIT ABANDONED  
☒ STEEL TANK INSTALLED

SCALE  
0 FT

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
	<u>Sec 418.1</u>		<u>Field</u>	<u>Analysis</u>			

PIT PERIMETER

OVM RESULTS

PIT PROFILE

Sketch of pit perimeter showing BGT A, BGT B, and Separator.

SAMPLE ID	FIELD HEADSPACE PID (ppm)
<u>13' below</u>	<u>348 ppm</u>
<u>215' depth</u>	<u>86 ppm</u>
<u>3</u>	
<u>4</u>	
<u>5 4 ft walls</u>	<u>28 ppm</u>
<u>Bottom 15'</u>	<u>74 ppm</u>

LAB SAMPLES		
SAMPLE ID	ANALYSIS	TIME

Sketch of pit profile showing dimensions 12' x 15' x 18' and labels for 4 ft walls and bottom 15'.

TRAVEL NOTES: \_\_\_\_\_  
CALLOUT: \_\_\_\_\_  
ONSITE: \_\_\_\_\_

**EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS**

Client:	Burlington Resources	Project #:	92115-046-133
Sample No.:	1	Date Reported:	1/4/2006
Sample ID:	Walls, 4 Pt Composite	Date Sampled:	1/4/2006
Sample Matrix:	Soil	Date Analyzed:	1/4/2006
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	24.0	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-5 No. 202**

Instrument calibration checked against 200 ppm standard. Zeroed before each sample

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client: Burlington Resources  
Sample No.: 2  
Sample ID: Bottom @ 15' depth  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact

Project #: 92115-046-133  
Date Reported: 1/4/2006  
Date Sampled: 1/4/2006  
Date Analyzed: 1/4/2006  
Analysis Needed: TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	604.0	5.0
------------------------------	-------	-----


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: San Juan 28-5 No. 202

Instrument calibration checked against 200 ppm standard. Zeroed before each sample

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

CONTINUOUS CALIBRATION  
EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Cal. Date: 4-Jan-06

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	204
	200	
	500	
	1000	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

Date

Review

Date

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-001-1179
Sample ID:	San Juan 28-5 #202	Date Reported:	07-24-06
Laboratory Number:	37934	Date Sampled:	07-13-06
Chain of Custody No:	1179	Date Received:	07-20-06
Sample Matrix:	Soil	Date Extracted:	07-21-06
Preservative:	Cool	Date Analyzed:	07-24-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	5.6	0.1
Total Petroleum Hydrocarbons	5.6	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: (2006 Project) Landfarm PID 3.9

  
Analyst

  
Review