District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)			
Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address: P.O. Box 420, Farmington, New Mexico 87401			
Facility or well name: Dome Federal 30-22-6#1 API #:		20 T 22N P 6W	
County: Sandoval Latitude 36.11383 Longitude 107			
County: Sandoval Lantude 30.11363 Longhude 10.		recteral \(\sigma \) State \(\sigma \) Private \(\sigma \) Intulation \(\sigma \)	
<u>Pit</u>	Below-grade tank	- ADB	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	AUG 2000	
Workover ☐ Emergency ☐	Construction material:		
Lined 🗌 Unlined 🔀	ned 🗌 Unlined 🔀 Double-walled, with leak detection? Yes 🔲 If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay		- A Secretary	
Pit Volume 160 ± bbl		(2)	
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points) 0	
high water elevation of ground water.)	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points) 0	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	0	
f this is a pit closure: (1) attach a diagram of the facility showing the pit's		·	
rour are burying in place) onsite 🔼 offsite 🔲 If offsite, name of facility			
emediation start date and end date. (4) Groundwater encountered: No 🔀 Y		ft. and attach sample results. (5)	
Attach soil sample results and a diagram of sample locations and excavations	3.	·	
Additional Comments:			
15' x 15' x 4'± deep unlined production pit, center located 90 feet North	21° West of wellhead.		
Use Backhoe to dig into pit and sample.			
Collect 5-point composite soil sample from sidewalls and pit center for laboratory testing.			
See attached field sampling report and laboratory test reports.			
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify that	t the above-described pit or below-grade tank	
Date: August 21 2006			
Printed Name/ Little Jeff Blagg, Agent Signature Value and Scatter and NIMOGD and Lifetime 12 of the second secon	77		
Printed Name/Title Jeff Blagg, Agent Signature Jeff Blagg, Agent Signature Printed Name/Title Jeff Blagg, Agent Signature Jeff Blagg, Agent Si			
Approval: Printed Name/Title STATY OIL & GAS INSPECTOR, DIST. 32 Signature 3. Signature 3. Date: AUG 2 3 2006			
	VI VI VI		

50-043-20407		36.11383	× 107.513	362	المهم المحمدين. ا
CLIENT: . DUGAN	P.O. BOX	87, BLO		*	LOCATION NO:
•	(505) 632	-1199		COCK NO:
FIELD REPORT	Γ: PIT CL	OSURE	VERIFI	CATION	
LOCATION: NAME: DOME F	ED 30-22-6	WELL #:	TYPE:	SEP	DATE STARTED: 8-9-06
QUAD/UNIT: C SEC: 30	TWP: 22 N RNG	6: 6W PM: 1	JM CNTY: S/	V ST: NM	DATE FINISHED: 8-9-06
QTR/FOOTAGE: 1180 FN	L × 1580 FW	L CONTR	RACTOR: SIE	RRA	ENVIRONMENTAL JCB
EXCAVATION APPROX	<. <u>NA</u> FT. x	NA FT.	X NA FT.	DEEP. CUB	C YARDAGE:
DISPOSAL FACILITY:	NA		REMEDIA	TION METHOD	: CLOSE AS IS
LANDUSE: RANGE - BI					
					21W FROM WELLHEAD.
DEPTH TO GROUNDWATER: >1					FACE WATER: >1000
NMOCD RANKING SCORE:	<u>)</u> ммосd трн	CLOSURE STD: .	<u>5000</u> pp	М	
SOIL AND EXCAVATION	ON DESCRIPT	ION:			AD. = <u>52.Z</u> ppm
00/27/110/2/07/17/11	<u> </u>			TIME: 0650	$S = 100 \text{ ppm} \qquad \frac{RF = 0.52}{9 - 06}$
SOIL TYPE: SAND / SILTY SA			GRAVEL / OTHE	R	
SOIL COLOR: COHESION (ALL OTHERS): (NON (LITE TA	COHESIVE / CO	HESIVE / HIGHLY	COHESIVE	
CONSISTENCY (NON COHESIVE S	OILS): LOOSE FIRM	/ DENSE / VERY	DENSE		
PLASTICITY (CLAYS): NON PLAST DENSITY (COHESIVE CLAYS & SIL				HIGHLY PLASTIC	
MOISTURE: DRY (SLIGHTLY MOIS	MOIST / WET / SAT	URATED / SUPE			
DISCOLORATION/STAINING OBSE HC ODOR DETECTED: YES (NO		LANATION -			
SAMPLE TYPE: GRAB COMPOSI			· · · · · · · · · · · · · · · · · · ·	· X - N /1/	lined At. USE
ADDITIONAL COMMENTS:			CKHOE TO	Deep Or	TO PIT X SAMPLE
SCALE SAMP T		T	ELD 418.1 CALC		
SAMP. T	IME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON D	ILUTION READING CALC. (ppm)
O FT					
PIT PERIME	TER	_ 		L.,	PIT PROFILE
			NVM		
		SAMPLE	ADING FIELD HEADSPACE	_	
15 ′		10 1@	(ppm)		
		2 @ 3 @			15
	(F)	4 @		1	A
A	15 A	5-PE@7'	1.4	4	
] \(\	
\ (x)	(\mathcal{S})				
			AMPLES NALYSIS TIME	_	
,		5-P6 T	13/cz 1432	- - -	
	J wint				
P.D. = PIT DEPRESSION; B.G. = BELC T.H. = TEST HOLE; ~ = APPROX.; T.B	W GRADE; B = BELOW	,			
TRAVEL NOTES		.l.,	0	9-9-06	
CALLOU	/I:		ONSITE: _	7-1-06	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome Federal 30-22-6 #1	Date Reported:	08-14-06
Laboratory Number:	38124	Date Sampled:	08-09-06
Chain of Custody No:	14695	Date Received:	08-10-06
Sample Matrix:	Soil	Date Extracted:	08-11-06
Preservative:	Cool	Date Analyzed:	08-14-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	0.9	0.1	
Total Petroleum Hydrocarbons	0.9	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Closures - Chacra Sep - 5 pt @ 7'.

(Analyst Malles

Blenk Warll

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome Federal 30-22-6 #1	Date Reported:	08-14-06
Laboratory Number:	38124	Date Sampled:	08-09-06
Chain of Custody:	14695	Date Received:	08-10-06
Sample Matrix:	Soil	Date Analyzed:	08-14-06
Preservative:	Cool	Date Extracted:	08-11-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	67.3	1.5	
p,m-Xylene	23.1	2.2	
o-Xylene	ND	1.0	
Total BTEX	90.4		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Closures - Chacra Sep - 5 pt @ 7'.

Mister m. Walles
Analyst

Bluk Wall

ENVIROTECH L PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client: Sample ID: Blagg / Dugan

Project #:

94034-010

Dome Federal 30-22-6 #1

Date Reported:

08-14-06

Lab ID#:

38124

Date Sampled:

08-09-06

Sample Matrix:

Soil

08-10-06

Preservative:

Cool

Date Received: Date Analyzed:

08-14-06

Condition:

Cool and Intact

Chain of Custody:

14695

Parameter

Concentration (mg/Kg)

Total Chloride

398

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Pit Closures - Chacra Sep - 5 pt @ 7'.

Curl Wall