

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com
Address: 3401 East 30th Street, Farmington, New Mexico, 87402
Facility or well name: Angel Peak No. 1 API #: 30045067920000 U/L or Qtr/Qtr M Sec 2 T 27N R 11W
County: San Juan Latitude 36.60019 Longitude -107.97784 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐
Workover ☐ Emergency ☐
Lined ☐ Unlined ☐
Liner type: Synthetic ☐ Thickness mil Clay ☐
Pit Volume bbl

Below-grade tank

Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil
Construction material: Fiberglass
Double-walled, with leak detection? Yes ☐ If not, explain why not.
No. Tank in place prior to Rule 50.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	0
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	0
	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	0
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Same Lease and Envirotech LF # 2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8/12/06

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

DEPUTY OIL & GAS INSPECTOR, DIST. #9



Approval:

Printed Name/Title

Signature [Signature]

Date: AUG 23 2006

BGT B (separator)

CLIENT: <u>Burlington</u> <u>Reservoir</u>	ENVIROTECH INC. ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615	LOCATION NO: _____ C.O.C. NO: _____																																																
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																
LOCATION: NAME: <u>Angel Peak</u> WELL #: <u>1</u> PIT: _____ QUAD/UNIT: <u>M</u> SEC: <u>2</u> TWP: <u>27N</u> RNG: <u>11W</u> PM: <u>NMM</u> CNTY: <u>JS</u> ST: <u>NM</u> QTR/FOOTAGE: _____ CONTRACTOR: <u>MJM</u>		DATE STARTED: <u>4/21/06</u> DATE FINISHED: <u>4/26/06</u> ENVIRONMENTAL SPECIALIST: <u>MJM</u>																																																
EXCAVATION APPROX. <u>85</u> FT. x <u>72</u> FT. x <u>25</u> FT. DEEP. CUBIC YARDAGE: <u>1920 yd³</u> ETECH LF 2500 yd³ Est. On-site DISPOSAL FACILITY: <u>Same Lease / ETECH LF #2</u> REMEDIATION METHOD: <u>Land farm</u> LAND USE: _____ LEASE: _____ FORMATION: _____																																																		
FIELD NOTES & REMARKS: <u>Excavation</u> PIT LOCATED APPROXIMATELY <u>88</u> FT. <u>245°</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>0</u> NEAREST WATER SOURCE: <u>0</u> NEAREST SURFACE WATER: <u>0</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM SOIL AND EXCAVATION DESCRIPTION:																																																		
Facilities were re-set. Initial crew encountered contamination approx. 5' BGS. MJM was called to complete excavation activities. 4/21 Adv by Jerry Montoya to guide excavation. Strong hydrocarbon odors present. Field OVM measurements were consistent with assessment. Further excavation necessary. 4/26. Meet Ed Hasely on-site. Excavation reached maximum reasonable extent possible. NE and SW directions had buried flow lines and to the SW would eliminate access to site. Took Sample of wells and bottom.																																																		
FIELD 418.1 CALCULATIONS																																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>ML. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>No</td> <td>418.1</td> <td>Analyses</td> <td>Computed</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	ML. FREON	DILUTION	READING	CALC. ppm										No	418.1	Analyses	Computed																											
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	ML. FREON	DILUTION	READING	CALC. ppm																																											
	No	418.1	Analyses	Computed																																														
SCALE  0 FT	PIT PERIMETER 	OVM RESULTS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 E. Wall</td><td>1173</td></tr> <tr><td>2 W. Wall</td><td>1378</td></tr> <tr><td>3 Bottom</td><td>392</td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> <tr><td>W. Wall</td><td>894</td></tr> <tr><td>Bottom 25'</td><td>199</td></tr> <tr><td>E. Wall</td><td>1293</td></tr> <tr><td>S. Wall</td><td>1334</td></tr> <tr><td>N. Wall</td><td>177</td></tr> <tr><td>TH</td><td>14</td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 E. Wall	1173	2 W. Wall	1378	3 Bottom	392	4		5		W. Wall	894	Bottom 25'	199	E. Wall	1293	S. Wall	1334	N. Wall	177	TH	14	SAMPLE ID	ANALYSIS	TIME																					
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																																	
1 E. Wall	1173																																																	
2 W. Wall	1378																																																	
3 Bottom	392																																																	
4																																																		
5																																																		
W. Wall	894																																																	
Bottom 25'	199																																																	
E. Wall	1293																																																	
S. Wall	1334																																																	
N. Wall	177																																																	
TH	14																																																	
SAMPLE ID	ANALYSIS	TIME																																																
PIT PROFILE 																																																		
TRAVEL NOTES: CALLOUT: _____ ONSITE: _____																																																		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	Bottom @ 25'	Date Reported:	04-30-06
Laboratory Number:	36964	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	0.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	N. Wall	Date Reported:	04-30-06
Laboratory Number:	36965	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.6	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.6	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	S. Wall	Date Reported:	04-30-06
Laboratory Number:	36966	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	291	0.2
Diesel Range (C10 - C28)	303	0.1
Total Petroleum Hydrocarbons	594	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	E. Wall	Date Reported:	04-30-06
Laboratory Number:	36967	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	8.1	0.2
Diesel Range (C10 - C28)	25.6	0.1
Total Petroleum Hydrocarbons	33.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	W. Wall	Date Reported:	04-30-06
Laboratory Number:	36968	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	73.6	0.2
Diesel Range (C10 - C28)	62.6	0.1
Total Petroleum Hydrocarbons	136	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-073
Sample ID:	TH	Date Reported:	04-30-06
Laboratory Number:	36969	Date Sampled:	04-26-06
Chain of Custody No:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-30-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.0	0.2
Diesel Range (C10 - C28)	0.4	0.1
Total Petroleum Hydrocarbons	2.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Angel Peak #1.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-30-06 QA/QC	Date Reported:	04-30-06
Laboratory Number:	36964	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-30-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	9.9660E+002	9.9760E+002	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	1.0076E+003	1.0096E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	0.3	0.3	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	0.3	250	250	99.9%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 36964 - 36971, 36980 - 36981.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	Bottom @ 25'	Date Reported:	04-30-06
Laboratory Number:	36964	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	4.1	1.8
Toluene	13.6	1.7
Ethylbenzene	2.3	1.5
p,m-Xylene	123	2.2
o-Xylene	20.9	1.0
Total BTEX	164	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	N. Wall	Date Reported:	04-30-06
Laboratory Number:	36965	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	9.6	1.8
Toluene	131	1.7
Ethylbenzene	17.1	1.5
p,m-Xylene	1,020	2.2
o-Xylene	205	1.0
Total BTEX	1,380	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	S. Wall	Date Reported:	04-30-06
Laboratory Number:	36966	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	84.8	1.8
Toluene	886	1.7
Ethylbenzene	1,360	1.5
p,m-Xylene	7,700	2.2
o-Xylene	1,400	1.0
Total BTEX	11,430	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	E. Wall	Date Reported:	04-30-06
Laboratory Number:	36967	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	10.0	1.8
Toluene	85.7	1.7
Ethylbenzene	13.2	1.5
p,m-Xylene	552	2.2
o-Xylene	110	1.0
Total BTEX	771	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	W. Wall	Date Reported:	04-30-06
Laboratory Number:	36968	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	120	1.8
Toluene	959	1.7
Ethylbenzene	508	1.5
p,m-Xylene	2,930	2.2
o-Xylene	873	1.0
Total BTEX	5,390	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-073
Sample ID:	TH	Date Reported:	04-30-06
Laboratory Number:	36969	Date Sampled:	04-26-06
Chain of Custody:	15852	Date Received:	04-26-06
Sample Matrix:	Soil	Date Analyzed:	04-30-06
Preservative:	Cool	Date Extracted:	04-28-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	35.3	1.8
Toluene	201	1.7
Ethylbenzene	9.5	1.5
p,m-Xylene	462	2.2
o-Xylene	47.5	1.0
Total BTEX	755	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Angel Peak #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-1141
Sample ID:	Angel Peak #501	Date Reported:	07-21-06
Laboratory Number:	37929	Date Sampled:	07-19-06
Chain of Custody No:	1141	Date Received:	07-20-06
Sample Matrix:	Soil	Date Extracted:	07-20-06
Preservative:	Cool	Date Analyzed:	07-21-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.4	0.2
Diesel Range (C10 - C28)	0.6	0.1
Total Petroleum Hydrocarbons	1.0	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: (Area #1) Landfarm (from #1, BGT) PID 2.0

Landfarm Sample - clean


Analyst


Review