

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004


Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Burlington Resources</u> Telephone: <u>(505) 326-9841</u> e-mail address: <u>LHasely@br-inc.com</u>		
Address: <u>3401 East 30<sup>th</sup> Street, Farmington, New Mexico, 87402</u>		
Facility or well name: <u>Huerfano Unit 165</u> API #: <u>30045200370000</u> U/L or Qtr/Qtr <u>O</u> Sec <u>30</u> T <u>26N</u> R <u>9W</u>		
County: <u>San Juan</u> Latitude <u>36.45478</u> Longitude <u>-107.82679</u> NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____ No. Tank in place prior to Rule 50. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 0	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 10	
<b>Ranking Score (Total Points)</b> 10		

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
The soils tested clean and no soil remediation was required.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8/21/06

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature Ed Hasely

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title

Signature [Signature]

Date: AUG 25 2006

CLIENT: <u>Ham Burlington Resources</u>	<b>ENVIROTECH INC.</b> <small>ENVIRONMENTAL SCIENTISTS &amp; ENGINEERS          5796 U.S. HIGHWAY 64-3014          FARMINGTON, NEW MEXICO 87401          PHONE: (505) 632-0615</small>	LOCATION NO: _____  C.O.C. NO: _____
---	---	--

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of <u>1</u>
------------------------------------	-------------------------------

LOCATION: NAME: <u>Huertano</u> WELL #: <u>165</u> PIT: _____	DATE STARTED: <u>7/20/06</u> DATE FINISHED: <u>7/20/06</u>
QUAD/UNIT: <u>0</u> SEC: <u>30</u> TWP: <u>26N</u> RNG: <u>9W</u> PM: <u>NMPM</u> CNTY: <u>SS</u> ST: <u>NM</u>	ENVIRONMENTAL SPECIALIST: <u>NPM</u>
QTR/FOOTAGE: <u>990'S</u> <u>1750'E</u> CONTRACTOR: <u>Bailey's</u>	

EXCAVATION APPROX. _____ FT. x _____ FT. x _____ FT. DEEP. CUBIC YARDAGE: <u>0</u>
DISPOSAL FACILITY: <u>N/A</u> REMEDIATION METHOD: _____
LAND USE: _____ LEASE: <u>NM 03493</u> FORMATION: _____


FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>32'</u> FT. <u>70°</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u>0</u>	NEAREST WATER SOURCE: <u>0</u> NEAREST SURFACE WATER: <u>10</u>

NMOCD RANKING SCORE: <u>10</u> NMOCD TPH CLOSURE STD: <u>1000</u> PPM <u>SOIL AND EXCAVATION DESCRIPTION:</u>	CHECK ONE: <input type="checkbox"/> PIT ABANDONED <input checked="" type="checkbox"/> STEEL TANK INSTALLED
--	--

*No visible signs of contamination present. No soil removed from site.*

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
0938	3' Below	1	5	20	1	0.0152	105 ppm



PIT PERIMETER

OVM RESULTS

PIT PROFILE

	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>13' Below</td><td>6 ppm</td></tr> <tr><td>2</td><td> </td></tr> <tr><td>3</td><td> </td></tr> <tr><td>4</td><td> </td></tr> <tr><td>5</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	13' Below	6 ppm	2		3		4		5												LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME																<p style="text-align: center;">x = Sample point</p>
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																												
13' Below	6 ppm																																												
2																																													
3																																													
4																																													
5																																													
LAB SAMPLES																																													
SAMPLE ID	ANALYSIS	TIME																																											

TRAVEL NOTES:	CALLOUT: _____	ONSITE: _____
---------------	----------------	---------------

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client:	Burlington Resources	Project #:	92115-046-009
Sample No.:	1	Date Reported:	7/20/2006
Sample ID:	Discrete, 3' Below BG Tank	Date Sampled:	7/20/2006
Sample Matrix:	Soil	Date Analyzed:	7/20/2006
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

<b>Total Petroleum Hydrocarbons</b>	<b>105</b>	<b>5.0</b>
-------------------------------------	------------	------------

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Huerfano Unit 165**

  
Analyst

  
Review

# ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:	Burlington Resources	Project #:	92115-046-009
Sample ID:	QA/QC	Date Reported:	7/20/2006
Laboratory Number:	01-24-TPH.QA/QC	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	1/24/2005
Preservative:	N/A	Date Extracted:	1/24/2005
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	05-22-04	1/24/2005	1,735	1,754	1.1%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	5.0

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	2,471	2,352	4.8%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	2,471	2,000	5,030	112.5%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Huerfano Unit 165

Analyst

Review