District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Read, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes No	
Type of action: Registration of a pit or below-grade tank \( \subseteq \text{Closure of a pit or below-grade tank } \)	Ø

		A CONTRACTOR OF THE CONTRACTOR			
	e-mail address: <u>LHa</u>	asely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: Reid A No. 2E A API #:	30045250600000 U/L or Qtr/Qt	tr <u>D</u> Sec <u>I T 30N</u> R <u>13W</u>			
County: San Juan Latitude	36.84649 Longitude <u>-108.16088</u>	NAD: 1927 ☑ 1983 ☐			
Surface Owner: Federal 🖾 State 🔲 Private 🔲 Indian 🗍		AN TO 23 2425 DE			
<u>Pit</u>	Below-grade tank	\$0° 4 (3)			
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water	and Incidental Oil			
Workover ☐ Emergency ☐	Construction material: Fiberglass	AUG EUVE			
Lined Unlined Double-walled, with leak detection? Yes If not, explain why not.					
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.	E. The Table 1 Asy			
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
ingh water elevation of ground water.	100 feet or more	( 0 points) 0			
200 5 4 5	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points) 0			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	( 0 points) 10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite  offsite  offsite  from I forfsite, name of facility					
date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth belo					
		results.			
(5) Attach soil sample results and a diagram of sample locations and excaval	tions.				
Additional Comments:					
BGT A					
The soils tested clean and no soil remediation was required.					
	•				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines _, a general permit _, or an (attached) alternative OCD-approved plan					
Date: 8/12/0C	1011 6				
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature 2 Hera				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
regulations.	the operator of its responsibility for compliance with an	y other federal, state, or local laws and/or			
regulations.  PETUTY OR & GAS INSPECTOR, DIST.  Printed Name/Title Signature	the operator of its responsibility for compliance with any Date:				

		FATT	IROTECI	I TAIC		1	<del></del>	
CLIENT: Brington						LBC.	IN NOITA	]:
lusoures		5796 FARMIN	VIAL SCIENTISTS U.S. HIGHWAY IGTON, NEW ME	64-3014 XICO 87401			C.D.C. N(	]:
TIPL DPDAD	m c		ONE: (505) 632		Y A COLO CO			
FIELD REPOR'					ATION	PAGE	No:	of
LOCATION: NAME: Peid						i		7/12/06
QUAD/UNIT: D SEC:					Y:SJ ST:NI	M		7/12/06
QTR/FOOTAGE: 995 FN						<del></del>	NMENTAL ALIST:	
EXCAVATION APPROX	1							<del>-0</del>
DISPOSAL FACILITY:								1
LAND USE:								
FIELD NOTES & REMARK DEPTH TO GROUNDWATER: <b>6</b>								
NMOCD RANKING SCORE: 10					EARES! SURF		CK ON	
SOIL AND EXCAVATION			C 31D	<u> </u>		PIT	ABANDON	ED
BOT A	1 DESCIVI	Fi I TOLA.				STEE	L TANK	INSTALLED
Stight discolored	tien as i	نيو(ا در	elish+	oder ores	t. 25	Face A	a. S	S.L.,
3' Blow BCT.				•			<i>L</i> EO 261	W TO TO
				3.12.				
*	•							
	TIME S	AMPLE I.D.		D 418.1 CAL			READING	CALC. ppm
SCALE		Schow		5		(	0. 638	<del> </del>
							<u> </u>	1
O FT							1	
DIT DEDIME	כובותי		OVM	<u> </u>	DI	r pp	OFILE	
PIT PERIME	CTER	<u> </u>	RESULT		PI	r pr	OFILE	
PIT PERIME	TER	SAMP	RESULT	EADSPACE (ppm)	Pľ	r pr	OFILE	
, s <sup>t</sup> .	TER 7	SAMP	RESULT	EADSPACE (ppm)	PI	r PR	OFILE	
, s <sup>t</sup> .	TER /	SAMPI 10 1 3' B	RESULT	EADSPACE (ppm)	PI	r pr	OFILE	
, s <sup>t</sup> .	TER /	SAMPI 10 13' B	RESULT	EADSPACE (ppm)	PI	T PR	OFILE	
Pril P #	TER /	SAMPI 10 13' B	RESULT	EADSPACE (ppm)	PI	T PR	OFILE	
Pril P #	TER A	SAMPI 10 13' B	RESULT	EADSPACE (ppm)	PI	T PR	OFILE	
Pril P #	TER C	SAMPI 10 1 3' B 2 3 4 5	RESULT  FED H  Cloud Le	EADSPACE (ppm)	PI	T PR	OFILE	. C I torre
Port P #	TER C	SAMPI 10 1 3 B 2 3 4 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	RESULT  FRED H  CLOU LE	EADSPACE (ppm)	PI	T PR	OFILE	. S. Sotore
Part P #	TER CA	SAMPI 10 1 3 B 2 3 4 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	RESULT  FRED H  CLOU LE	EADSPACE (ppm)		T-3-1	OFILE	. S. S) tore
Port P #	TER CA	SAMPI 10 1 3 B 2 3 4 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	RESULT  FRED H  CLOU LE	EADSPACE (ppm)	PI'	T-3-1	OFILE	. S. S) tore

•



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-046-089

Sample No.:

1

Date Reported:

7/13/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

7/12/2006

Sample Matrix:

Soil

Date Analyzed:

7/12/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

264

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Reid A No. 2E, BGT A

Analyst

Review