District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit o	r below-grade tank 🔲 Closure of a pit or below-grad	le tank 🗵			
County Fire Pides Payment Amen Mark	Talanhana, (\$0\$) 422 2474	ail address: amackeyl@elmridge.net			
Operator: Elm Ridge Resources - Amy Mackey	Telephone: (505) 632-3476 e-m	an address: amackey (@emiridge.net			
Address: #20 CR 5060, Bloomfield, New Mexico, 87413	200202274 U// 04://0hm V San	9 T 22N D 4W			
	3003923374 U/L or Qtr/Qtr K Sec				
	County: Sandoval Latitude 36° 14.178' N Longitude -107° 17.045' W NAD: 1927 \(\bigcirc \) 1983 \(\bigcirc \)				
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☒		2020			
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume: 80 bbl Type of fluid: Produced Water and Incidental Oil				
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes I If not, explain why not:				
Liner type: Synthetic Thicknessmil Clay	Tank in place prior to Rule 50	The state of the s			
Pit Volumebbl		Mr. St.			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points) 0			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
imgation canais, ditches, and perenmar and epitemeral watercourses.)	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's		·			
your are burying in place) onsite offsite If offsite, name of facility					
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo		results.			
(5) Attach soil sample results and a diagram of sample locations and excavat	tions.				
Additional Comments:					
The soils tested clean and no soil remediation was required.					
		·			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
l akılı					
Date: 12106					
Printed Name/Title Ms. Amy Mackey, Production Technician Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval:					
Approval: Printed Name/Title Signature Bold Date: SEP 2 6 2006					

CLIENT	ENTROIME 5791 FARMI	/IROTECH INC.		COC MB	
FIELD REPOR	25	19NE: (505) 632-0615	CATION	PAGE No: of	
LOCATION: NAME: MART: QUAD/UNIT: K SEC:				DATE STARTED: 9/6/06 DATE FINISHED: 9/6/06	
QTR/FDDTAGE: 1990 PSL	1656 FWL CONT	TRACTOR: Frank	1	ENVIRONMENTAL GWC	
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: M/A REMEDIATION METHOD: M/A LEASE: FORMATION:					
FIELD NOTES & REMAR	KS: PIT LOCATED	O APPROXIMATELY /	75 FT	80° FROM WELLHEAD. WATER: 200-100	
$1 \times 1111 \Delta M = 1 \times 1 \Delta M \Delta M = 111 M = 1 \times 1$			CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED		
So: (testio clean 36 14.178N 107 17.045W SCALE	TIME SAMPLE I.D.	FIELD 418.1 CAL	_CULATIONS mL. FREON DIL	UTION READING CALC. ppm	
0 FT PIT PERIME	ETER	OVM	PIT	PROFILE	
7 Of	AST SAMPID 1 PORTS	PID (ppm) 2. AB SAMPLES ANALYSIS TIME	8'	X 1 1	
TRAVEL NOTES: CALLOUT:		ONSITE:			



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Resources

Project #:

03056-040-051

Sample No.:

1

Date Reported:

9/8/2006

Sample ID:

Discrete Sample 3' below BGT

9/6/2006

Sample Matrix:

Soil

Date Sampled: Date Analyzed:

9/6/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

260.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Martin Whittaker No. 020

Instrument callibration checked against 200 ppm standard. Zeroed before each sample

Analyst

Review



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

6-Sep-06

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	207	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Mug Cabt
Analyst

Date

Review

9/11/04

Date