District I
1625 N. French, Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is nit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \( \subseteq \)

Type of action: Registration of a pit or below-grade tank Covered by a general plant? I cs No  Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank X		
Operator: Schalk Development Co. Telephone: (505) 881-6649 e-mail address: SPSchalk@aol.com		
Address: P. O. Box 25825, Albuquerque, NM 87125		
Facility or well name: SCHALK 54 #200S API #: 30-039-27622 U/L or Qtr/Qtr I Sec 2 T 30N R 5W		
County: RIO ARRIBA Latitude Longitude NAD: 1927   1983		
Surface Owner: Federal X State Private Indian		
Pit	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:  Construction material:	
Workover		
Lined X Unlined	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay		
Pit Volume 13,000 bbl	T 4 . 50 C . 4	I (00 t)
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.) >100'	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
>1,000'	1000 feet or more	( 0 points) 0
5	Ranking Score (Total Points)	Ö
	<u> </u>	1
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite X offsite I If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No X Yes I If yes, show depth below ground surface ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
A SEPTERS OF		
(ren		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .		
Date: September 15, 2006		
Printed Name/Title Steve Schalk, Manager Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:  Printed Name/Title  Signature Branch Tell  Date: SEP 2 0 2006		

## **SCHALK 54 #200S**

The location clean-up and drilling pit closure on the Schalk 54 #200S occurred as follows:

August 11, 2006: Schmitz Construction, Inc. moved 750C Dozer

to location.

August 15, 2006: 10.5 hours dozer work on pit closure

August 16, 2006: 10 hours dozer work on pit closure


August 22, 2006: 10 hours dozer work on pit closure

August 23, 2006: 10 hours dozer work on pit closure and location clean-up

August 24, 2006: 8 hours dozer work to finish location clean-up

Pit closure was completed on August 24, 2006.





SITE DIAGRAM Schalk 54 #200S

North