District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank \(\square\) Closure of a pit or below-grade tank \(\square\)					
	(605) 226 2041				
	(505) 326-9841 e-mail address: <u>LHa</u>	asely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402	2004500400000	O. D. G. 22 T. 201 D. 211			
	30045204000000 U/L or Qtr/				
County: San Juan Latitude	36.46862 Longitude <u>-107.77036</u>	NAD: 1927 🛛 1983 🔲			
Surface Owner: Federal 🛮 State 🗌 Private 🔲 Indian 🗍					
<u>Pit</u>					
Type: Drilling Production Disposal:	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil				
Workover	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.				
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
ingli water elevation of ground water.	100 feet or more	(0 points) 0			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _ date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below	(3) Attach a general description of remedial action	taken including remediation start date and end			
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.	a portugue.			
Additional Comments:					
Soil tested Clean, no soil remediation required					
<u> </u>		A MARIE TO THE PARTY OF THE PAR			
		Ser			
	<u> </u>				
		A Control of			
	<u>`</u>				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit of below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 9/18/06					
Trinical Participation Trinical Trinical Participation Trinical Part					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: Printed Name/Title Signature Approval: Date: SEP 2 5 2006					

CLIENT:	ENVIROTECH INC. PETALUSTICAL DELIVERATION ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEMICO 67401 PHONE: (505) 632-0615	LOCATION NO
FIELD REPOR	CT: CLOSURE VERIFICATION)N PAGE NO: 1 of
QUAD/UNIT:SESE SEC	NO UNIT WELL #: 191 PIT: Sep 22 TWP: 26 M RNG: 9 W PM: JMAN CNTY: SJ ST L 800 FEL CONTRACTOR: BAILEY'S	DATE STARTED: 8/11/06 DATE FINISHED: 8/11/06 ENVIRONMENTAL SPECIALIST: GWC
EXCAVATION APPROX	FT. x Ø FT. x Ø FT. DEEP. C NA REMEDIATION MI LEASE: KS: PIT LOCATED APPROXIMATELY 35' F NEAREST WATER SOURCE: 21000 NEAREST S	UBIC YARDAGE: ETHOD: NA FORMATION: T. 200° FROM WELLHEAD.
NMOCD RANKING SCORE: 10 SOIL AND EXCAVATION	NMOCD TPH CLOSURE STD: 1, COO PPM	CHECK ONE: PIT ABANDONED X STEEL TANK INSTALLED
*	FIELD 418.1 CALCULATIE TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FRE	
SCALE 0 FT	930 Bottom 3' Below BET 5,0 20 OVM	4 10 40
I MH	SAMPLE FIELD HEADSPACE PILD (ppm) 1 hattor 0 2 3 4 5 LAB SAMPLES SAMPLE ANALYSIS TIME	PIT PROFILE
TRAVEL NOTES: CALLOUT:	ONSITE:	



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

11-Aug-06

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100	000	
	200 500 1000	208	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Mug Call

8/2, /06

Review

8/21/05 Date



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Discrete Sample 3' below BGT

Project #:

92115-046-016

Sample No.:

Date Reported:

8/18/2006

Sample ID:

Date Sampled:

8/11/2006

Sample Matrix:

Soil Cool Date Analyzed: Analysis Needed:

8/11/2006 TPH-418.1

Preservative: Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

40.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfano Unit 192

Instrument callibrated to 200 ppm standard. Zeroed before each sample