District I
1625 N. French D., Hobbs, NM 88240
District II
J301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🖾 No 🗌

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔯 Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Operator: Burlington Resources Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Huerfano Unit 283 API #: 30045238350000 ___ U/L or Qtr/Qtr __O _ Sec __35 _ T __26N __R 9W __ Latitude <u>36.43958</u> Longitude -107.75510 NAD: 1927 **☒** 1983 **☐** County: San Juan Surface Owner: Federal State Private Indian Pit Below-grade tank Type: Drilling | Production | Disposal | Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness mil Clay No. Tank in place prior to Rule 50. Pit Volume_ Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 10 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. **Additional Comments:** The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Date: SEP 2 5 2006

Resources

ENVIROTECH INC

ENVIRONMENTAL SCIENTISTS & ENGINEERS 5786 U.S. HIGHWAY 65-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 OF_ LOCATION: NAME: HURPANS WELL #: 283 PIT: DATE STARTED: 9/1/06 DATE FINISHED: 91106 QUAD/UNIT: O SEC: 35 TWP: ZUN RNG: 9W PM: NMM CNTY: ST ST: NM ENVIRONMENTAL QTR/FOOTAGE: 790'S 1540'E CONTRACTOR: Builey's EXCAVATION APPROX. ____ FT. x ____ FT. DEEP. CUBIC YARDAGE: __-O-DISPOSAL FACILITY: NA REMEDIATION METHOD: LAND USE: LEASE: SF-078103-B FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 44' FT. _ FROM WELLHEAD DEPTH TO GROUNDWATER: 0 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10 NMOCD RANKING SCORE: 10 NMOCD TPH CLOSURE STD: 1000 PPM CHECK DNE __ PIT ABANDONED SOIL AND EXCAVATION DESCRIPTION: STEEL TANK INSTALLED Slight discoloration along w/slight hydrocerbon abor below BCT. At 3' Bos Below slight odor still present but no staining. No soil removed from site. FIELD 418.1 CALCULATIONS SAMPLE I.D. LAB No: WEIGHT (g) mL. FREON DILUTION READING CALC. ppm TIME) 20 3' Below 0.063 437 SCALE 1140 FT OVM PIT PERIMETER PIT PROFILE RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 13' Below 73 000 LAB SAMPLES x= Sarph point TRAVEL NOTES: _____ ONSITE: ____ CALLOUT: __



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Discrete, 3' Below BG Tank

Project #:

92115-046-023

Sample No.:

1

Date Reported:

9/1/2006

Sample ID:

Soil

Date Sampled:

9/1/2006

Sample Matrix:

JUII

Date Analyzed:

9/1/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

437

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfano Unit 283



Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

Burlington Resources

Project #:

92115-046-023

Sample ID:

QA/QC

Date Reported:

9/1/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:

N/A 1/24/2005

Sample Matrix: Preservative:

Freon-113 N/A Date Analyzed:
Date Extracted:

1/24/2005

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

05-22-04

1/24/2005

1,735

1,754

1.1% +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Huerfano Unit 283

Analyst

Review