Submit 3 Copies to Appropriate District Office

CONDITIONS OF APPROVAL, IF ANY:

State of New Mexico Energy, Minerals and Natural Resources Department

## CONSERVATION DIVISION

COLFDEN PACE C-101
--------------------

DATE \_\_

ASTRICT I O. Box 1980, Hobbs, NM 88240  P.O. Box 2		WELL API NO.	
Santa Fe, New Mexic		30-039-26393 5. Indicate Type of Lease	
O. Drawer DD Artesia, NM 88210			FEE 🗾
<u>01STRICT III</u> 000 Rio Brazos Rd., Aztec, NM 87410		6. State Oil & Gas Lease No.	
SUNDRY NOTICES AND REPORTS ON (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEI DIFFERENT RESERVOIR. USE "APPLICATION FOR	PEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name	
(FORM C-101) FOR SUCH PROPOSALS.)			
1. Type of Well: OIL GAS WELL OTHER		Bear Com 23	
2. Name of Operator		8. Well No.	
McElvain Oil & Gas Properties, Inc.  3. Address of Operator		9. Pool name or	
1050 17th Street Suite 1800 Denver, CO 802 4. Well Location	265	Blanco Mesaverde	
Unit Letter D: 1100 Feet From The N	orth Line and	1100 Feet From The West	Line
Section 23 Township 26N	Range 2W	NMPM Rio Arriba	County
7496' GL	hether DF,RKB,RT,GR,etc.)		10 to
11. Check Appropriate Box to Indicat			
NOTICE OF INTENTION TO:	SUE	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLIN	NG OPNS. PLUG AND ABANDON	MENT
PULL OR ALTER CASING	CASING TEST AND	EMENT JOB	
OTHER: Abandon and Recomplete	OTHER:		_ 🗆
12. Describe Proposed or Completed (Clearly state all pertinent de Operations.	etails, and give pertinent dates, in	cluding estimated date of starting any proposed	work)
McElvain proposes to permanently abandon the each of the following depths: 8227',8056', of cement placed with a dump bailer.			
Intervals within the Mesaverde section will	-	FEB 2001 FECTIVED DIST. 3	
I hereby certify that the information above is true and complete to the best of m	y knowledge and		
SIGNATURE JOHN & Standle	TITLE Engineering Ma	nager DATE February	2,2001
TYPE OR PRINT NAME John D. Steuble		TELEPHONE NO. 303-89	
(This space for State Use)	PETUTY OIL & GAS INSI		2001

District I

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised August 15, 2000

District II

811 South First, Artesia, NM 88210

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

District IV

320

District III


2040 South Pacheco, Santa Fe, NM 87505

1000 Rio Brazos Rd., Aztec, NM 87410

05	AMENDED REPORT
WELL LOCATION AND ACREAGE DEDICATION PLAT	

<sup>1</sup> API Number 30-039-26393			<sup>2</sup> Pool Code 72319			<sup>3</sup> Pool Name Blanco Mesaverde				
<sup>4</sup> Property			<sup>5</sup> Property Name			6 V	<sup>6</sup> Well Number			
					Bear Com	23		İ	1	
OGRID No. SOPERATOR Name						,	<sup>9</sup> Elevation			
22044 McElvain Oil & Gas Propert					Properties, Inc.		7496'			
					<sup>10</sup> Surface I	ocation		<u> </u>		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
D	23	26N	2W	1	1100	North	1100	West	Rio Arriba	
			<sup>11</sup> Bott	tom Hol	e Location If	Different Fron	n Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
			L			·				
12 Dedicated Acre	es 13 Joint o	r Infill 14 C	onsolidation C	Code 15 Or	der No.	<u>-:</u>				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



BEAR COM 23 #1 TOC @ 158' (Bond Log) 1100 FNL & 1100 FWL Section 23-T26N-R2W Rio Arriba County SURFACE CASING in 12 1/4" hole 9 5/8" 36# J-55 @ 547 300 sxs Class B +CaCl & flakes Circulated to Surface MV Recompletion 368 sxs Class B +additives -3295' DV Tool Pictured Cliffs: 3832 320 sxs Dowell LiteCrete 125 sxs 50/50 POZ +additives Circulated to DV @ 3295' Mesaverde: 5616--5902' DV Tool Mancos: 6174 --6174' CIBP +35'Cement Cap Gallup: 7093 🗨 -7093' CIBP +35'Cement Cap 22 Perfs 7102-7378 (LE) 22 Perfs 7454-7553 (LE) 23 Perfs 7600-7852 (LE) Greenhorn: 8056 --8056' CIBP +35'Cement Cap Dakota: 8227 -8227' CIBP +35'Cement Cap PRODUCTION CASING in 8 3/4" hole 5 1/2" 15.5/17# J-55/N-80 @ 8508 435 sxs 50/50 POZ +additives Circulated to DV @ 5902' TD: 8508' Diagram: 0' to 8508' VERT Scale: 1"=688'

2 Feb 2001 File: Bear23\_1.WP4