Submit 3 Copies To Appropriate District Office	State of New		rivdio-	13 - % Form C-103
District I 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and N	atural Resources	WELL API NO.	May 27, 2004
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION	ON DIVISION	30-039-29568	
District III   1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. F		5. Indicate Type of STATE	Lease FEE
District IV	Santa Fe, NM	87505	6. State Oil & Gas	
1220 S. St. Francis Dr., Santa Fe, NM 87505	4	017		
SUNDRY NOTI (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC	CES AND REPORTS ON WEI SALS TO DRILL OR TO DEEPEN OR CATION FOR PERMIT" (FORM C <sup>E</sup> 10)	PLUGYBACK TOTA	CHAMPLIN	Init Agreement Name
PROPOSALS.)	Gas Well Other	W. Carlo	8. Well Number #	7 <b>B</b>
2. Name of Operator	7	West &	9. OGRID Number	17352
PATINA SAN JUAN, INC.  3. Address of Operator		- Ch	10. Pool name or W	Vildent
5802 US HIGHWAY 64, FARMI	NGTON, NM 87401	1797 Jan	BASIN DK/BLAN	
4. Well Location Unit Letter B	685 feet from the NOR		705 feet from the	<b>EAST</b> line
Section 25	Township 27N 11. Elevation (Show whether	- 0		ARRIBA County
Pit or Below-grade Tank Application 0 0	7275' GR			
Pit type X reserve Depth to Groun		earest fresh water well>	-1000' Distance from ne	arest surface water <u>&gt;1000'</u>
Pit Liner Thickness: 12 m	nil Below-Grade Tank: Volume	bbls; Constru	iction Material reinforced	polyethylene plastic
12. Check A	Appropriate Box to Indicate	e Nature of Notice,	Report or Other D	ata
NOTICE OF IN			SEQUENT REP	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	PLUG AND ABANDON  CHANGE PLANS	REMEDIAL WOR		LTERING CASING  AND A
TEMPORARILY ABANDON DULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN		ANDA
OTHER: COMMINGLE PR	ODUCTION	OTHER:		
13. Describe proposed or comp of starting any proposed we or recompletion.	oleted operations. (Clearly state ork). SEE RULE 1103. For Mu			
Patina San Juan Inc. proposes the	downhole commingle of the P	asin Dakota (pool #7)	1599) and Blanco Me	sa Verde (pool #72319)
in this wellbore. Both of these poo	ols are pre-approved under NN	MOCD Order #11563.		
1				
		OH	624201	42
I hereby certify that the information grade tank has been/will be constructed or	above is true and complete to the closed according to NMOCD guideling	e best of my knowledg es ⊠, a general permit □	ge and belief. I further of or an (attached) alternati	certify that any pit or below- ve OCD-approved plan □.
SIGNATURE	usetitle	REGULATORY C	OMPLIANCE 1	DATE <u>05/28/2006</u>
Type or print name JEAN M. N	1USE E-mail address:	imuse@nobleenergy	vinc.com Telephone	No. <b>505-632-8056</b>
For State Use Only	. 1			A a m
	-/// // // ·	XEPUTY OIL & GAS INS	PECTOR, DIST. 🚱	OCT 13 200
APPROVED BY:  Conditions of Approval (if any):	TITLE	i		DATE
The state of the s			Ø	

## Patina San Juan, Inc. 5802 US Highway 64 Farmington, NM 87401

Champlin #5B API 30-039-29567 UL "E" Sec 25, T27N – R4W Rio Arriba County, New Mexico

Champlin #5C API 30-039-29616 UL "M" Sec 25, T27N – R4W Rio Arriba County, New Mexico

Champlin #7 API 30-039-29568 UL "B" Sec 25, T27N – R4W Rio Arriba County, New Mexico

Re: Application to Down-Hole Commingle

The commingling of the Basin Dakota and Blanco Mesa Verde pools in this wellbore will not reduce the value of the remaining production. Commingling these pools should increase the value of the remaining reserves due to using the remaining reservoir energy in both zones to produce the wells.

Commingling operations conducted on other similar wells have resulted in increased production rates and greater reserves than producing the zones separately.

Jean M. Muse

Regulatory Compliance Patina San Juan, Inc.

## **Statement of Notification**

Champlin #5B API 30-039-29567 UL "E" Sec 25, T27N – R4W Rio Arriba County, New Mexico

Champlin #5C API 30-039-29616 UL "M" Sec 25, T27N – R4W Rio Arriba County, New Mexico

Champlin #7 API 30-039-29568 UL "B" Sec 25, T27N – R4W Rio Arriba County, New Mexico

No notification is required for these wells; the interested parties in the Blanco Mesa Verde and Basin Dakota formations are identical.

Jean M. Muse

Regulatory Compliance Patina San Juan, Inc.

## **Recommended Allocation for Commingle**

Well: Champlin #7B

30-day average production based on Offset Well Performance (see attached decline curves)

G	Zone	Average MCFD	Percentage of total flow
а	MV	83	69%
s	DK	38	31%
	Total	121	100%

0	Zone	Average BOPD	Percentage of total flow
i	MV	0.2	29%
1	DK	0.5	71%
	Total	0.7	100%

Recommended allocation for future downhole commingled production

Zone	Gas	Oil
MV	69%	29%
DK	31%	71%
Total	100%	100%