Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED	
OM B No. 1004-0137	
Expires: March 31, 200	ľ

5.	Lease Serial	No.
----	--------------	-----

SK W C アシワテロ SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE- Other instructions on reverse side. 1. Type of Well Oil Well Northeast Blanco Unit ✓ Gas Well Other 8. Well Name and No. **NEBU 240** 2. Name of Operator Devon Energy Production Company, L.P. API Well No. 30-045-33495 3a. Address 3b. Phone No. (include area code) 405-552-7917 PO Box 6459, Navajo Dam, NM 87419 10. Field and Pool, or Exploratory Area Rosa Pictured Cliffs 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State SL - 1,160' FNL & 1,135' FWL, NW NW, Unit D, Sec. 18, T31N, R6W BHL - Same 1,315. San Juan, NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Production (Start/Resume) Water Shut-Off Deepen Notice of Intent Alter Casing Reclamation Well Integrity Fracture Treat Other Casing and Cement Casing Repair Subsequent Report New Construction Recomplete Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Drilled 12 1/4" hole to 318' on 9/17/06, set 14 jts of 9 5/8", H-40, ST&C, 32.3# casing at 314'. Cemented w/200 sx (42 bbls) "G" cement w/2% CaCl and 1/4# PSX Floseal. Circulated 20 bbls of cement to surface. Test casing to 2,000 psi. Drilled 8 3/4" hole to 3,220' on 9/20/06, set 73 jts of 7", J-55 LT&C, 23# casing at 3,208'. Cemented lead w/573 sx (150 bbls) 50/50 POZ cement w/3% Gel, 5# Gilsonite, 1/4# Flocele, 0.1% CFR 3, 0.4% Halad 344 and tail w/75 sx (16 bbls) Class "G" cement w/0.4% Halad 344. Circulated 24 bbls of cement to surface. Tested casing to 2,000 psi. Drilled 6 1/4" hole to 3,781' on 9/22/06, set 83 jts 4 1/2", J-55, LT&C, 11.6# casing at 3,746'. Cemented lead w/200 sx (52 bbls) 50/50 POZ w/2% Gel, 2/10% Veraset, 1/10% Diacel LWL and tail w/150 sx (39 bbls) 50/50 POZ, 3% Gel, 1 4/105 Halad 9, 1/10% CFR3, 5# Gilsonite & 1/4# Flocele. No cement to surface, top of cement is at 350'. Tested casing to 1500 psi. Landed 2 3/8" production tubing at 3,611'. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Melisa Zimmerman Title Senior Operations Technician Signature Date 10-9-06 在HS SPACE FOR FEDERAL OR STATE OFFICE USE Date Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

(Instructions on page 2)

which would entitle the applicant to conduct operations thereon.

OCT 1 6 2006

ACCEPTED FOR RECORD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department of the statements of representations as to any matter within its jurisdiction.