District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address:    P.O. Box 420, Farmington. New Mexico 87401	Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Address: P.O. Box 420, Farmington, New Mexico 87401  Facility or well name: April Surprise No. 2 API#: 30-045-23892 U/L or Qttr/Qtr L Sec 30 T 24N R 9W  County: San Juan Latitude 36.28291 Longitude 107.83642 NAD: 1927   1983   Surface Owner Federal, State   Private   Indian    Pit Type: Drilling   Production Double Disposal   Volume: bbl Type of fluid: Construction material:   Lined   Unlined Double-walled, with leak detection? Yes   If not, explain why, not   Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	(505)225 1821 a mail address			
Facility or well name: April Surprise No. 2				
County: San Juan Latitude 36.28291 Longitude 107.83642 NAD: 1927   1983   Surface Owner Federal, State   Private   Indian      Pit   Type: Drilling   Production   Disposal   Volume:   bbl Type of fluid:	12902 LUI on Otri Otri I Son 20 T 24N P OW			
Pit Type: Drilling   Production   Disposal   Volume:   bbl Type of fluid:   Carry   Workover   Emergency   Construction material:   Double-walled, with leak detection? Yes   If not, explain why, not   Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)				
Type: Drilling ☐ Production ☑ Disposal ☐  Workover ☐ Emergency ☐  Lined ☐ Unlined ☑  Liner type: Synthetic ☐ Thicknessmil Clay ☐  Pit Volume51 ±bbl   Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Volume:bbl Type of fluid:	NAD. 1927 1983 Suitace Owner recealand State Frivate Indian			
Type: Drilling ☐ Production ☑ Disposal ☐  Workover ☐ Emergency ☐  Lined ☐ Unlined ☑  Liner type: Synthetic ☐ Thicknessmil Clay ☐  Pit Volume51 ±bbl   Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Volume:bbl Type of fluid:	Pit Relow-grade tank			
Liner type: Synthetic   Thickness mil Clay    Pit Volume 51 ± bbl  Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Double-walled, with leak detection? Yes   If not explain why, not    Less than 50 feet   50 feet or more, but less than 100 feet   100 feet or more   (0 points)    Yes   No    Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)				
Liner type: Synthetic   Thickness mil Clay    Pit Volume 51 ± bbl  Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Double-walled, with leak detection? Yes   If not explain why, not    Less than 50 feet   50 feet or more, but less than 100 feet   100 feet or more   (0 points)    Yes   No    Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Workover ☐ Emergency ☐ Construction material:			
Liner type: Synthetic Thicknessmil Clay	No. 1 Carlotte March 1984 Aller 1984			
Pit Volume51 ±bbl  Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Less than 50 feet	- 1887)			
high water elevation of ground water.)  50 feet or more, but less than 100 feet 100 feet or more  (10 points)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 1000 feet  (10 points)  (20 points)  (0 points)  (10 points)				
high water elevation of ground water.)  50 feet or more, but less than 100 feet 100 feet or more  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet (10 points) (0 points) (10 points) (10 points) (10 points) (10 points)				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  100 feet or more (0 points)  No (0 points)  Less than 200 feet (20 points)  200 feet or more, but less than 1000 feet (10 points)	or more, but less than 100 feet (10 points)			
water source, or less than 1000 feet from all other water sources.)  No  Less than 200 feet from all other water sources.)  Opints  Under the private domestic water source, or less than 1000 feet from all other water sources.  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet or more, but less than 1000 feet 200 feet 200 feet or more, but less than 1000 feet 200 feet 200 feet 200 feet or more, but less than 1000 feet 200 feet 20	or more ( 0 points)			
water source, or less than 1000 feet from all other water sources.)  No  (0 points)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet (10 points)  (10 points)	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet 200	( 0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 S1 (20 moints)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	l i			
1000 feet of more				
Ranking Score (Total Points)				
f this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box in	ip to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
our are burying in place) onsite 🗵 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including	. (3) Attach a general description of remedial action taken including			
emediation start date and end date. (4) Groundwater encountered: No 🔀 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)				
Attach soil sample results and a diagram of sample locations and excavations.				
Additional Comments:				
12' x 12' x 2'± deep unlined production pit, center located at approximately 81 feet South 27° East of wellhead.	eet South 27º East of wellhead			
Use backhoe to dig into pit and sample. Submit 5-point composite sample to laboratory for testing.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade to has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Date: October 17, 2006	111 C Bloc			
Printed Name/Title Jeffrey C Blagg, Agent  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water	Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.	the operator of liability should the contents of the pit or tank contaminate ground water or or of its responsibility for compliance with any other federal, state, or local laws and/or			
Approval: PRESIDENCE OF R GAS INSPECTOR DIST 455	/			
Printed Name/Title	nature Brandon Tonol Date:			

36.28291 × 107.83642

50-045-23892



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Apr. Surprise #2 - Prod	Date Reported:	10-11-06
Laboratory Number:	38754	Date Sampled:	10-04-06
Chain of Custody No:	14709	Date Received:	10-06-06
Sample Matrix:	Soil	Date Extracted:	10-09-06
Preservative:	Cool	Date Analyzed:	10-10-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Various Pit Closures

5-Point @ 5'

Analyst P. Ogler

A hristian waters
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Apr. Surprise #2 - Prod	Date Reported:	10-10-06
Laboratory Number:	38754	Date Sampled:	10-04-06
Chain of Custody:	14709	Date Received:	10-06-06
Sample Matrix:	Soil	Date Analyzed:	10-10-06
Preservative:	Cool	Date Extracted:	10-09-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	2.8	1.7
Ethylbenzene	19.3	1.5
p,m-Xylene	19.1	2.2
o-Xylene	12.1	1.0
Total BTEX	53.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Various Pit Closures 5-Point @ 5'

Analyst C. Coffee

( Moture of Wasters



## Chloride

Client: Blagg / Dugan Project #: 94034-010 Sample ID: Apr. Surprise #2 - Prod Date Reported: 10-10-06 Lab ID#: 38754 10-04-06 Date Sampled: Sample Matrix: Soil Date Received: 10-06-06 Preservative: Cool Date Analyzed: 10-10-06 Condition: Cool and Intact Chain of Custody: 14709

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

220

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

**Various Pit Closures** 

5-Point @ 5'

Mustine m Walters
Analyst

Alexa C. Colina