RCVD DCT26'0E District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONS. DIV. State of New Mexico Energy Minerals and Natural Resources
Oil Conservation Division

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closur	<u>e</u>
Is pit or below-grade tank covered by a "general plan"? Yes No	

Type of action: Registration of a pit o	Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐				
•	(505) 326-9841 e-mail address: <u>LH</u>	asely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: Huerfano Unit 70 API #	t:30045059750000	tr/Qtr <u>C</u> Sec <u>8</u> T <u>26N</u> R <u>10W</u>			
County: San Juan Latitude	36.50750 Longitude -107.92258	NAD: 1927 🛛 1983 🔲			
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil				
Workover	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.				
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.				
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	( 0 points) 0			
	Too leet of more	( o points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
•	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) 10			
	Ranking Score (Total Points)	10			
1	Ranking Score (Total Totals)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility _	(3) Attach a general description of remedial action	n taken including remediation start date and end			
date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth belo	w ground surfaceft. and attach sample	results.			
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.				
Additional Comments:					
The soils tested clean and no soil remediation was required.					
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 10/23/06  Drieted Name/Fiths Mr. Ed Hosely Equipmental Advisor Simply Simply					
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval:	//	2005			
Approval:  Printed Name/Title Signature B D Date: Date: DCT 2 6 2006					

CLIENT: Brington Resources	ENVIROTECH INC.  ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615			LOC		D:	
FIELD REPOR	CT: CLOSU	JRE VI	ERIFIC	CATION	PAGE	No:	1_ of\
LOCATION: NAME: Hvu fa.  QUAD/UNIT: C SEC:  QTR/FOOTAGE: 890'N	8 TWP: 26N RNG	: 10W PM:1	MAM CNT	Y: <b>よう</b> ST: <b>N</b>	M DATE	FINISHED: _	10/2/06 10/2/06 MPM
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	N/A LEAS	E: <b>µ</b> M	EMEDIATI 0433	ON METH	HOD: ORMATI	ON:	
FIELD NOTES & REMAR  DEPTH TO GROUNDWATER: O  NMOCD RANKING SCORE: 10  SOIL AND EXCAVATIO  No signs of in buch present for cenoused from six	NEAREST WATER S  NMOCD TPH CLOSUS  N DESCRIPTION:  Pactol Soil proses  € cet Lucet	RE STD: 106	<u>О</u> N	EAREST SURF	ACE WATE  CHE PIT STEE	R: ECKON ABANDON L TANK	NED INSTALLED
SCALE		LAB No:	WEIGHT (g)	<del>                                     </del>		READING	<b></b>
0 FT PIT PERIME	ETER	OVM RESULTS		PI	Γ PR	L OFILE	1
Landfamit, Congressor Separator  Separator	SAMPLE  SAMPLE  SAMPLE  SAMPLE	PLE FIELD HEVER PID (1)	DSPACE ppm	3	*		t-g
TRAVEL NOTES. CALLOUT:		ON	SITE:				_



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-046-024

Sample No.:

1

Date Reported:

10/2/2006

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

10/2/2006

Sample Matrix:

Soil Cool Date Analyzed:

10/2/2006

Preservative: Condition:

Cool and Intact

Analysis Needed:

TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

51.3

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit 70** 

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865



## EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

**Burlington Resources** 

Project #:

92115-046-024

Sample ID:

QA/QC

Date Reported:

10/2/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

10/2/2006

Preservative:

Condition:

N/A N/A Date Extracted:
Analysis Needed:

10/2/2006 TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

العليونيونية المحيوسة يتورو الاستأساس

05-22-04

10/2/2006

1,735

1,667

3.9%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

**Detection Limit** 

**TPH** 

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Huerfano Unit 70

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865