District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade	Tank Registration	or Closure

Type of action: Registration of a pit	nk covered by a "general plan"? Yes 🔀 or below-grade tank 🔲 Closure of a pit or below	-grade tank 🔀
Operator: BP America Production Company Telepho	ne: <u>(505)326-9200</u> e-mail address:	
Address: 200 Energy Ct, Farmington, NM 87401		
Facility or well name: GCU COM E #161 API#:	•	
County: San Juan Latitude	Longitude	NAD: 1927 🔲 1983 🔀
Surface Owner: Federal 🔀 State 🗌 Private 🗍 Indian 🗍		
Pit	Below-grade tank	SCAD NOA1.
Type: Drilling 🗌 Production 💢 Disposal 🗌	Volume:bbl Type of fluid:	
Workover	Construction material:	OIL CONS. I
Lined 🗌 Unlined 🔲	Double-walled, with leak detection? Yes 🔲 I	
Liner type: Synthetic Thicknessmil Clay _		DIST. 3
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	100 feet of filore	(o points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,		
tion canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
our are burying in place) onsite offsite foffsite, name of facility offsite for start date and end date. (4) Groundwater encountered: No Attach soil sample results and a diagram of sample locations and excavate	Yes [] If yes, show depth below ground surface_	
Additional Comments:		
See Attached Documentation		
•		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling.	t of my knowledge and belief. I further certify these Sales a general permit , or an (attached) alto	nat the above-described pit or below-grade tank ernative OCD-approved plan
	4	
Date:11/01/2005	111-0 0	
Printed Name/Title Jeffrey C. Blagg, Agent Signa	ture Jeffly C. She	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the cont the operator of its responsibility for compliance w	ents of the pit or tank contaminate ground water or ith any other federal, state, or local laws and/or
Printed Name/Title	Signature By Rall	NOV 1 7 2006

CLIENT: BP	BLAGG ENGI P.O. BOX 87, BLO (505) 6	,	1	LOCATION NO: <u>81024</u> C.O.C. NO: <u>9098</u>
FIELD REPORT	: PIT CLOSURE	VERIFICA	TION	PAGE No: _ f of _ f
LOCATION: NAME: GCL S QUAD/UNIT: Q SEC: 73	TWP: Z9N RNG: 13W		i	DATE STARTED: 7/25 02 DATE FINISHED:
QTR/FOOTAGE 10205/19	STE SWISE CONTRACTOR	R: FLINT (BEN	\	ENVIRONMENTAL NV
EXCAVATION APPROX	A FT x <u>NA</u> FT x	<u>NA</u> FT. DEEF	CUBIC	YARDAGE: NA
DISPOSAL FACILITY:				i
LAND USE: RANGE -B	LEASE:	NM 0738	47 FOR	MATION: DK
FIELD NOTES & REMAR	······································			
DEPTH TO GROUNDWATER: >15			AREST SURFACE	WATER: _ >1060'
NMOCD RANKING SCORE:	NMOCD TPH CLOSURE STD:		M CALIB DE	AD. <u>54./</u> ppm
SOIL AND EXCAVATIO	<u>N</u>			S = 100 ppm RF = 0.52
DESCRIPTION:	_	TIM	E: 1420 a	m/pm DATE: 7/25/02
SOIL TYPE: SAND/SILTY:	SAND / SILT / SILTY CLAY	/ CLAY / GRAVEL	. / OTHER <u>6</u>	BEDROCK (JANDSTONE)
COHESION (ALL DTHERS) NO	ON COHESIVE / SLIGHTLY CO	HESIVE / COHESI	VE / HIGHLY	
CONSISTENCY (NON COHESIVE				זר / טולטו / פו גיזור
DENSITY (COHESIVE CLAYS &				CLOSED
MOISTURE: DRY / SLIGHTLY				
DISCOLORATION/STAINING DB:	NO EXPLANATION - ENTIRE	E 1EST HOLE & C	oum sample	E.
SAMPLE TYPE: GRAB / COM ADDITIONAL COMMENTS: COLL	IPOSITE - # OF PTS	OIL IMMEDIATELY	about BEDIS	OCK.
(BEDROCK)				
[BOTTOM]	FIF	LD 418.1 CALCUL	ATIONS	
SCALE SAMP. TIM		r		TION READING CALC. ppm
0 FT				
PIT PERIM		VM	PIT	PROFILE
		ULTS		
1 A	SAMPLE	FIELD HEADSPACE PID (ppm)		A '
BERM	1 @ 5.5	287		381
Beart	7 3 e			BERM
	4 @ 5 @			>
£ [0]	38		z.5	اساكر
MELL MEAD			~	
HEAD			3	*
	LAB Si	AMPLES	, ,	BÉORGE?
38,	10	LYSIS TIME		
		(8015B) 1435 (8021B) "		
D.D DIM DEDDEGGIAN D.C.		PRISTED		
P.D. = PIT DEPRESSION; B.G. T.H. = TEST HOLE; ~ = APPRO				
TRAVEL NOTES: CALLOUT:	7/25/02 - AFTER.	ONSITE: 7/2	s/oz - AFTER	ζ
I				

revised: 02/27/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Det.

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5.5'	Date Reported:	07-29-02
Laboratory Number:	23422	Date Sampled:	07-25-02
Chain of Custody No:	9098	Date Received:	07-26-02
Sample Matrix:	Soil	Date Extracted:	07-26-02
Preservative:	Cool	Date Analyzed:	07-29-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Limit (mg/Kg)
Gasoline Range (C5 - C10)	958	0.2
Diesel Range (C10 - C28)	1,530	0.1
Total Petroleum Hydrocarbons	2,490	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU Com E #161 Blow Pit Grab Sample.

Analyst C. Odecen

Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5.5'	Date Reported:	07-29-02
Laboratory Number:	23422	Date Sampled:	07-25-02
Chain of Custody:	9098	Date Received:	07-26-02
Sample Matrix:	Soil	Date Analyzed:	07-29-02
Preservative:	Cool	Date Extracted:	07-26-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	121	1.8
Toluene	1,200	1.7
Ethylbenzene	458	1.5
p,m-Xylene	2,760	2.2
o-Xylene	1,320	1.0
Total BTEX	5,860	en en la companya de

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

GCU Com E #161 Blow Pit Grab Sample.

Analyst . Cyclin