Form 3160-5 (June 1990)

Approved by

Conditions of approval, if any:

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135[5] . 3

				-
Expires:	March	31	1993	

1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Recompletion New Construction New Construction Non-Routine Fracturing Casing Repair Water Shut-Off Conversion to Injection Other Spud, surface casing Dispose Water	DONE NO OF EXAMPLEMENT				Expires. March 01,1995
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir, Use "APPLICATION FOR PERMIT." for such proposals. SUBMIT IN TRIPLICATE	SUNDRY NOTICES AN	ID REPORTS ON V	VELLS NOV 30 A	M 11	(I I.L. "
Use "APPLICATION FOR PERMIT." for such proposals. SUBMIT IN TRIPLICATE 1. Type of Well 2. Name of Operator Dugan Production Corp. 3. Address and Telephone No. 9. API Well No. 3. Odd 5 33943 Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory And 1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION Notice of Inlent Recompletion Notice of Inlent Recompletion Non-Routine Fracturing Cashing Repair Highligh Back Non-Routine Fracturing Abandonment Notice Recompletion Non-Routine Fracturing Attention Cashing Repair Attention Conversion to Injection Dispose Water Misser Sub-Coff Conversion to Injection Dispose Water Misser Sub-Coff Other Spud, surface casing Dispose Water Misser Sub-Coff Dispose Dispose Misser Sub-Coff Dispose Dispose Misser Sub-Coff Dispose				oir.	· · · · · · · · · · · · · · · · · · ·
SUBMIT IN TRIPLICATE 1. Type of Well Other 2. Name of Operator Diggan Production Corp. 3. Address and Telephone No. PO. Box 420, Farmington, NM 87499 (505) 325 - 1821 10. Field and Pool, or Exploratory And 10. Field and Pool, or Exploratory And 11. Country or Parlah, State San Juan, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Subsequent Report Plugging Back Casing Repair Casing Repair Casing Repair Casing Repair Conversion to Injection 13. Describe Prozoed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally critical gree submurbace locations and measured and true vertical depths for all markers and conseperative to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140°. Run 7" 23# J-55 csg. Land @ 130°, float collar @ 90°. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# cellofilake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.			TEOLIV	b., 12	
1. Type of Well			- Urb Hallini		100
2. Name of Operator Dugan Production Corp. 3. Address and Telephone No. PO. Box 420, Farmington, NM 87499 (505) 325 - 1821 3. Odd 533943 Location of Well (Footage, Sec., T., R. M., or Survey Description) 1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 17PE OF SUBMISSION 18 Recompletion Notice of Intent Abandonment Recompletion Notice of Intent Abandonment Subsequent Report Plugging Back Non-Routine Fracturing Attenting Casing Other Spud, surface casing Dispose Water Conversion to Injection 13. Describe Proposed or Completed Operations (Clearly state all partitivent desalts, and give permant dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perfinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.		<u> </u>			7 If Light or CA Agreement Designation
Well Well Other Spud, surface casing Dispose Water Subscription Subscription Dispose Water Subscription Su					7. If Onit of CA, Agreement Designation
Dugan Production Corp. 3. Address and Telephone No. P.O. Box 420 , Farmington, NM 87499 (505) 325 - 1821 Location of Well (Footage, Sec., T., R., M., or Survey Description) 1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates. Including estimated date of starting any proposed work. If well is directionally dilled. 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent details, and give pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/11/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	1 1 4 1	Other			
3. Address and Telephone No. P. O. Box 420 , Farmington, NM 87499 (505) 325 - 1821 30 045 33943 10. Field and Pool, or Exploratory An 1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 11. Country or Parish, Statis San Juan, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Recompletion Non-Routine Fracturing Back Saing Back Saing Back Saing Back Casing Repair State Shut-Off Conversion to Injection Dispose Water (Note: Report and to multiple completion Completion or Recompletion Completion or Recompletion Completion Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depits for all markers and zones pertinent to this work, I' Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	2. Name of Operator				8. Well Name and No.
3. Address and Telephone No. P. O. Box 420 , Farmington, NM 87499 (505) 325 - 1821 30 045 33943 10. Field and Pool, or Exploratory An 1475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 11. Country or Parish, Statis San Juan, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Recompletion Non-Routine Fracturing Back Saing Back Saing Back Saing Back Casing Repair State Shut-Off Conversion to Injection Dispose Water (Note: Report and to multiple completion Completion or Recompletion Completion or Recompletion Completion Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depits for all markers and zones pertinent to this work, I' Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	·			Arviso #1	
Location of Weil (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory An 475' FSL & 860' FWL (NW/4 SW/4) Unit L, Sec. 5, T24N, R8W, NMPM 11. County or Parish, State San Juan, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION Notice of Intent Abandonment Recompletion New Construction New Construction New Construction New Construction Non-Routline Fracturing Casing Repair Other Dispose Water Water Shut-Off Other Dispose Water Will Report mains of multiple completion Report and Log for Conversion to Injection Unique of Intention of Completion or Recompletion Report and Log for Subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cerment w/55 sx Type 5 cerment w/39', CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cerment. NU BOP. Pressure test csg to 700 psig for 30 mins, held.				9. API Well No.	
Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory An Potwin Pictured Cliffs 11. County or Parlsh, State San Juan, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 17PE OF ACTION Notice of Intent Abandonment Recompletion New Construction New Construction New Construction New Construction Non-Routine Fracturing Altering Casing Other Other Spud, surface casing Dispose Water Non-Routine Fracturing Other Spud, surface as including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertnent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/39', CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	•			30 045 33943	
Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Recompletion New Construction Rew Construction Non-Routine Fracturing Casing Repair Conversion to Injection Dispose Water Water Shut-Off Conversion to Injection Dispose Water Wither Report actions of Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cernent w/55 sx Type 5 cernent w/3% Cacliz w/1/4# celloffake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.				10. Field and Pool, or Exploratory Area	
Unit L, Sec. 5, T24N, R8W, NMPM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Recompletion New Construction Rew Construction Non-Routine Fracturing Casing Repair Conversion to Injection Dispose Water Water Shut-Off Conversion to Injection Dispose Water Wither Report actions of Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cernent w/55 sx Type 5 cernent w/3% Cacliz w/1/4# celloffake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	1475' ESL 8 860' EMI (NIMIA SMIA)				Potwin Pictured Cliffs
San Juan, NM	,				
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION Abandonment	One E, 666. 6, 12414, 13644, 14141 141				1
TYPE OF SUBMISSION Notice of Intent	12 CHECK APPROPRIATE BOX(s) TO INDIC	CATE NATURE OF	NOTICE REPORT O	OR O	
Notice of Intent	· · · · · · · · · · · · · · · · · · ·	3,112 11,110,112 O.			
Recompletion New Construction New Construction Non-Routine Fracturing Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Altering Casing Conversion to Injection Dispose Water (Note: Report results of multiple completion on Completion or Recompletion Report and Log for Completion and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.		☐ Abandonment	111201710110		Change of Plans
Subsequent Report Plugging Back Casing Repair Other Spud, surface casing Dispose Water Competent results of multiple completion on Competent or Recompletion Report and Log for give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Spud 8-3/4" hole on 11/16/06. Drillled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.		=		Ħ	_
Casing Repair	Subsequent Report	<u> </u>		Ξ	
Final Abandonment Notice Altering Casing Other Spud, surface casing Dispose Water (Note: Report results of multiple completion on Completion or Recompletion Report and Log for Spud, surface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	C. Cabodanii Napoli	= "		=	•
Other Spud, surface casing Dispose Water (Note: Report results of multiple completion or Completion or Recompletion Report and Log for give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.	Final Abandonment Notice			\exists	
(Note: Report results of multiple completion on Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.			Snud surface casing		
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Spud 8-3/4" hole on 11/16/06. Drilled to 140'. Run 7" 23# J-55 csg. Land @ 130', float collar @ 90'. Cement w/55 sx Type 5 cement w/3% CaCl2 w/1/4# celloflake/sx. Displace w/4 bbls water. Circ 3 bbls cement. NU BOP. Pressure test csg to 700 psig for 30 mins, held.		<u></u>	<u> </u>	_	(Note: Report results of multiple completion on Well
14. I hereby certify that the foregoing is true and correct	Spud 8-3/4" hole on 11/16/06. Drill 90'. Cement w/55 sx Type 5 ceme	s for all markers and zones pertined to 140'. Run 7" : int w/3% CaCl2 w/1/	nent to this work.)* 23# J-55 csg. Land @ /4# celloflake/sx. Disp) 130' lace v	, float collar @
Signed Vice-President Date 11/28/2006	Signed John Alland	Wice Vice	e-President c	rate	11/28/2006

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fiction or frau to a crime for any person knowingly and willfully to make to any department or agency of the United States any false, first the crime for any person knowingly and will a crime for any person knowingly and will a crime for any person knowingly and the crime for any person know and the crime for any person

Title



Date

