

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: CORNELL A #1E API #: 30045 24132 U/L or Qtr/Qtr N Sec 10 T 29 N R 12 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**  
Type: Drilling ☐ Production ☒ Disposal ☐  
Workover ☐ Emergency ☐  
Lined ☐ Unlined ☐  
Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐  
Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**  
Volume: \_\_\_\_\_ bbl Type of fluid: MA  
Construction material: \_\_\_\_\_  
Double-walled, with leak detection? Yes ☐ If no, explain why not. \_\_\_\_\_

RCVD DEC18'06

OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	( 0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. #1

Printed Name/Title \_\_\_\_\_

Signature Bob Bell

Date: DEC 18 2006

CLIENT: BP
**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**
LOCATION NO: B1122COCR NO: 10543**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1
 LOCATION: NAME: CORNELL A WELL#: 1E TYPE: SEP  
 QUAD/UNIT: N SEC: 10 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM  
 QTR/FOOTAGE: 910'S/1760'W SE/SEW CONTRACTOR: FLINT (BEN)
DATE STARTED: 1/13/03

DATE FINISHED:


ENVIRONMENTAL SPECIALIST: JCBEXCAVATION APPROX. 15 FT. x 15 FT. x 2 FT. DEEP. CUBIC YARDAGE: 25DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LANDFARMLAND USE: RANGE - BLM LEASE: NM 073718 FORMATION: DKFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 96 FT. N 81° E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**OVM CALIB. READ. = 131.2 ppmOVM CALIB. GAS = 250 ppm RF = 0.52TIME: 1335 am/pm DATE: 1-13-02SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK Sandstone @ 6'SOIL COLOR: Yellow TANCOHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - BLACK @ Sandstone SurfaceHC ODOR DETECTED: YES NO EXPLANATION - STRONGSAMPLE TYPE: GRAB/COMPOSITE - # OF PTS.
 ADDITIONAL COMMENTS: USE BACKHOE TO DIG TEST TRENCH. HIT FIRM Bedrock  
Sandstone @ 6' BG. will Set 95 BBL Steel  
tank in Excavation. Instruct crew to Remove Discolored Soil!  
BEDROCK Bottom
**SCALE**

0 1 FT

**PIT PERIMETER****FIELD 418.1 CALCULATIONS**\* LANDFARM


SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6'	274
2 @	
3 @	
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
1 @ 6'	TPH/STEX	1200

BOTH PASSED**PIT PROFILE**
 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

 CALLOUT: 1/13/03 1040 ONSITE: 1/13/03 1145

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: Sep 1 @ 6'  
Laboratory Number: 24557  
Chain of Custody No: 10543  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 01-14-03  
Date Sampled: 01-13-03  
Date Received: 01-14-03  
Date Extracted: 01-14-03  
Date Analyzed: 01-14-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	38.0	0.2
Diesel Range (C10 - C28)	32.6	0.1
Total Petroleum Hydrocarbons	70.6	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell A 1E.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Blagg / BP  
Sample ID: Sep 1 @ 6'  
Laboratory Number: 24557  
Chain of Custody: 10543  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool & Intact

Project #: 94034-010  
Date Reported: 04-14-03  
Date Sampled: 01-13-03  
Date Received: 01-14-03  
Date Analyzed: 01-14-03  
Date Extracted: 01-14-03  
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	217	1.7
Ethylbenzene	192	1.5
p,m-Xylene	1,100	2.2
o-Xylene	353	1.0
Total BTEX	1,860	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cornell A 1E.

  
Analyst

  
Review

CLIENT: BPBLAGG ENGINEERING, INC.  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 81122

C.O.C. NO: \_\_\_\_\_

## FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: CORNEIL A WELL #: 1E PITS: SEP.DATE STARTED: 3/24/05QUAD/UNIT: N SEC: 10 TWP: 29N RNG: 12W PM: NM CNTY: ST ST: NM

DATE FINISHED: \_\_\_\_\_

QTR/FOOTAGE: \_\_\_\_\_ SEISW CONTRACTOR: \_\_\_\_\_

ENVIRONMENTAL  
SPECIALIST: NV

SOIL REMEDIATION: \_\_\_\_\_

25

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: \_\_\_\_\_

LAND USE: RANGE - BLMLIFT DEPTH (ft): 4

## FIELD NOTES &amp; REMARKS:

NMOCB RANKING SCORE: 0 NMOCB TPH CLOSURE STD: 5,000 PPMDEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_SOIL COLOR: OK. YEL. ORANGECOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION: \_\_\_\_\_HC ODOR DETECTED: YES / NO EXPLANATION: \_\_\_\_\_SAMPLING DEPTHS (LANDFARMS): 24 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 5


ADDITIONAL COMMENTS: \_\_\_\_\_

CLOSED

## FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

## SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ. 53.4 ppm  
OVM CALIB. GAS = 100 ppm; RF = 0.52  
TIME: 12:10 am DATE: 3/24/05

## OVM RESULTS

## LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (8015.8)	1345	ND

P.C. 1/13/03

SCALE



0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 3/24/05

revised: 07/16/01

bei1006A.skd

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-28-05
Laboratory Number:	32448	Date Sampled:	03-24-05
Chain of Custody No:	13400	Date Received:	03-25-05
Sample Matrix:	Soil	Date Extracted:	03-25-05
Preservative:	Cool	Date Analyzed:	03-28-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell A #1E - Landfarm 5 Pt. Composite Sample.**

  
Analyst

  
Review