

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Dugan Production Corp</u> Telephone: <u>(505)325-1821</u> e-mail address: _____		
Address: <u>P.O. Box 420, Farmington, New Mexico 87401</u>		
Facility or well name: <u>Dome Navajo 20-22-7 No. 1</u> API #: <u>30-043-20408</u> U/L or Qtr/Qtr <u>H</u> Sec <u>20</u> T <u>22N</u> R <u>7W</u>		
County: <u>Sandoval</u> Latitude <u>36.12775</u> Longitude <u>107.59226</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/> Surface Owner Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input checked="" type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>77 ±</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____ _____	RCVD DEC14'06 OIL CONS. DIV. DIST. 3
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 0 (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) 0 (0 points)
	Ranking Score (Total Points)	0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
12' x 12' x 3'± deep unlined production pit, center located at approximately 72 Feet South 40° West of wellhead
Use backhoe to dig into pit and sample. Submit 5-point composite sample from pit walls and base
for laboratory testing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines <input checked="" type="checkbox"/> , a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input type="checkbox"/> .		
Date: <u>December 11, 2006</u>		
Printed Name/Title <u>Jeffrey C Blagg, Agent</u>	Signature <u>Jeffrey C. Blagg</u>	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		
Printed Name/Title <u>DEPUTY OIL & GAS INSPECTOR, DIST. 3</u>	Signature <u>Bob Bell</u>	Date: <u>DEC 14 2006</u>

CLIENT: <u>DUGAN</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____ COCR NO: <u>14725</u>
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
LOCATION: NAME: <u>DUGAN AV. 20-22-7</u> WELL #: <u>1</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>H</u> SEC: <u>20</u> TWP: <u>22N</u> RNG: <u>7W</u> PM: <u>NM</u> CNTY: <u>SN</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1600 FUL x 990 FEL</u> CONTRACTOR: <u>SIERRA-HAROLD</u>		DATE STARTED: <u>11-13-06</u> DATE FINISHED: <u>11-13-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>		
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>		
LAND USE: <u>RANGE</u> LEASE: <u>N00-C-14-20-5595</u> FORMATION: <u>CHACRA</u>		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>72'</u> FT. <u>S 40W</u> FROM WELLHEAD.		
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>		
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>500</u> PPM		
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.1</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0630</u> am/pm DATE: <u>11/13</u>
SOIL TYPE: SAND <u>(SILTY SAND / SILT)</u> SILTY CLAY / CLAY / GRAVEL / OTHER _____		
SOIL COLOR: <u>TAN</u>		
COHESION (ALL OTHERS): NON COHESIVE <u>(SLIGHTLY COHESIVE)</u> COHESIVE / HIGHLY COHESIVE		
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE		
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC		
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD		
MOISTURE: DRY <u>(SLIGHTLY MOIST)</u> MOIST / WET / SATURATED / SUPER SATURATED		
DISCOLORATION/STAINING OBSERVED <u>(YES)</u> NO EXPLANATION - <u>DARK GRAY 3'-6' IN center only</u>		
HC ODOR DETECTED: <u>(YES)</u> NO EXPLANATION - <u>V. MINOR</u>		
SAMPLE TYPE: GRAB <u>(COMPOSITE)</u> # OF PTS. <u>5</u>		
ADDITIONAL COMMENTS: <u>12' x 12' x 3' ± Deep Unlined Pit. USE BACKHOE to dig into pit & sample.</u>		

SCALE 0 FT	FIELD 418.1 CALCULATIONS																																								
	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																		

PIT PERIMETER 	OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>5-PE</td><td>0.0</td></tr> <tr><td>6'</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		5-PE	0.0	6'								PIT PROFILE
SAMPLE ID	FIELD HEADSPACE (ppm)																							
1 @																								
2 @																								
3 @																								
4 @																								
5 @																								
5-PE	0.0																							
6'																								
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> <tr> <td>5-PE</td> <td>T/B/CL</td> <td>1220</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>			SAMPLE ID	ANALYSIS	TIME	5-PE	T/B/CL	1220																
SAMPLE ID	ANALYSIS	TIME																						
5-PE	T/B/CL	1220																						

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; - = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:	CALLOUT: _____	ONSITE: <u>11/13/07</u>
---------------	----------------	-------------------------

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome Navajo 20-22-7 #1	Date Reported:	11-24-06
Laboratory Number:	39218	Date Sampled:	11-13-06
Chain of Custody No:	14725	Date Received:	11-17-06
Sample Matrix:	Soil	Date Extracted:	11-20-06
Preservative:	Cool	Date Analyzed:	11-24-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pit Closures 5-Point Composite**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome Navajo 20-22-7 #1	Date Reported:	11-24-06
Laboratory Number:	39218	Date Sampled:	11-13-06
Chain of Custody:	14725	Date Received:	11-17-06
Sample Matrix:	Soil	Date Analyzed:	11-24-06
Preservative:	Cool	Date Extracted:	11-20-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	3.0	1.7
Ethylbenzene	9.4	1.5
p,m-Xylene	7.0	2.2
o-Xylene	ND	1.0
Total BTEX	19.4	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pit Closures 5-Point Composite


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Dome Navajo 20-22-7 #1	Date Reported:	11-21-06
Lab ID#:	39218	Date Sampled:	11-13-06
Sample Matrix:	Soil	Date Received:	11-17-06
Preservative:	Cool	Date Analyzed:	11-21-06
Condition:	Cool and Intact	Chain of Custody:	14725

Parameter


Concentration (mg/Kg)


Total Chloride

382

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Pit Closures 5-Point Composite


Analyst


Review