

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct, Farmington, NM 87401  
Facility or well name: CORNELL D #1 API #: 30045 08476 U/L or Qtr/Qtr 0 Sec 12 T 29 N R 12 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit  
Type: Drilling ☐ Production ☐ Disposal ☒  
Workover ☐ Emergency ☐  
Lined ☐ Unlined ☐  
Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐  
Pit Volume \_\_\_\_\_ bbl

Below-grade tank

Volume: \_\_\_\_\_ bbl Type of fluid: WATER  
Construction material: \_\_\_\_\_  
Double-walled, with leak detection? Yes ☐ If no, explain why not. \_\_\_\_\_

RCVD DEC 18 '06  
OIL CONS. DIV  
DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal  
high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

( 0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic  
water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

( 0 points)

0

Distance to surface water: (horizontal distance to all wetlands, playas,  
irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

( 0 points)

0

Ranking Score (Total Points)

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if  
you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including  
remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.  
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank  
has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or  
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or  
regulations.

Approval:  
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 4

Signature Bob Pull

Date: DEC 18 2006

CLIENT: BP
**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**
LOCATION NO: B1158COCR NO: 10658**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1
 LOCATION: NAME: CORNELL D WELL #: 1 TYPE: SEP  
 QUAD/UNIT: 0 SEC: 12 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM  
 QTR/FOOTAGE: 1136'S / 1625'E SW/SE CONTRACTOR: FLINT (BEN)

 DATE STARTED: 2-24-03  
 DATE FINISHED: 2-24-03
ENVIRONMENTAL SPECIALIST: JCREXCAVATION APPROX. 18 FT. x 12 FT. x 6 FT. DEEP. CUBIC YARDAGE: 0DISPOSAL FACILITY: NO CLOSE AS IS ON-SITE REMEDIATION METHOD: CLOSE AS ISLAND USE: RANGE - BUN LEASE: NM 073792 FORMATION: DKFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 159 FT. S88°W FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**
 OVM CALIB. READ. = 131.3 ppm  
 OVM CALIB. GAS = 250 ppm RF = 0.52  
 TIME: 1420 am/pm DATE: 2-24-03
SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHERSOIL COLOR: Yellow TANCOHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION -HC ODOR DETECTED: YES (NO) EXPLANATION -


SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.

 ADDITIONAL COMMENTS: EARTHEN PIT. USE BACKHOE TO DIG TRENCH ACROSS PIT.  
NO EVIDENCE OF CONTAMINATION. WILL SET 95 BBL STEEL  
tank in Pit.
CLOSED**FIELD 418.1 CALCULATIONS**

SCALE




0 FT

**PIT PERIMETER****OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9'	0.0
2 @ 9'	0.0
3 @ 9'	0.0
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
2 @ 9'	TPH	1435
<u>BOTH PASSED</u>		

**PIT PROFILE**
 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

 CALLOUT: 2-24-03 1255 ONSITE: 2-24-03 1345

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: SEPARATOR 2 @ 9'  
Laboratory Number: 24916  
Chain of Custody No: 10658  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 02-25-03  
Date Sampled: 02-24-03  
Date Received: 02-24-03  
Date Extracted: 02-25-03  
Date Analyzed: 02-25-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell D #1.**

  
Analyst

  
Review

CLIENT: BPBLAGG ENGINEERING, INC.  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 81158C.O.C. NO: 13400

## FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: CORNELL D WELL #: 1 PITS: PROD. TANKDATE STARTED: 3/24/05QUAD/UNIT: 0 SEC: 12 TWP: 29N RNG: 12W PM: Nm CNTY: ST ST: Nm

DATE FINISHED: \_\_\_\_\_

QTR/FOOTAGE: \_\_\_\_\_ SWISE CONTRACTOR: \_\_\_\_\_

ENVIRONMENTAL SPECIALIST: NV

SOIL REMEDIATION: \_\_\_\_\_

30

REMEDATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: \_\_\_\_\_

LAND USE: RANGE - BLMLIFT DEPTH (ft): 1-2

## FIELD NOTES &amp; REMARKS:

NMOCB RANKING SCORE: 0 NMOCB TPH CLOSURE STD: 5000 PPMDEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_SOIL COLOR: MOSTLY OK. YELL. ORANGE, SOME VARYING GRAY - SAMPLE PTS. (2) & (5)COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE~~PLASTICITY~~ (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION: VARYING GRAY IN SAMPLE PTS. (2) & (5)HC ODOR DETECTED: YES / NO EXPLANATION: SLIGHTLY IN DISCOLORED SOIL PORTION ONLY.SAMPLING DEPTHS (LANDFARMS): 12-18 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 5

ADDITIONAL COMMENTS: \_\_\_\_\_

CLOSED

## FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

## SKETCH/SAMPLE LOCATIONS

↑ N

OVM CALIB. READ. 53.4 ppm

OVM CALIB. GAS = 100 ppm; RF = 0.52

TIME: 12:10 am/pm DATE: 3/24/05

## OVM RESULTS

## LAB SAMPLES


SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (80158)	1240	ND

P.C. 2/24/03

SCALE



0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 3/24/05

revised: 07/16/01

bei1006A.skd

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-28-05
Laboratory Number:	32446	Date Sampled:	03-24-05
Chain of Custody No:	13400	Date Received:	03-25-05
Sample Matrix:	Soil	Date Extracted:	03-25-05
Preservative:	Cool	Date Analyzed:	03-28-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell D #1 - Landfarm 5 Pt. Composite Sample.**

  
Analyst

  
Review