

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct, Farmington, NM 87401
Facility or well name: CORNELL D #1E API #: 30045 24086 U/L or Qtr/Qtr A Sec 12 T 29 N R 12 W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit
Type: Drilling ☐ Production ☐ Disposal ☒
Workover ☐ Emergency ☐
Lined ☐ Unlined ☐
Liner type: Synthetic ☐ Thickness _____ mil Clay ☐
Pit Volume _____ bbl

Below-grade tank
Volume: _____ bbl Type of fluid: MA
Construction material: _____
Double-walled, with leak detection? Yes ☐ If no, explain why not.

RCVD DEC 18 '06

OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	<input type="radio"/>
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	<input type="radio"/>
	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	<input type="radio"/>
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			<input type="radio"/>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Brenda D. Hall

Date: DEC 18 2006

CLIENT: BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: B1127

COCR NO: 10559

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: CORNELL D WELL #: 1E TYPE: BLOW

DATE STARTED: 1-20-03

DATE FINISHED: 1-20-03

QUAD/UNIT: A SEC: 12 TWP: 29N RRG: 12W PM: NM CNTY: SJ ST: NM

ENVIRONMENTAL SPECIALIST: JCB

QTR/FOOTAGE: 830'N/790'E NEIWE CONTRACTOR: FLINT (BEN)

EXCAVATION APPROX. 12 FT. x 10 FT. x 4 FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: NM 073792 FORMATION: DK

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 45 FT. N71°E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCB RANKING SCORE: 0 NMOCB TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 129.5 ppm
OVM CALIB. GAS = 250 ppm RF = 0.52
TIME: 0940 am/pm DATE: 1-20-03

SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SHALE BEDROCK @ 9' BG

SOIL COLOR: Yellow TAN

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): (SOFT) FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - Very Minor Stripping

HC ODOR DETECTED: YES NO EXPLANATION - MINOR

SAMPLE TYPE: GRAB COMPOSITE - # OF PTS.

ADDITIONAL COMMENTS: USE BACKHOLE TO DIG TEST TRENCH. HIT SHALESTONE

BELOW BOTTOM

BEDROCK @ 9' BG

CLOSED

FIELD 418.1 CALCULATIONS


SCALE

0 1 FT
N


SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER

PIT PROFILE



OVM READING		
SAMPLE ID	FIELD HEADSPACE (ppm)	
1 @ 8'	26A	
2 @		
3 @		
4 @		
5 @		
LAB SAMPLES		
SAMPLE ID	ANALYSIS	TIME
DOB	TPH/BTEX	0925
BOTH ASSESSED		



P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: 1-20-03 0730 ONSITE: 1-20-03 0845

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP
Sample ID: Blow 1 @ 8'
Laboratory Number: 24607
Chain of Custody No: 10559
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 94034-010
Date Reported: 01-21-03
Date Sampled: 01-20-03
Date Received: 01-20-03
Date Extracted: 01-21-03
Date Analyzed: 01-21-03
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	692	0.2
Diesel Range (C10 - C28)	231	0.1
Total Petroleum Hydrocarbons	923	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell D 1E.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow 1 @ 8'	Date Reported:	01-21-03
Laboratory Number:	24607	Date Sampled:	01-20-03
Chain of Custody:	10559	Date Received:	01-20-03
Sample Matrix:	Soil	Date Analyzed:	01-21-03
Preservative:	Cool	Date Extracted:	01-21-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	28.1	1.8
Toluene	1,060	1.7
Ethylbenzene	305	1.5
p,m-Xylene	1,570	2.2
o-Xylene	577	1.0
Total BTEX	3,540	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cornell D 1E.


Analyst


Review