District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gra	ide tank 🔀
Operator: BP America Production Company Telephor	ne:(505)326-9200e-mail address:	
Address: 200 Energy Ct, Farmington, NM 87401		
Facility or well name: CASE R # 1A API #: 3	0045 ZZ836 U/L or Qu/Qu D	SecT
County: San Juan Latitude	Longitude	NAD: 1927 🔲 1983 🔀
Surface Owner: Federal 🔀 State 🗌 Private 🔲 Indian 🗍		
<u>Pit</u>	Below-grade tank	RCVD DEC12'
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	A DIL CONS. DI
Workover	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If no	, explain why not.
Liner type: Synthetic Thicknessmil Clay _	/ V /	
Pit Volumebbl	,	\
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
The state of the s	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
·	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(To points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
our are burying in place) onsite offsite forfsite, name of facility_ emediation start date and end date. (4) Groundwater encountered: No 5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments:	Yes If yes, show depth below ground surface	
See Attached Documentation		
l hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the same of the	he above-described pit or below-grade tank tive OCD-approved plan .
Date: 11/01/2005	1.	
Printed Name/Title Jeffrey C. Blagg, Agent Signate	ure Jeffy C. Sligz	
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
Approval: OFFITY OIL & GAS INSPECTOR, DIST. Printed Name/Title	Signature Brand Jeff	DEC 1 2 2006

0.0			NEERING	-	LOC	CATION NO:	B0942
CLIENT: BP	P.O. BOX	87, BLO (505) 632		, NIVI 8/4	ı	CR NO:	///33
FIELD REPORT	: PIT CL	OSURE	VERIF	ICATIO	N PAG	E No:/	of/
LOCATION: NAME: CASE						STARTED: _/	0/15/03
QUAD/UNIT: D SEC: 5 QTR/FOOTAGE: 818/2/92					ENVIE SPEC	RONMENTAL IALIST:	NV
EXCAVATION APPROX	<u>10</u> FT. x	: 10 FT.	x <u>5</u> FT	. DEEP. CL	JBIC YARI	DAGE: _	25
DISPOSAL FACILITY:	08-517	Ę	REMEDIA	TION METHO	OD: _	LANDFA	am
LAND USE: RANGE - B	<u> </u>	LEASE:	SF 078	095	FORMAT	ION:	nv/PC
FIELD NOTES & REMAR	KS: PIT LOC	ATED APPROX	(IMATELY 12	3 FT	5 43€	_ FROM \	VELLHEAD.
DEPTH TO GROUNDWATER: >10	NEAREST W	ATER SOURCE:	>1000	NEAREST S	URFACE WAT	TER: _ >/	000
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 P	РМ			
SOIL AND EXCAVATIO	N DESCRIPT	ION:		OVM CALIB.			RF = 0.52
				TIME: 8.4			
SOIL TYPE: SAND I SILTY SAN SOIL COLOR:	D / SILT / SILTY	CLAY / CLAY /	GRAVEL / OTH	ER BEDROC	Y SAN	NSTONE	Σ
COHESION (ALL OTHERS): NON CO	HESIVE / SLIGHTLY	COHESIVE / CO	HESIVE / HIGHLY	COHESIVE	C1. 61007		
CONSISTENCY (NON COHESIVE SO					_		
PLASTICITY (CLAYS): NON PLASTIC DENGITY (COHESIVE CLAYS & SILTE				HIGHLY PLAST	С	(0	COZED)
MOISTURE: DRY / SLIGHTLY MOIST	MOIST / WET / SAI	WRATED/SUPE	R SATURATED				
DISCOLORATION/STAINING OBSERV						SWEAR	乏
SAMPLE TYPE: GRAB/ COMPOSITE	- # OF PTS. —			,			
ADDITIONAL COMMENTS: PIT FOR	TO ARRIVAL	CALLECTE	D SAMPE	FROM BEDRO	T. 57146	E PIT DEP	CESSION CONTRACTOR
	+ SUGHTLY			70116 2000	3WC	mce	<u> </u>
SCALE GALLE TO		T	LD 418.1 CALC			1	
SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
			1			1	
0 FT							
<u> </u>	FR 4N				PIT F	PROFIL	
0 FT PIT PERIMET	ER AN		VM		PIT F	PROFILI	Ξ ,
<u> </u>	ER #N	REA	DING	A	PIT F		E
PIT PERIMET		REA SAMPLE	FIELD HEADSPACE (ppm)	A	PIT F	PROFILI	/
PIT PERIMET		REA SAMPLE	DING FIELD HEADSPACE	A		10'	/
PIT PERIMET		REA SAMPLE	FIELD HEADSPACE (ppm)	A			/
PIT PERIMET	ORIGINAL SI	REA SAMPLE	FIELD HEADSPACE (ppm)	A	\	10'	4
PIT PERIMET		REA SAMPLE ID , 1@7.5 2@ 3@ 4@	FIELD HEADSPACE (ppm)	T -		101 SERM -	4
PIT PERIMET		REA SAMPLE ID , 1@7.5 2@ 3@ 4@	FIELD HEADSPACE (ppm)	A	\	101 SERM -	4
PIT PERIMET		REA SAMPLE ID , 1@7.5 2@ 3@ 4@	FIELD HEADSPACE (ppm)	T -	T _{3.5} '	101 SERM -	4
PIT PERIMET		REA SAMPLE ID, 1@7.5 2@ 3@ 4@ 5@	NDING FIELD HEADSPACE (ppm) 85.4	T -]3.5'	101 3.5	4
PIT PERIMET TO WELL HEAD 14 A GERM 14		REA SAMPLE ID 1@7.5 2@ 3@ 4@ 5@ LAB SAMPLE AN	AMPLES	7.5']3.5'	101 SERM -	4
PIT PERIMET		REA SAMPLE ID 1@7.5 2@ 3@ 4@ 5@ LAB S/ SAMPLE AN DE7.5 TPH	AMPLES VALYSIS TIME (80158)	7.5']3.5'	SERM - 3.5 DROCK (SS)	4
PIT PERIMET TO WELL HEAD 14 SAMPLE PT. DESIGNATION	OFIGNAL SI	REA SAMPLE ID 1@7.5 2@ 3@ 4@ 5@ LAB S/ SAMPLE AN DE7.5 TPH	AMPLES	7.5'	T3.5'	SERM - 3.5 DROCK (SS)	4
PIT PERIMET TO WELL HEAD 14 SAMPLE PT.	ORIGINAL SI	REA SAMPLE ID 1@7.5 2@ 3@ 4@ 5@ LAB S/ SAMPLE AN DE7.5 TPH	AMPLES VALYSIS TIME (80158)	7.5'	T3.5'	SERM - 3.5 DROCK (SS)	A



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7.5'	Date Reported:	10-21-03
Laboratory Number:	26908	Date Sampled:	10-15-03
Chain of Custody No:	11133	Date Received:	10-15-03
Sample Matrix:	Soil	Date Extracted:	10-17-03
Preservative:	Cool	Date Analyzed:	10-20-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Case B #1A Separator Pit - Grab Sample.

(Mistine my Walters
Analyst

Review

The second secon	أتبيرها وبالشائل والبراث والتناقدين أبور فالمناف وألمن وروايين	برين بالمسيوس فالشروبي المائد المستفاد المستفاد والمستوالة المتعارب			
CLIENT: BP	BLAGG ENG	SINEERING, INC.	LOCATION NO: 88942		
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			C.O.C. NO: /4480		
FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION					
LOCATION: NAME: CASE	\mathcal{B} WEL	L# 1-A PITS: COMPR.	DATE STARTED: 9/16/05		
		PM:NYM CNTY: ST ST: NY			
QTR/FOOTAGE:	HW/W CON	TRACTOR:	ENVIRONMENTAL SPECIALIST:		
SOIL REMEDIATION:			75		
_	M: LANDFARM	APPROX. CUBIC	YARDAGE: 25		
LAND USE:	INGE - Brw	LIFT DEPTH (ft):	0.5 -1		
FIELD NOTES & REMAR	KS: DEPTH TO GROUNDWATER:	NEAREST SURFA	CE WATER: > /, 000		
NEAREST WATER SOURCE: >1,0	200 NMOCD RANKING	SCORE: O NMOCD TPI	1 CLOSURE STD: 5000 PPM		
SOIL TYPE: SAND SILTY SAN					
SOIL COLOR: COHESION (ALL OTHERS): NO	N COHESIVEY SLIGHTLY COM	ESIVE COHESIVE / HIGHLY COL	4ESN/E		
CONSISTENCY (NON COHESIV	Control of the Contro		ILSIVE		
PLASTICITY (GLAYS): NON PLA	,		IGHLY PLASTIC		
DENSITY (COHESIVE CLAYS & MOISTURE: DRY/ SLIGHTLY M					
DISCOLORATION/STAINING OB					
HC ODOR DETECTED: YES/N			2000		
SAMPLING DEPTHS (LANDFAR	MS): $6-8$ (INCHES)	W DISCOSCO P	مرابع مدم		
SAMPLE TYPE: GRAB / COMP			(Alaska)		
ADDITIONAL COMMENTS:			(COSE)		
SKETCH/SAMPLE L	OCATIONS	OVM CALIB. READ. = 50	· 9 ppm (CHECK)		
	LANDFARM	17.55			
	PERIMETE	OVM RESULTS			
	BERM	 	LAB SAMPLES MPLE ANALYSIS TIME RESULTS		
(()	ID (ppm)	ID TOWN		
R G		LF-1 0.0 LF	-1 (80,58) 1325 ND		
TO WELL	3				
HEAD	*				
	Men wen				
	HEAD				
7	_	P.C	· - 10/12/03		
DESIGNAT		SCALE	J		
0 FT					
TRAVEL NOTES: CALLOUT:	NA	ONSITE:			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	09-21-05
Laboratory Number:	34357	Date Sampled:	09-16-05
Chain of Custody No:	14480	Date Received:	09-19-05
Sample Matrix:	Soil	Date Extracted:	09-19-05
Preservative:	Cool	Date Analyzed:	09-21-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Case B #1A Landfarm 5

5 Pt. Composite Sample.

Analyst C. Option

/ Minter M Walters Review