District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

n r. For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure ROWN DECISION Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank DIST. A Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Angel Peak No. 500 API #: 30045283030000 __ U/L or Qtr/Qtr __L Sec __7 T__28N _R 10W NAD: 1927 ⊠ 1983 □ Latitude 36.67344 Longitude -107.94295 County: San Juan Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐ Pit Below-grade tank Type: Drilling | Production | Disposal | Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Double-walled, with leak detection? Yes \(\subseteq\) If not, explain why not. Lined Unlined U Liner type: Synthetic Thickness mil Clay No. Tank in place prior to Rule 50. Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) 0 Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 10 **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲. Date: 11/16/00 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. LEAS INSPECTOR DISTLASIFICATION DEC 1 9 2006

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: 1 of 1		
LOCATION: NAME: Angel Peak WELL #: 533 PIT: QUAD/UNIT: & L SEC: 7 TWP: 28N RNG: 10W PM:NMPM CNTY:55 ST:NM QTR/FOOTAGE: CONTRACTOR: Bailey's	DATE STARTED: 10 31 04 DATE FINISHED: 10 31 04 ENVIRONMENTAL SPECIALIST: MPM		
EXCAVATION APPROXFT. xFT. xFT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY:A REMEDIATION METHOD: LAND USE: LEASE:			
SOIL AND EXCAVATION DESCRIPTION:	<u>CHECK ONE:</u> PIT ABANDONED STEEL TANK INSTALLED		
Ple visible or obors detected. No soil removed from site. FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm			
SCALE O FT OVM OVM DITE DEDINGERED OVM	1 0.0094 65.2		
PIT PERIMETER RESULTS SAMPLE FIELD HEADSPACE PRO (ppm) 13 Belaw 14 2 3 4 5 LAB SAMPLES SAMPLE ANALYSIS TIME TRAVEL NOTES: CALLOUT: ONSITE:	PROFILE		



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

92115-046-037

Sample No.:

1

Project #:
Date Reported:

10/31/2006

Sample ID:

Discrete, 3' Below BG Tank

10/31/2006

Sample Matrix:

Soil

Date Sampled: Date Analyzed:

10/31/2006

Preservative:

Condition:

Cool and Intact

Analysis Needed: TF

TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

65.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Angel Peak No. 500

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

Burlington Resources

Project #:

92115-046-037

Sample ID:

QA/QC

Date Reported:

10/31/2006

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

10/31/2006

Preservative:

N/A

Date Extracted:

10/31/2006

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference Accept. Range

05-22-04

10/31/2006

1,735

1,724

0.6% +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Angel Peak No. 500

Analyst

Review