<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

	de Tank Registration or Closur k covered by a "general plan"? Yes \(\overline{\overline{N}}\) No [		<u> </u>		
	r below-grade tank  Closure of a pit or below-grade				
Address: 3401 East 30 <sup>th</sup> Street, Farmington, New Mexico, 87402  Facility or well name: Cooper B No. 1E API #:  County: San Juan Latitude	(505) 326-9841 e-mail address: LHa 30045242120000 U/L or Qtr/0 36.73574 Longitude -108.02603	Qtr <u>P</u> Sec <u>7</u> T			
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐	Poloni grado tank				
Pit  Type: Drilling   Production   Disposal    Workover   Emergency    Lined   Unlined    Liner type: Synthetic   Thicknessmil   Clay    Pit Volumebbl	Below-grade tank         Volume:       40_bbl       Type of fluid:       Produced Water and Incidental Oil       RCUD DE OIL CON         Construction material:       Steel       OIL CON         Double-walled, with leak detection?       Yes ☐ If not, explain why not.       DISI         No. Tank in place prior to Rule 50.       DISI				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more		10		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points)	0		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	10		
	Ranking Score (Total Points)		20		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite  offsite  If offsite, name of facility date. (4) Groundwater encountered: No  Yes  If yes, show depth belo (5) Attach soil sample results and a diagram of sample locations and excavat Additional Comments:  The soils tested clean and no soil remediation was required.	(3) Attach a general description of remedial action ow ground surfaceft. and attach sample	taken including remedi			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline  Date: 12/19/cc  Printed Name/Title Mr. Ed Hasely, Environmental Advisor  Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve to	s , a general permit , or an (attached) alternation Signature  Signature Sig	ive OCD-approved pla	n .		
Approval:  Approval:  Signature Bland Page 1997 1997 1997 1997 1997 1997 1997 199	DEC 2 8 201				

2 1- 1		ENV	TROTEC	1 INC				
CLIENT: Birtington  Misoures		SALVANIA PRODUCTOR	NTAL SCIENTIST:				LOCATION NO:	
		5796 FARMII	U.S. HIGHWAY NGTON, NEW ME ONE: (505) 632	64-3014 XICO 87401			C.D.C. NO	);
FIELD REPOR	T: C	LOSU	RE V	ERIFIC	CATION	PAGE	No:	1 of 1
LOCATION: NAME: COOPE	3	WELL	#: )E	PIT:				11/4/04
QUAD/UNIT: P SEC: 7 TWP: 29NRNG: 11W PM: NAMM CNTY: ST ST: NAM				~ <u> </u>		11/u/su		
						<del></del>	NMENTAL ALIST:	
EXCAVATION APPROX.								,
DISPOSAL FACILITY: LAND USE:								
FIELD NOTES & REMAR								
DEPTH TO GROUNDWATER: 10								
NMOCD RANKING SCORE: 20	NMOCD T	PH CLOSUR	E STD:	O PPM		CHE	ECK ON	= :
SOIL AND EXCAVATION	N DESCRI	PTION					ABANDON 1 TANK	ED INSTALLED
But is a steel tank, I-Booms present. Private residences located south and west of wellped. Unknown type of water present for residences. No visible signs of continuently present. No soil removed from site.								
ž	<u></u>			D 418.1 CAL				
COLLE				WEIGHT (g)	mL. FREON		8.004	
SCALE	37-17	h, lov	,		60			<i></i>
0 FT			OVM					
PIT PERIME	TER_		RESULT		PI	l' PR	OFILE	·
	· 4	13 3 2 3	FIELD I	EADSPACE (ppm)				
. 4		4						
	A Separation	5						
1	57 BGT						<b>&gt;</b>	
	LAST				7			
	į · po.	L	AB SAMPL	ES TIME	3'			
Andr		ID	AMETOIS		-	*		
7 1000					X= Scapl	_ mi	nt	
,					, - 0 pc	- 1 <sup>r</sup> ,		
TRAVEL NOTES: CALLOUT: ONSITE:								

.

.



## EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

92115-046-039

11/6/2006

Client: Burlington Resources Project #:
Sample ID: QA/QC Date Reported:
Laboratory Number: 01-24-TPH.QA/QC Date Sampled:

Laboratory Number:01-24-TPH.QA/QCDate Sampled:N/ASample Matrix:Freon-113Date Analyzed:11/6/2006Preservative:N/ADate Extracted:11/6/2006

Condition: N/A Analysis Needed: TPH

 Calibration
 I-Cal Date
 C-Cal Date
 I-Cal RF:
 C-Cal RF:
 % Difference Accept: Range

 05-22-04
 11/6/2006
 1,735
 1,695
 2.3%
 +/- 10%

Blank Conc. (mg/Kg) Concentration Detection Limit
TPH ND 5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

W Difference Accept Range

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)SampleSpike AddedSpike Result% RecoveryAccept RangeTPH2,4712,0005,030112.5%80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Cooper B No. 1E

Analyst



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

4

Sample No.: Sample ID:

Discrete, 3' Below BG Tank

Sample Matrix:

Soil

Preservative:

Cool

Condition:

Cool and Intact

Project #:

92115-046-039

Date Reported:

11/6/2006

Date Sampled:

11/6/2006

Date Analyzed:

11/6/2006

Analysis Needed: T

TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

## **Total Petroleum Hydrocarbons**

27.8

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Cooper B No. 1E

Analyst

Review