District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: ELLYOTI GC B#HA API#: 30045 ZZ339 U/L or Qtr/Qtr E Sec 13 T Z9NR 9 W NAD: 1927 🗀 1983 🔀 Latitude Longitude County: San Juan Surface Owner: Federal X State Private Indian Below-grade tank Type: Drilling Production Disposal RCVD JANDOT Volume: ___ _bbl Type of fluid: / Construction material: OIL CONS. DIV. If not, explain why not. Double-walled, with leak detection? Y Lined Unlined U Liner type: Synthetic Thickness ____mil Clay ___ Pit Volume bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal (10 points) 50 feet or more, but less than 100 feet \bigcirc high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if remediation start date and end date. (4) Groundwater encountered: No 🗹 Yes 🔲 If yes, show depth below ground surface ______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan . Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: ______ JAN 0 2 2007 DEFUTY OIL & GAS INSPECTOR, DIST. 400 Printed Name/Title

1.	GG ENGINEERING, (87, BLOOMFIELD,		LOCATION NO: 80831
(505) 632-1199		COCR NO: 10695	
FIELD REPORT: PIT CI	LOSURE VERIFI	CATION	PAGE No: of
LOCATION: NAME: ELLIOT GC B	WELL #: IF) TYPE:	COMPR.	DATE STARTED: 3/26/03
QUAD/UNIT: E SEC: 13 TWP: 2910 R	MG: PM: NM CNTY: 57	ST: HM	DATE FINISHED:
QTR/FOOTAGE: 1670/2/850 W	WINW CONTRACTOR: L &L	(BRIAN)	SPECIALIST: VV
EXCAVATION APPROX. 11 FT.			YARDAGE: 50
DISPOSAL FACILITY: ON-SI	REMEDIAT	TION METHOD:	LANDFARM
LANDUSE: RANGE - BLM	LEASE: NM 0731	<i>5</i> 7 FOR	RMATION: MU
FIELD NOTES & REMARKS: PIT LO	CATED APPROXIMATELY 105	> FT. <u>515</u>	ယ FROM WELLHEAD.
DEPTH TO GROUNDWATER: >100 NEAREST			DE WATER: _ > 1000 '
NMOCD RANKING SCORE: O NMOCD TP	H CLOSURE STD: 5000 PP		
SOIL AND EXCAVATION DESCRIP	TION:	OVM CALIB. READ	. = <u>53.3</u> ppm : / <i>O</i> ppm <u>RF = 0.52</u>
			€ 3/26/03
SOIL TYPE: SAND SILTY SAND SILT / SILTY	CLÄY / CLAY / GRAVEL / OTHE	R	
SOIL COLOR: MOO. YELL BROWN 1	to ocive GRAY minor	AMT LT. GRAY	TO BLACK NEAR PIT SURF.
COHESION (ALL OTHERS): (NON COHESIVE) SLIGHT CONSISTENCY (NON COHESIVE SOILS): (COSE (FIR		CHESIVE	
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLAS		HIGHLY PLASTIC	
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / S			Giassa
MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WED/ S. DISCOLORATION/STAINING OBSERVED: (TES) NO E.			(CL05ED)
HC ODOR DETECTED: YES / NO EXPLANATION -			
SAMPLE TYPE: GRAB COMPOSITE - # OF PTS	40		2
ADDITIONAL COMMENTS: MINUR AMOUNT TO MAY. EXTENT	OF BACKHOE.	IVISED TO EXC	SUATE TIT HIREA DOWN
	FIELD 449 4 OALOL	1. 4.7.01.0	
SCALE SAMP, TIME SAMP, ID	FIELD 418.1 CALCU		JTIONREADING CALC. (ppm)
	(g)		улогидиши отшол (ррш)
0 FT			
PIT PERIMETER A		Р	IT PROFILE
1	OVM READING		
10	SAMPLE FIELD HEADSPACE	1	
HED D	10 (ppm) 10 10 1107	4	
1 11	2 @	1	
1	3 @ 4 @	-	-
BERM	5 @]	
1.H.			
12		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	applicable
8.P.D.			
PLOD.		1	
TANK P.O.	LAB SAMPLES]	
~/' 10 pr.	DEID ANALYSIS TIME	-{	
R & Lom	" BTEX (80Z(B) "	1	
NAM.	BOTH PASSED	1	
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOT T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM	W The state of the		
TRAVEL NOTES: CALLOUT: 3/25/03 - AFTER - ONSITE: 3/26/03 - MORN .			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	03-28-03
Laboratory Number:	25220	Date Sampled:	03-26-03
Chain of Custody No:	10695	Date Received:	03-27-03
Sample Matrix:	Soil	Date Extracted:	03-27-03
Preservative:	Cool	Date Analyzed:	03-28-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	279	0.2
Diesel Range (C10 - C28)	271	0.1
Total Petroleum Hydrocarbons	550	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott GC B #1A Compressor Pit

Grab Sample.

Analyst C. Cert

Mister of Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	03-28-03
Laboratory Number:	25220	Date Sampled:	03-26-03
Chain of Custody:	10695	Date Received:	03-27-03
Sample Matrix:	Soil	Date Analyzed:	03-28-03
Preservative:	Cool	Date Extracted:	03-27-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene Toluene Ethylbenzene p,m-Xylene	27.9 499 237 769	1.8 1.7 1.5 2.2	
	688	1.0	
o-Xylene Total BTEX			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Elliott GC B #1A Compressor Pit Grab Sample.

Analyst C. Ceffer

Mistine m Wallers
Review