

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct. Farmington, NM 87401
Facility or well name: ELLINGTON GC B #1A API #: 30045 22339 U/L or Qtr/Qtr E Sec 13 T 29N R 9W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☐

Liner type: Synthetic ☐ Thickness _____ mil Clay ☐

Pit Volume _____ bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If no, explain why not. _____

RCVD JAN21'07
OIL CONS. DIV.
DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

(0 points)

0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

0

Ranking Score (Total Points)

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____

Signature Brant Bell

Date: JAN 02 2007

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80831</u> COCR NO: <u>10695</u>																																									
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																									
LOCATION: NAME: <u>ELLIDT GC 8</u> WELL#: <u>1A</u> TYPE: <u>SEP.</u> QUAD/UNIT: <u>E SEC: 13 TWP: 29N RNG: 9W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1670'N/850'W</u> SW/NW CONTRACTOR: <u>L+L (BRIAN)</u>		DATE STARTED: <u>3/26/03</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																									
EXCAVATION APPROX. <u>26</u> FT. x <u>21</u> FT. x <u>8</u> FT. DEEP. CUBIC YARDAGE: <u>125</u>																																											
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																											
LAND USE: <u>RANGE-BLM</u> LEASE: <u>NM073139</u> FORMATION: <u>MU</u>																																											
FIELD NOTES & REMARKS:																																											
PIT LOCATED APPROXIMATELY <u>129</u> FT. <u>S49W</u> FROM WELLHEAD.																																											
DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																																											
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																											
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.3</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: <u>9:56</u> am/pm DATE: <u>3/26/03</u>																																									
SOIL TYPE: <u>SAND</u> <u>SILTY SAND</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>LT. GRAY TO BLACK</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> <u>FIRM</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / <u>SATURATED</u> <u>SUPER SATURATED</u> DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION: <u>ENTIRE PIT AREA</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION: <u>ENTIRE TEST HOLE INTERVAL + OVM SAMPLE.</u> SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: <u>PIT CONTAINED SUBSTANTIAL AMOUNT OF FLUID. ADVISED TO EXCAVATE PIT AREA DOWN TO MAX. EXTENT OF BACKHOE.</u>																																											
FIELD 418.1 CALCULATIONS																																											
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																		
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																				
PIT PERIMETER	PIT PROFILE																																										
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 10'</td><td>915</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>1 @ 10'</td> <td>TPH (8015B)</td> <td>0949</td> </tr> <tr> <td>"</td> <td>BTEX (8015B)</td> <td>"</td> </tr> <tr> <td colspan="3" style="text-align: center;">(BOTH PASSED)</td> </tr> </tbody> </table>	OVM READING		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 10'	915	2 @		3 @		4 @		5 @														LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	1 @ 10'	TPH (8015B)	0949	"	BTEX (8015B)	"	(BOTH PASSED)		
OVM READING																																											
SAMPLE ID	FIELD HEADSPACE (ppm)																																										
1 @ 10'	915																																										
2 @																																											
3 @																																											
4 @																																											
5 @																																											
LAB SAMPLES																																											
SAMPLE ID	ANALYSIS	TIME																																									
1 @ 10'	TPH (8015B)	0949																																									
"	BTEX (8015B)	"																																									
(BOTH PASSED)																																											
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																											
TRAVEL NOTES: CALLOUT: <u>3/25/03 - AFTER.</u> ONSITE: <u>3/26/03 - MORN.</u>																																											

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP
Sample ID: 1 @ 10'
Laboratory Number: 25221
Chain of Custody No: 10695
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 94034-010
Date Reported: 03-28-03
Date Sampled: 03-26-03
Date Received: 03-27-03
Date Extracted: 03-27-03
Date Analyzed: 03-28-03
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	703	0.2
Diesel Range (C10 - C28)	2,300	0.1
Total Petroleum Hydrocarbons	3,000	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Elliott GC B #1A Separator Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	03-28-03
Laboratory Number:	25221	Date Sampled:	03-26-03
Chain of Custody:	10695	Date Received:	03-27-03
Sample Matrix:	Soil	Date Analyzed:	03-28-03
Preservative:	Cool	Date Extracted:	03-27-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	183	1.8
Toluene	1,360	1.7
Ethylbenzene	828	1.5
p,m-Xylene	2,410	2.2
o-Xylene	1,680	1.0
Total BTEX	6,460	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Elliott GC B #1A Separator Pit Grab Sample.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 60831C.O.C. NO: 13911

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: ELLIOTT GC B WELL #: 1A PITS: COMPR., SEP.DATE STARTED: 7/14/05

DATE FINISHED: _____

QUAD/UNIT: E SEC: 13 TWP: 29N RNG: 9W PM: NM CNTY: SJ ST: NMQTR/FOOTAGE: SW/NW CONTRACTOR: L & L (BRIAN)ENVIRONMENTAL SPECIALIST: NV

SOIL REMEDIATION:

20 420175REMEDICATION SYSTEM: LANDFARMAPPROX. CUBIC YARDAGE: 75LAND USE: RANGE - BLMLIFT DEPTH (ft): 1-2

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: OK. YELL. ORANGE TO BROWNCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE


PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO / EXPLANATION - _____HC ODOR DETECTED: YES / NO / EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS): 12-24 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE / # OF PTS. 5CLOSED

ADDITIONAL COMMENTS: _____

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ. = 53.8 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 10:45 am DATE: 7/13/05

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (80158)	0750	3.9

P.C. - 3/26/03

SCALE

0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 7/14/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-18-05
Laboratory Number:	33684	Date Sampled:	07-14-05
Chain of Custody No:	13911	Date Received:	07-14-05
Sample Matrix:	Soil	Date Extracted:	07-17-05
Preservative:	Cool	Date Analyzed:	07-18-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	3.9	0.1
Total Petroleum Hydrocarbons	3.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Elliott GC B #1A Landfarm 5 Pt. Composite Sample.


Analyst


Review