District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District []] 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

KUVU JHNZOT TEL CONS. DIV.

Form C-144

June 1, 2004

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-gra	de tank 🔀
		DIST. G
·	e: (505)326-9200 e-mail address:	477.44
Address: 200 Energy Ct, Farmington, NM 87401	2045 24051	77 - 170
	0045 2495 U/L or Qtr/Qtr I	
County: San Juan Latitude	Longitude	NAD: 1927 🔲 1983 🔀
Surface Owner: Federal 🗷 State 🗌 Private 🗀 Indian 🗌		
Pit	Below-grade tank	
Type: Dritting Production X Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material: Double-walled, with leak detection? Yes 1 If no	A
Lined Unlined U	Double-walled, with leak detection? Yes I If no	, explain why not.
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl	,	
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility_	. (3) Attach a general o	lescription of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔀 🖰	res 🔲 If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excava	tions.	
Additional Comments:		
See Attached Documentation		
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guideline	s 🔼, a general permit 🗀, or an (attached) alterna	tive OCD-approved plan
Date: <u>11/01/2005</u>	1.	
Printed Name/Title	ure lefty C. Oligy	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
Approval: Printed Name/Title	Signature BAD All	Date: JAN 0 2 2007

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 8 (505) 632-1199	7413 LOCATION NO: 8/252		
FIELD REPORT: PIT CLOSURE VERIFICATION	ON PAGE No: of		
LOCATION: NAME: DAY WELL #: 35 TYPE: BLOOUDIUNIT: I SEC: 17 TWP: 790 RNG: 8W PM: NM CNTY: 5J ST: NA			
QTR/FOOTAGE:1630'S 825E NESE CONTRACTOR: L+L (BRI)	SPECIALIST: NV		
EXCAVATION APPROX. NA FT. x NA FT. X NA FT. DEEP.	CUBIC YARDAGE: NA		
DISPOSAL FACILITY: 00-SITE REMEDIATION ME	THOD: CLOSE A 5 15		
LAND USE: RANGE - BLM LEASE: SF078414	_ FORMATION:DK		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 168 FT			
DEPTH TO GROUNDWATER: 200 NEAREST WATER SOURCE: 21600 NEARES	T SURFACE WATER: >/ >05		
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 500 PPM	1800		
SUIL AND EXCAVATION DESCRIPTION. OVM CAL	B. READ. = 52.7 ppm これをこれ B. GAS = <u>160 ppm RF = 0.52</u> 2:40 @/pm DATE: フ/23 03		
SOIL TYPE SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDIEVEL -	DLUE GRAY GRADE		
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE	OLIDE GRAY		
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PL	ASTIC		
DENSITY (COHESIVE GLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD	(Crozeo)		
MOISTURE: DRY / SLIGHTLY MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / 10 EXPLANATION -			
HC ODOR DETECTED: (ES) NO EXPLANATION . BEDROCK ONLY .			
AMPLE TYPE: GRAB COMPOSITE: # OF PTS			
BEDROUL COMPETENT.			
FIELD 418.1 CALCULATIONS			
SCALE SAMP. TIME SAMP. ID LAB NO. WEIGHT (g) mL FREO	N DILUTION READING CALC. (ppm)		
0 FT			
PIT PERIMETER N	PIT PROFILE		
√ OVM			
TO READING SAMPLE FIELD HEADSPACE			
19 NEAD 10 (ppm) 106-5' 962			
BERM 2 0			
3 @ 4 @			
3 @ 4 @ 5 @ 5 @			
3 @ 4 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5	NOT APPLICABLE		
3 @ 4 @ 5 @ 5 @	NOT APPLICABLE		
23' 7.H. 5. 2.5 8.P.D. 8.P.D.	NOT APPLICABLE		
23' 7.H. 5. 8.P.D. LAB SAMPLES	NOT APPLICABLE		
23	Ç		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6.5'	Date Reported:	07-24-03
Laboratory Number:	26148	Date Sampled:	07-23-03
Chain of Custody No:	11114	Date Received:	07-23-03
Sample Matrix:	Soil	Date Extracted:	07-23-03
Preservative:	Cool	Date Analyzed:	07-24-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day #3E Blow Pit Grab Sample.

Analyst C. Q

Mistane of Wasters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6.5'	Date Reported:	07-24-03
Laboratory Number:	26148	Date Sampled:	07-23-03
Chain of Custody:	11114	Date Received:	07-23-03
Sample Matrix:	Soil	Date Analyzed:	07-24-03
Preservative:	Cool	Date Extracted:	07-23-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Day #3E Blow Pit Grab Sample.

Analyst C. Carl

Misterie Mualtes
Review