District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office RCVD <u>JAN2</u>3'01

Pit or Below-Grade Tank Registration or Closure

Santa Fe, NM 87505

OIL CONS. DIV Is pit or below-grade tank covered by a "general plan"? Yes No De of action: Registration of a pit or below-grade tank Colosure of a pit or below-grade tank 0157.3

Type of action. Registration of a pice	of below-grade talk (Closure of a pit of below-gra	de talik 🔼			
Operator: <u>BP America Production Company</u> Telephon	e: <u>(505)326-9200</u> e-mail address:				
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: GCW # 175 API #: 30					
County: San Juan Latitude	Longitude	NAD: 1927 🗖 1983 🔀			
Surface Owner: Federal 🗌 State 🗎 Private 🔲 Indian 🔀					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover	Construction material: Double-walled, with leak detection? Yes If no, explain why not.				
Lined [] Unlined []	Double-walled, with leak detection? Yes 1 If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points)			
	V	(20)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
inigation canais, unclies, and perciniar and epitemeral watercourses.)	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
		L			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'					
your are burying in place) onsite \(\mathbb{\text{\text{\text{\text{\text{offsite}}, name of facility}}} \)	. (3) Attach a general o	description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No	Yes If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.				
Additional Comments:					
See Attached Documentation					
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) alterna	tive OCD-approved plan .			
Date: 11/01/2005	1.				
Printed Name/Title Jeffrey C. Blagg, Agent Signat	ure Juffy C. Sly,				
Your certification and NMOCD approval of this application/closure does r		of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve t	he operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or			
regulations.					
Assessed	1 1.1				
Approval: GENUTY OIL & GAS INSPECTOR, DIST.		Date: JAN 2 3 2007			
Printed Name/Title	Signature D3 for Stall	Date: July & O LUUI			
L					

CLIENT: BP P.O. BOX 87, BLO	BLAGG ENGINEERING, INC. O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			LOCATION NO:			
	 				, .		
FIELD REPORT: PIT CLOSURE	VERIFI	CATIO			of/_		
LOCATION: NAME: GC. WELL#: (DATE	STARTED:	· ·		
QUAD/UNIT: I SEC: 25 TWP: 28N RNG: 13W PM: N			GANGE	RONMENTAL			
OTR/FOOTAGE: 1825/3/840/2 NE/SE CONTR	RACTOR: L + L	. (JEFF)	SPEC	IALIST:	NV		
EXCAVATION APPROXNA FT. xNA FT. DEEP. CUBIC YARDAGE:NA							
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE NAVATO FORMATION: OK							
LAND USE: KANGE- NANATO LEASE: A	JAVA JO		FORMAT	ION:	0K		
FIELD NOTES & REMARKS: PIT LOCATED APPROX	MATELY 18	FT	N38E	FROM	WELLHEAD.		
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'							
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5000 PPM							
SOIL AND EXCAVATION DESCRIPTION:			OVM CALIB. READ. = 53.7 ppm OVM CALIB. GAS = 700 ppm RF = 0.52 TIME: 9:58 @m/pm DATE: 3/19/03				
SOIL TYPE: SAND/ SILTY SAND / SILT / SILTY CLAY / CLAY /	GRAVEL / OTH				1		
SOIL COLOR: DK. YELL DRANGE COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / CO	HESIVE / HIGHLY	CHESIVE		·			
CONSISTENCY (NON COHESIVE SOILS): LOOSE FRAN DENSE / VERY		CONESIVE					
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / I		HIGHLY PLASTI	С				
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER				(ci	O3 ED		
DISCOLORATION/STAINING OBSERVED: YES AND EXPLANATION -							
HC ODOR DETECTED: YES (NO) EXPLANATION -							
SAMPLE TYPE: GRAB COMPOSITE . # OF PTS ADDITIONAL COMMENTS:							
FIELD 418.1 CALCULATIONS							
SCALE SAMP. TIME SAMP. ID LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)		
0 FT		******					
PIT PERIMETER	<u> </u>		PITE	PROFIL	F		
PIT PERIMETER PIT PROFILE							
, p	DING						
46 SLOPE SAMPLE ID	FIELD HEADSPACE (ppm)	_					
SERM 2@	0.0						
3 @ 4 @		7					
4(5@		_					
	NOT APPLICABLE						
					i		
	· · · · · · · · · · · · · · · · · · ·	-					
LABSA SAMPLE AN	AMPLES						
KWELL NY SAMPLE AN		_1					
HEAD AND AND	ALYSIS TIME						
HEAD B.G. B.P.D.							
HEAD B.G. B.P.D.	ALYSIS TIME						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX; T.B. = TANK BOTTOM	ALYSIS TIME						