District !
1625 N. French Dr., Hobbs, NM 88240
District !!
1301 W. Grand Avenue, Artesia, NM 88210
District !!!
1000 Rio Brazos Road, Aztec, NM 87410
District !V
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

ROW HEST

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tan Type of action: Registration of a pit o	k covered by a "general plan"? Yes 🔀 No r below-grade tank 🔲 Closure of a pit or below-gra	ode tank 🔀 ng cons. Di
Operator: BP America Production Company Telephon	e: (505)326-9200 e-mail address:	DIST. 3
Address: 200 Energy Ct, Farmington, NM 87401		
	0045 z.0896 U/L or Qtr/Qtr B	Sec 29 T 37 Np 11 W
	Longitude	
	Longitude	
Surface Owner: Federal 🛭 State 🔲 Private 🔲 Indian 🗍		
<u>Pit</u>	Below-grade tank	
Type: Drilling 🔲 Production 🔀 Disposal 🗌	Volume:bbl Type of fluid:	
Workover	Construction material:	$\cdot \triangle$
Lined Unlined	Double-walled, with leak detection? Yas DI If no	, explain why not.
Liner type: Synthetic Thickness mil Clay	/ V /	
Pit Volumebbl		
TH Volume	Less than 50 feet	(20 -cists)
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wallbard and description and the 200 feet from a private demostic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility_		
remediation start date and end date. (4) Groundwater encountered: No 🕍 Y		
	-	it. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.	
Additional Comments:		
See Attached Documentation		
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank
guarante	yes, a general per unit [], or all (attached) afterna	uve OCD-approved plan
Date: 11/01/2005	1.	
Printed Name/Title	ire / Lefty C. Olica	
Your certification and NMOCD approval of this application/closure does n		of the pit or tank contaminate around water or
otherwise endanger public health or the environment. Nor does it relieve the regulations.	ne operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or
Approval:	- 1 11	
Printed Name/Title	Signature BM HMM	Date: JAN 0 9 2007
France (valle) Title	Signature / / / / / / / / / / / /	Date: Print O O LUUI

					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	****
_			NEERING	•	LO	CATION NO	B1314
CLIENT: BP	P.O. BOX	87, BLO	OMFIELD), NM 874	113		
	1	(505) 632	2-1199		co	CR NO:	11640
	<u></u>						
FIELD REPORT	: PIT CL	OSURE	VERIF	ICATIO	N PAG	SE No:	/_ of <u>' (</u>
LOCATION: NAME: FIELDS	<u> </u>	WELL #:	8 TYPE	SEP.	DATI	E STARTED: _	12/18/03
QUAD/UNIT: 8 SEC: 29						E FINISHED: _	
					ENVI	RONMENTAL	NV
OTR/FOOTAGE: 850'N						CIALIST:	
EXCAVATION APPROX	. <u>バ</u> FT. ×	: <u>12</u> FT.	× _ 7_ FT	DEEP. CL	JBIC YARI	DAGE:	90
DISPOSAL FACILITY:							
LAND USE: KANGE - 6	<u>sum</u>	LEASE:	NM 0109	<u> </u>	FORMAT	ION:	PC
FIELD NOTES & REMAR	KS: PIT LOC	ATED APPROX	KIMATELY <u>るし</u>	FT	2511W	FROM	WELLHEAD.
DEPTH TO GROUNDWATER: >10	NEAREST W	ATER SOURCE:	>1000'	NEARESTS			
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 P	PM			
COULAND EVOLVATIO	יאי מבממחוחז	CIONI.		OVM CALIB.			
SOIL AND EXCAVATION	N DESCRIP	ION:		OVM CALIB.	GAS =/	O D ppm	<u>RF = 0.52</u>
ł				TIME: _/0:0		n DATE: _	12/16/03
SOIL TYPE: SAND/ SILTY SAN			GRAVEL / OTH	ER			
SOIL COLOR: MED. GRA. COHESION (ALL OTHERS): NON CO			LESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON COHESIVE SO				CONLONE			
PLASTICITY (CLAYS): NON PLASTIC				/ HIGHLY PLASTI	С		
DENSITY (COHESIVE CLAYS & SILTS						(1)	
MOISTURE: DRY / SLIGHTLY MOIST						(-02ED)
DISCOLORATION/STAINING OBSERV	VED: YES NO EXP	کے - LANATION	JURE TEST A	(DLE			
HC ODOR DETECTED: (YES) NO EX	(PLANATION - / E	ST HOLE	4 pour sui	mpre			
ADDITIONAL COMMENTS:							
1							
SCALE SUCE TO		· · · · · · · · · · · · · · · · · · ·	ELD 418.1 CALC	T		1	T
SCALE SAMP. TIM	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT							
PIT PERIMET	ER 4	3			PIT F	PROFIL	Ē
	•		∨M				
			DING				
METER		SAMPLE ID	FIELD HEADSPACE (ppm)				
METER		1@ 9'	1,353				
		2 @		\supset			
BERM		3 @ 4 @		-			
,		5@		-			
19 6					T AF	perabo	E
1 /2 /2/	(-		_			
	: 1						
	H						
P.O. Z1'	\mathcal{H}	IARS	AMPLES	_			
	\	SAMPLE	NALYSIS TIME	=			
~ 3 ' 8 &	T.H.	Deg' TPH	(80158) 1457				
1	β. P.D ·	" BIE	× (802(8) //				
1	5 . ,	BOTH P	ACCED	-			
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =							
				1-1-			
CALLOUT:	12/18/03 -	LATE MOEN	, ONSITE:	12/18/03 -	AFTER	•	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	12-19-03
Laboratory Number:	27439	Date Sampled:	12-18-03
Chain of Custody No:	11640	Date Received:	12-19-03
Sample Matrix:	Soil	Date Extracted:	12-19-03
Preservative:	Cool	Date Analyzed:	12-19-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,880	0.2
Diesel Range (C10 - C28)	1,030	0.1
Total Petroleum Hydrocarbons	2,910	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Fields LS #8 Separator Pit Grab Sample.

Analyst C. Que

Mistane - m Walters Review



PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

			i i
Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	12-19-03
Laboratory Number:	27439	Date Sampled:	12-18-03
Chain of Custody:	11640	Date Received:	12-19-03
Sample Matrix:	Soil	Date Analyzed:	12-19-03
Preservative:	Cool	Date Extracted:	12-19-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	4.4	1.8	
Toluene	597	1.7	
Ethylbenzene	445	1.5	
p,m-Xylene	973	2.2	
o-Xylene	864	1.0	
Total BTEX	2,880		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	98 %	
	1,4-difluorobenzene	98 %	
	Bromochlorobenzene	98 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Fields LS #8 Separator Pit Grab Sample.

Analyst C. Que

CLIENT: BP	BLAGG ENG	SINEERING, INC.	LOCATION NO: B1314
CLIENT: BF	P.O. BOX 87, BL0	OOMFIELD, NM 87413	
	(505)	632-1199	C.O.C. NO: 13 35
FIELD REPORT: LA	.NDFARM/COMPOST I	PILE CLOSURE VERIFIC	ATION
LOCATION: NAME: FIELDS	LS WELL	# 8 PITS: SEP.	DATE STARTED: 7/27/05
QUAD/UNIT: 8 SEC: Z	TWP: 32N RNG: 11W	PM:NM CNTY: 57 ST:NM	DATE FINISHED:
QTR/FOOTAGE:	NW /NE CONT	RACTOR:	ENVIRONMENTAL SPECIALIST:
SOIL REMEDIATION:			40
REMEDIATION SYSTEM	1: LANDFARM	_ APPROX. CUBIC YA	RDAGE: /30
	WEE	_ LIFT DEPTH (ft):	1-2
FIELD NOTES & REMARI	. 		NATER: 71,000
		CORE: O NMOCD TPH CL	DSURE STD: 5,000 PPM
SOIL TYPE: SAND/ SILTY SANI		RAVEL / OTHER	
SOIL COLOR: PRUE		SIVE / COHESIVE / HIGHLY COHES	N/E
CONSISTENCY (NON COHESIVE			IVE
·		DHESIVE / MEDIUM PLASTIC / HIGH	LY PLASTIC
DENSITY (COHESIVE CLAYS &			
MOISTURE DRY SLIGHTLY M	OIST / MOIST / WET / SATURAT	ED / SUPER SATURATED	CLOSED
DISCOLORATION/STAINING OB	SERVED: YES/NO EXPLANAT	ΠON -	
HC ODOR DETECTED: YES /	DEXPLANATION -		
SAMPLING DEPTHS (LANDFARI	, , ,		
SAMPLE TYPE: GRAB / COMPO	OSITE # OF PTS. 5		
ADDITIONAL COMMENTS:			
SKETCH/SAMPLE L	OCATIONS \$ P	OVM CALIB. READ. = 53.8	ppm
	37' TO WELL	OVM CALIB. GAS = 100	ppm RF = 0.52
SAMPLE PT. DESIGNATION	FRM HEAD	TIME: 10:15 and pm DA	TE: 7/25/05
		OVM RESULTS	LAB SAMPLES
	_ /	SAMPLE FIELD HEADSPACE SAMPLE ID (Appm) ID	ANALYSIS TIME RESULTS
64'/	3 /	LF-1 0.0 LF-1	(8015B) 1100 Z6.Z
	_ / ,		
/ / ③	(D) 90,520W		
	Fram		
1 (WELL HEAD		
7			
LA		P.C	12/18/03
		SCALE	

revised: 07/16/01

TRAVEL NOTES: CALLOUT:

NA

7/27/05

ONSITE:



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-30-05
Laboratory Number:	33884	Date Sampled:	07-27-05
Chain of Custody No:	13935	Date Received:	07-28-05
Sample Matrix:	Soil	Date Extracted:	07-28-05
Preservative:	Cool	Date Analyzed:	07-30-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	26.2	0.1
Total Petroleum Hydrocarbons	26.2	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Fields LS #8 Landfarm 5 Pt. Composite Sample.

Analyst C. Oglum

(Review Malter