

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct. Farmington, NM 87401
Facility or well name: GCN #151E API #: 30045 24290 U/L or Qtr/Qtr 0 Sec 21 T 29 N R 12 W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: <u>Oil</u> Construction material: <u>Steel</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 01

Printed Name/Title _____

Signature [Signature]

Date: JAN 16 2007

CLIENT: BP
BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199
LOCATION NO: B0737COCR NO: 10668**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1LOCATION: NAME: GCU WELL #: 151E TYPE: DEHYDATE STARTED: 3-4-03QUAD/UNIT: D SEC: 21 TWP: 29N RRG: 12W PM: NM CNTY: SJ ST: NMDATE FINISHED: 3-4-03QTR/FOOTAGE: 850N/910W NW/4 CONTRACTOR: FLINT (BEN)ENVIRONMENTAL SPECIALIST: JCBEXCAVATION APPROX. 12 FT. x 12 FT. x 5 FT. DEEP. CUBIC YARDAGE: 15±DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LFLAND USE: RANGE - Blm LEASE: NM078391 C FORMATION: DKFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 100 FT. S 15° W FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**
OVM CALIB. READ. = 129.9 ppm
OVM CALIB. GAS = 250 ppm RF = 0.52
TIME: 1040 am/pm DATE: 3-4-03
SOIL TYPE: (SAND) / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK S.S. @ 5' BGSOIL COLOR: GRAY/BLACKCOHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE (VERY DENSE) @ S.S. SURFACE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC


DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - GRAY/BLACKHC ODOR DETECTED: (YES) NO EXPLANATION - MODERATESAMPLE TYPE: GRAB COMPOSITE - # OF PTS.ADDITIONAL COMMENTS: EARTHEN PIT DUG TO SANDSTONE BEDROCKBEDROCK
BottomCLOSED**SCALE**

0 FT

FIELD 418.1 CALCULATIONS


SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 5'	98
2 @ 5'	147
3 @ 5'	121
4 @ 5'	163
5 @ 5'	166

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5 @ 5'	TPH/BTEX	0950

BOTH PASSED**PIT PROFILE**
D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM
TRAVEL NOTES: CALLOUT: 3/4/03 0840 ONSITE: 3/4/03 0930

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP
Sample ID: Dehy 5 @ 5'
Laboratory Number: 24995
Chain of Custody No: 10668
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 94034-010
Date Reported: 03-07-03
Date Sampled: 03-04-03
Date Received: 03-05-03
Date Extracted: 03-05-03
Date Analyzed: 03-06-03
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	10.0	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	10.0	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU 151E.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Blagg / BP
Sample ID: Dehy 5 @ 5'
Laboratory Number: 24995
Chain of Custody: 10668
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact

Project #: 94034-010
Date Reported: 03-07-03
Date Sampled: 03-04-03
Date Received: 03-05-03
Date Analyzed: 03-06-03
Date Extracted: 03-05-03
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	24.5	1.5
p,m-Xylene	310	2.2
o-Xylene	170	1.0
Total BTEX	505	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU 151E.


Analyst


Review

CLIENT:

BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO:

80737

C.O.C. NO:

13917

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: GCU WELL #: 151E PITS: _____
QUAD/UNIT: D SEC: 21 TWP: 29N RNG: 12W PM: MM CNTY: ST ST: MM
QTR/FOOTAGE: NW/4 CONTRACTOR: _____

DATE STARTED: 7/21/05
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: NV

SOIL REMEDIATION:

15

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____

LAND USE: RANGELIFT DEPTH (ft): 0.5-1

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100'NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000'NMOC D RANKING SCORE: 0NMOC D TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: PALE YELL. - ORANGECOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD


MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - ALL SAMPLE PTS. @ SAMPLE DEPTHS COLLECTEDHC ODOR DETECTED: YES / NO EXPLANATION - ALL SAMPLE PTS.SAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5

ADDITIONAL COMMENTS: _____

CLOSED

SKETCH/SAMPLE LOCATIONS

N



OVM CALIB. READ. = 53.4 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 7.10 @m/pm DATE: _____

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS (PPM)
LF-1	331	LF-1	TPH (50158)	1330	2,440
		"	BEA2.	"	ND
		"	TOT. BTEX	"	0.466

SCALE

0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 7/21/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-27-05
Laboratory Number:	33816	Date Sampled:	07-21-05
Chain of Custody No:	13917	Date Received:	07-21-05
Sample Matrix:	Soil	Date Extracted:	07-26-05
Preservative:	Cool	Date Analyzed:	07-27-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	228	0.2
Diesel Range (C10 - C28)	2,210	0.1
Total Petroleum Hydrocarbons	2,440	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **GCU #151E 5 Pt. Composite Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-27-05
Laboratory Number:	33816	Date Sampled:	07-21-05
Chain of Custody:	13917	Date Received:	07-21-05
Sample Matrix:	Soil	Date Analyzed:	07-27-05
Preservative:	Cool	Date Extracted:	07-26-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	2.1
Toluene	13.6	1.8
Ethylbenzene	71.5	1.7
p,m-Xylene	263	1.5
o-Xylene	118	2.2
Total BTEX	466	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #151E 5 Pt. Composite Sample.


Analyst


Review